


**SOIL TEST RESULTS**

| SAMPLE NO. | OFFSET | STATION | DEPTH INTERVAL | AASHTO CLASS. | L.L. | P.L. I. | % BY WEIGHT |         |      |      | % PASSING SIEVES |    |     | % MOISTURE | % ORGANIC |
|------------|--------|---------|----------------|---------------|------|---------|-------------|---------|------|------|------------------|----|-----|------------|-----------|
|            |        |         |                |               |      |         | C. SAND     | F. SAND | SILT | CLAY | 10               | 40 | 200 |            |           |
| SS-66      | CL     | 220+00  | 1.19-1.49      | A-5           | 45   | 8       | 11.5        | 45.7    | 12.6 | 30.2 | 100              | 97 | 52  |            |           |
| SS-67      | CL     | 220+00  | 2.71-3.01      | A-2-4(0)      | 38   | NP      | 27.2        | 49.3    | 7.4  | 16.1 | 100              | 88 | 32  |            |           |
| SS-68      | CL     | 220+00  | 5.75-6.05      | A-2-4(0)      | 26   | NP      | 34.8        | 43.3    | 7.8  | 14.1 | 100              | 81 | 29  |            |           |



222+00

CL 275  
 SS-66  
 SS-67  
 SS-68

RESIDUAL

TAN BROWN STIFF MOIST MIC. CLAYEY SANDY SILT

TAN WHITE YELLOW LOOSE TO MED. DENSE MOIST MIC. CLAYEY SAND

SOFT WEATHERED ROCK

0.0208 mm  
 259.135  
 HARD ROCK  
 DRY 8-00

222+00.00

221+80

25 LI

RESIDUAL

TAN BROWN STIFF MOIST MIC. CLAYEY SANDY SILT  
 TAN WHITE YELLOW LOOSE TO MED. DENSE MOIST MIC. CLAYEY SAND

DRY 8-00

221+80.00

221+60

CL

RESIDUAL

TAN BROWN STIFF MOIST MIC. CLAYEY SANDY SILT  
 TAN WHITE YELLOW LOOSE TO MED. DENSE MOIST MIC. CLAYEY SAND

221+60.00

DRY 8-00