



PAVEMENT SCHEDULE	
С	PROP. APPROX. IV. ASPHALT CONCRETE SURFACE COURSE, TYPE SF9.5A, AT AN AVERAGE RATE OF 138 LBS. PER SO. YD.
C2	PROP. APPROX. IV2' ASPHALT CONCRETE SURFACE COURSE. TYPE SF9.5A, AT AN AVERAGE RATE OF 165 LBS. PER SO. YD.
C3	PROP. APPROX. 1½2° ASPHALT CONCRETE SURFACE COURSE, TYPE S9.58, AT AN AVERAGE RATE OF 168 LBS. PER SO. YD.
C4	PROP. APPROX. 11/2" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5C. AT AN AVERAGE RATE OF 168 LBS. PER SO. YD.
C5	PROP. APPROX. 21/2' ASPHALT CONCRETE SURFACE COURSE, TYPE 58.5B. AT AN AVERAGE RATE OF 140 LBS. PER SO. YD. IN EACH OF TWO LAYERS
C6	PROP. APPROX. 2½, ASPHALT CONCRETE SURFACE COURSE, TYPE SS.SC. AT AN AVERAGE RATE OF 140 LBS. PER SO. YD. IN EACH OF TWO LAYERS
D	PROP. APPROX. 2½ ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 119.08. AT AN AVERAGE RATE OF 285 LBS. PER SO. YD.
DI	PROP. APPROX. 3 - ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 119.0B, AT AN AVERAGE RATE OF 342 LBS. PER SO. YD.
D2	PROP. APPROX. 2½ ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 119.0C, AT AN AVERAGE RATE OF 285 LBS. PER SO. YD.
E	PROP. APPROX. 4½° ASPHALT CONCRETE BASE COURSE, TYPE B25.0B, AT AN AVERAGE RATE OF 513 LBS. PER SQ. YD.
ΕI	PROP. APPROX. 5½° ASPHALT CONCRETE BASE COURSE, TYPE B25.0B, AT AN AVERAGE RATE OF 627 LBS. PER SO. YD.
F	MAT COAT NO. 6 STONE
v '	MILLING ASPHALT PAVEMENT.111/2° DEPTH.
V2	MILLING ASPHALT PAVEMENT. 3° DEPTH.
V4	MILLING ASPHALT PAVEMENT. 4' DEPTH.
Т	EARTH MATERIAL
U	EXISTING PAVEMENT.

/2/99

EP-2004 08:57 3Y\DDC\RETREAT\2005\CONTRA~1\36765E~!\36765ETC.dan