




PROJECT NO. 11CR.10141.9, 11CR.20141.9, 11CR.301411.9, ETC.	SHEET NO. 6	TOTAL SHEETS
--	----------------	--------------



TYPICAL SECTION NO. 1



TYPICAL SECTION NO. 2



TYPICAL SECTION NO. 3

PAVEMENT SCHEDULE	
C	PROP. APPROX. 1 1/2" ASPHALT CONCRETE SURFACE COURSE, TYPE SF9.5A, AT AN AVERAGE RATE OF 165 LBS. PER SQ. YD.
C1	PROP. APPROX. 1 1/2" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD.
C2	PROP. APPROX. 3.0" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, IN 2 LIFTS AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD.
C3	PROP. APPROX. 3.0" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5C, IN 2 LIFTS AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD.
T	SHOULDER RECONSTRUCTION
V	MILLING BITUMINOUS PAVEMENT, APPROXIMATELY 1.5" DEPTH
V1	MILLING BITUMINOUS PAVEMENT, APPROXIMATELY 3.0" DEPTH
V2	MILLING BITUMINOUS PAVEMENT, APPROXIMATELY 1.5" DEPTH - AT BRIDGE APPROACHES - BRIDGE #201, MAP #15 AND BRIDGE #191, MAP #19