



PROJECT REFERENCE NO. B-3454	SHEET NO. 2
RW SHEET NO.	
ROADWAY DESIGN ENGINEER 	PAVEMENT ENGINEER 

PAVEMENT SCHEDULE	
C	PROP. APPROX. 3" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD. IN EACH OF TWO LAYERS
D	PROP. APPROX. 2½" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE I19.0B, AT AN AVERAGE RATE OF 285 LBS. PER SQ. YD.
E	PROP. APPROX. 4" ASPHALT CONCRETE BASE COURSE, TYPE B25.0B, AT AN AVERAGE RATE OF 456 LBS. PER SQ. YD.
J	PROP. 8" AGGREGATE BASE COURSE.
T	EARTH MATERIAL.
V	INCIDENTAL MILLING

ALL PAVEMENT EDGES ARE 1:1 UNLESS SHOWN OTHERWISE

