



FINAL PAVEMENT SCHEDULE	
C1	PROP. APPROX. 2.5" ASPHALT CONCRETE SURFACE COURSE TYPE S9.5B, AT AN AVERAGE RATE OF 140 LBS. PER SQ. YD. IN EACH OF TWO LAYERS.
E1	PROP. APPROX. 4" ASPHALT CONCRETE BASE COURSE, TYPE B25.0B, AT AN AVERAGE RATE OF 456 LBS. PER SQ. YD.
T	EARTH MATERIAL.

NOTE: ALL PAVEMENT EDGE SLOPES ARE 1:1 UNLESS OTHERWISE SHOWN.




BRIDGE TYPICAL SECTION 1

-L- STA. 19+85 (BEGIN BRIDGE) TO STA 21+65 (END BRIDGE)



BRIDGE TYPICAL SECTION 2


-L- STA. 30+84.67 (BEGIN BRIDGE) TO STA 32+15.33 (END BRIDGE)



TYPICAL SECTION NO. 1

-L- STA. 15+50.00 TO 16+05
-L- STA. 34+91.97 TO 35+46.97

NOTE: USE 2.5" S9.5B FOR RESURFACING AS DIRECTED BY THE ENGINEER.



TYPICAL SECTION NO. 2

-L- STA. 16+05 TO 19+02.74
** -L- STA. 19+02.74 TO 19+85.00 (BGN BRG)
** -L- STA. 21+65.00 (END BRG) TO 26+61.23
-L- STA. 26+61.23 TO 30+84.67 (BEGIN BRIDGE)
-L- STA. 32+15.33 (END BRIDGE) TO 34+91.97

SEE PLANS FOR PAVEMENT TRANSITIONS