
PLANTING DETAILS

SEEDLING / LINER BAREROOT PLANTING DETAIL


HEALING IN

1. Locate a healing-in site in a shady, well


2. Excavate a flat bottom trench
12 inches deep and provide drainage.




3. Backfill the trench with 2 inches well rotted sawdust. Place a 2 inch layer of well rotted sawdust at a sloping angle at one end of the trench.



4. Place a single layer of plants against the sloping end so that the root collar is at ground level.





5. Place a 2 inch layer of well rottedy yy y a sloping angle.




6. Repeat layers of plants and sawdust as necessary and water thoroughly.

DIBBLE PLANTING METHOD USING THE KBC PLANTING BAR







2. Remove planting bar and place seedling at correct depth.




3. Insert planting bar
2 inches toward planter
from seedling.



4. Pull handle of bar toward planter, firming



5. Push handle forward firming soil at top.



6. Leave compaction hole open. Water thoroughly.

PLANTING NOTES:

PLANTING BAG During planting, seedlings shall be kept in a moist canvas bag or similar container to prevent the root systems from drying.



KBC PLANTING BAR
Planting bar shall have a
blade with a triangular
cross section, and shall
be 12 inches long,
4 inches wide and 1 inch thick at center.

ROOT PRUNING All seedlings shall be root pruned, if necessary, so that no roots extend more than 10 inches below the root collar.



PROJECT REFERENCE NO. SHEET NO. RF-I U-3IIOB RW SHEET NO. HYDRAULICS ENGINEER ROADWAY DESIGN

REFORESTATION

☐ TREE REFORESTATION SHALL BE PLANTED 6 FT. TO 10 FT. ON CENTER, RANDOM SPACING, AVERAGING 8 FT. ON CENTER, APPROXIMATELY 680 PLANTS PER ACRE.

REFORESTATION

MIXTURE, TYPE, SIZE, AND FURNISH SHALL CONFORM TO THE FOLLOWING:

FLOWERING DOGWOOD 12 in - 18 in BR 50% CORNUS FLORIDA

12 in - 18 in BR 50% CERCIS CANADENSIS REDBUD

REFORESTATION DETAIL SHEET

N.C.D.O.T. - ROADSIDE ENVIRONMENTAL UNIT