


## ELASTOMERIC BEARING DETAILS

+

+

ELASTOMER IN ALL BEARINGS SHALL BE 60 DUROMETER HARDNESS.

CORED SLABS REQUIRED						
NUMBER LENGTH TOTAL LENGTH						
70' UNIT						
EXTERIOR C.S.	2	70'-0″	140'-0"			
INTERIOR C.S.	7	70'-0″	490'-0"			
TOTAL	9		630'-0"			



17-NOV-2015 12:24 Z:\Structures\Plans\finalplans\B5403\_SD\_TS.dgn warafat

가	HALT	THICKNESS	&	RAI	L HEIGHT
	ASPH	ALT OVERLAY THI @ MID-SPAN	CKN	ESS	RAIL HEIGHT @ MID-SPAN
		2 <sup>13</sup> / <sub>16</sub> "			3′-8 <sup>13</sup> ⁄16″

GUTTERLINE ASF

BAR NUMBER SIZE

8

79

4

4

REINFORCING STEEL

REINFORCING STEEL

7000 P.S.I. CONCRETE

0.6" Ø L.R. STRANDS

**\*** EPOXY COATED

144

6 #4

BILI

**#**5

#4

**#**5

#4

**#**5

70' UNITS

B22

S10


S11

**\*** S12

S14

S15

L 7	OF MATERIAL FOR ONE								
	EXTERIOR UNIT INTERIOR UNIT								
	TYPE	LENGTH	WEIGHT	LENGTH	WEIGHT				
	STR	24'-6"	98	24'-6"	98				
	3	4'-9"	40	4'-9"	40				
	3	5'-10"	561	5'-10″	561				
	1	5′-7″	460						
	3	5′-7″	15	5′-7″	15				
	3	7'-1″	30	7'-1″	30				
	LBS	5.	744		744				
L LBS. 460									
	CU.YDS	).	11.8		11.8				
	Nc	).	28		28				



BILL OF MATERIAL FOR VERTICAL CONCRETE BARRIER RAIL							
BAR	BARS PER PAIR OF EXTERIOR UNITS	TOTAL NO.	SIZE	TYPE	LENGTH	WEIGHT	
	70' UNIT						
<b>*</b> B25	60	60	#5	STR	22'-11"	1434	
*S13	158	158	#5	2	7'-2″	1181	
* EPOXY COATED REINFORCING STEEL LBS. 2615							
CLASS AA CONCRETE CU.YDS. 18.2							
TOTAL	TOTAL VERTICAL CONCRETE BARRIER RAIL LN.FT. 140.00						

DEAD LOAD DEFLECTION AN	ND CAMBER
	3'-0" × 2'-0"
70'CORED SLAB UNIT	0.6″ØL.R. STRAND
CAMBER (SLAB ALONE IN PLACE)	2 <sup>1</sup> /4″ 🕴
DEFLECTION DUE TO SUPERIMPOSED DEAD LOAD	¾″ ♦
FINAL CAMBER	1 <sup>1</sup> ∕2″ ♦

GRADE 270 STRANDS				
	0.6″ØL.R.			
AREA (SQUARE INCHES)	0.217			
ULTIMATE STRENGTH (LBS.PER STRAND)	58,600			
APPLIED PRESTRESS (LBS.PER STRAND)	43,950			

## NOTES

- ALL PRESTRESSING STRANDS SHALL BE 7-WIRE LOW RELAXATION GRADE 270 STRANDS AND SHALL CONFORM TO AASHTO M203 EXCEPT FOR SAMPLING REQUIREMENTS WHICH SHALL BE IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS.
- ALL REINFORCING STEEL CAST WITH THE CORED SLAB SECTIONS SHALL BE GRADE 60 AND SHALL BE INCLUDED IN THE UNIT PRICE BID FOR PRESTRESSED CONCRETE CORED SLABS.
- RECESSES FOR TRANSVERSE STRANDS SHALL BE GROUTED AFTER THE TENSIONING OF THE STRANDS.
- THE 21/2" & DOWEL HOLES AT FIXED ENDS OF SLAB SECTIONS SHALL BE FILLED WITH NON-SHRINK GROUT.
- THE BACKER RODS SHALL CONFORM TO THE REQUIREMENTS OF TYPE M BOND BREAKER. SEE SECTION 1028 OF THE STANDARD SPECIFICATIONS.
- WHEN CORED SLABS ARE CAST, AN INTERNAL HOLD-DOWN SYSTEM SHALL BE EMPLOYED TO PREVENT VOIDS FROM RISING OR MOVING SIDEWAYS AT LEAST SIX WEEKS PRIOR TO CASTING CORED SLABS, THE CONTRACTOR SHALL SUBMI TO THE ENGINEER FOR REVIEW AND COMMENT, DETAILED DRAWINGS OF THE PROPOSED HOLD-DOWN SYSTEM. IN ADDITION TO STRUCTURAL DETAILS, LOCATION AND SPACING OF THE HOLD-DOWNS SHALL BE INDICATED.
- THE TRANSFER OF LOAD FROM THE ANCHORAGES TO THE CORED SLAB UNIT SHALL BE DONE WHEN THE CONCRETE HAS REACHED A COMPRESSIVE STRENGTH OF NOT LESS THAN THE REQUIRED STRENGTH SHOWN IN THE "CONCRETE RELEASE STRENGTH" TABLE.
- ALL REINFORCING STEEL IN VERTICAL CONCRETE BARRIER RAILS SHALL BE EPOXY COATED.
- PRESTRESSING STRANDS SHALL BE CUT FLUSH WITH THE CORED SLAB UNIT ENDS.
- APPLY EPOXY PROTECTIVE COATING TO CORED SLAB UNIT ENDS.
- GROOVED CONTRACTION JOINTS,  $\frac{1}{2}$ " IN DEPTH, SHALL BE TOOLED IN ALL EXPOSED FACES OF THE BARRIER RAIL AND IN ACCORDANCE WITH ARTICLE 825-10(B) OF THE STANDARD SPECIFICATIONS. A CONTRACTION JOINT SHALL BE LOCATED AT EACH THIRD POINT BETWEEN BARRIER RAIL EXPANSION JOINTS. ONLY ONE CONTRACTION JOINT IS REQUIRED AT MIDPOINT OF BARRIER RAIL SEGMENTS LESS THAN 20 FEET IN LENGTH AND NO CONTRACTION JOINTS ARE REQUIRED FOR THOSE SEGMENTS LESS THAN 10 FEET IN LENGTH.
- FLAME CUTTING OF THE TRANSVERSE POST-TENSIONING STRAND IS NOT ALLOWED.
- MAINTAIN A SYMMETRIC TENSION FORCE BETWEEN EACH PAIR OF TRANSVERSE POST TENSIONING STRANDS IN THE DIAPHRAGM.
- THE #4 S11 STIRRUPS MAY BE SHIFTED AS NECESSARY TO MAINTAIN 1" CLEAR TO THE GROUTED RECESS.
- FOR GROUT FOR STRUCTURES, SEE SPECIAL PROVISIONS.
- THE PERMITTED THREADED INSERTS ARE DETAILED AS AN OPTION FOR THE CONTRACTOR TO ATTACH FALSEWORK AND FORMWORK DURING CONSTRUCTION.
- THE PERMITTED THREADED INSERTS IN THE EXTERIOR UNITS SHALL BE SIZED BY THE CONTRACTOR, SPACED AT 4'-O"CENTERS AND GALVANIZED IN ACCORDANCE WITH SECTION 1076 OF THE STANDARD SPECIFICATIONS. STAINLESS STEEL THREADED INSERTS MAY BE USED AS AN ALTERNATE.
- THE PERMITTED THREADED INSERTS SHALL BE GROUTED BY THE CONTRACTOR IMMEDIATELY FOLLOWING REMOVAL OF THE FALSEWORK.
- THE COST OF THE PERMITTED THREADED INSERTS SHALL BE INCLUDED IN THE PRICE BID FOR THE PRECAST UNITS.
- THE DRAIN OPENING AT THE GUTTERLINE SHALL BE 4"X 8". THE HEIGHT OF THE BLOCKOUT IN THE VERTICAL CONCRETE BARRIER RAIL SHALL EXTEND FROM THE TOP OF THE CORED SLAB UNIT TO THE TOP OF THE DRAIN OPENING.
- APPLY EPOXY PROTECTIVE COATING TO EXTERIOR FACE OF THE EXTERIOR CORED SLAB UNITS THAT REQUIRE DRAINS IN THE BARRIER RAIL. B-5403

RELEASE		STRENGTH
		PSI
		5500



PROJECT	NO	<u> </u>	403
TRANS	YLV	ANIA	COUNTY
STATION:	14-	+56.00	<u>-L-</u>

SHEET 3 OF 3

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION RALEIGH STANDARD

3'-0" X	2'-0"
PRESTRESSED	CONCRETE
CORED SLA	B UNIT

REVISIONS					SHEET NO.	
NO.	BY:	DATE:	NO.	BY:	DATE:	S-7
1			3			TOTAL SHEETS
2			4			14