

# This electronic collection of documents is provided for the convenience of the user and is Not a Certified Document -

The documents contained herein were originally issued and sealed by the individuals whose names and license numbers appear on each page, on the dates appearing with their signature on that page. This file or an individual page shall not be considered a certified document.



ndaiuto

۶I	STA.	=	15+90.27 -SRVRD-
	$\triangle$	=	109°-02'-43.5" (RT)
	D	=	44°-04'-25.2"
	L	=	247.42′
	Т	=	182.41′
	D	_	130 001



# FOUNDATION NOTES

FOR PILES, SEE GEOTECHNICAL SPECIAL PROVISIONS AND SECTION 450 OF THE STANDARD SPECIFICATIONS.

PILES AT END BENT 1 ARE DESIGNED FOR A FACTORED RESISTANCE OF 110 TONS PER PILE.

DRIVE PILES AT END BENT 1 TO A REQUIRED DRIVING RESISTANCE OF 183 TONS PER PILE.

FOR DRILLED PIERS, SEE GEOTECHNICAL SPECIAL PROVISIONS AND SECTION 411 OF THE STANDARD SPECIFICATIONS.

DRILLED PIERS AT BENT 1 ARE DESIGNED FOR A FACTORED RESISTANCE OF 725.0 TONS PER PIER. CHECK FIELD CONDITIONS FOR THE REQUIRED TIP RESISTANCE OF 60.0 TSF.

PERMANENT STEEL CASINGS MAY BE REQUIRED FOR DRILLED PIERS AT BENT 1. IF REQUIRED, DO NOT EXTEND PERMANENT CASINGS BELOW ELEVATION 542.0 (LT), 544.0 (CT), AND 546.0 (RT) WITHOUT PRIOR APPROVAL FROM THE ENGINEER. THE ENGINEER WILL DETERMINE THE NEED FOR PERMANENT CASINGS.

INSTALL DRILLED PIERS AT BENT 1 TO A TIP ELEVATION NO HIGHER THAN 529.0 (LT), 533.0 (CT), AND 537.0 (RT) WITH THE REQUIRED TIP RESISTANCE.

THE SCOUR CRITICAL ELEVATION FOR BENT 1 IS ELEVATION 534.5 (LT), 537.8 (CT), AND 541.0 (RT) SCOUR CRITICAL ELEVATIONS ARE USED TO MONITOR POSSIBLE SCOUR PROBLEMS DURING THE LIFE OF THE STRUCTURE.

SID INSPECTIONS ARE REQUIRED FOR DRILLED PIERS AT BENT 1. FOR SID INSPECTIONS, SEE SECTION 411 OF THE STANDARD SPECIFICATIONS.


CSL TUBES ARE REQUIRED AND CSL TESTING MAY BE REQUIRED FOR DRILLED PIERS. THE ENGINEER WILL DETERMINE THE NEED FOR CSL TESTING.FOR CSL TESTING, SEE SECTION 411 OF THE STANDARD SPECIFICATIONS.

SPT IS REQUIRED FOR DRILLED PIERS AT BENT 1 FOR SPT TESTING, SEE SECTION 411 OF THE STANDARD SPECIFICATIONS.

PILES AT END BENT 2 ARE DESIGNED FOR A FACTORED RESISTANCE OF 110 TONS PER PILE.

DRIVE PILES AT END BENT 2 TO A REQUIRED DRIVING RESISTANCE OF 183 TONS PER PILE.

	PROJEC	T NO.	<u> </u>	-5123	)				
	С	ABAR	RUS	CO	UNTY				
	STATIO	DN:	21+44	1.10 -	<u>L-</u>				
	SHEET 2 0	F 3							
TH CAROLAN	STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION RALEIGH								
SEAL 23371 HURTH CAROLANT SEAL 23371 HILL CONFER-	FOR ROCK	BRIDG Y RIVI	ALDF E ONL ER&S 1300	JS 29 ( Service	DVER E RD.				
vipul a patel 10157DE15D464AA		(RI	GHT LA	NE)					
3/1/2016		REVIS	SIONS		SHEET NO.				
DOCUMENT NOT CONSIDERED	NO. BY:	DATE:	NO. BY:	DATE:	S-39				
FINAL UNLESS ALL SIGNATURES COMPLETED	1		3 4		TOTAL SHEETS 74				
	STR.#2								



							T	OTAL B	ILL OF	ΜΑΤ	ERI	AL								
	REMOVAL OF EXISTING STRUCTURES	4 DRIL I	'-O"DIA. LED PIER N SOIL	S DI	4'-O″DIA RILLED PI NOT IN S(	A. EERS DIL	PERMAN CASING F DRIL	NENT STEEL FOR 4'-O″DIA. LED PIER	SID INSPECTIONS	SPT TESTING	CSL TESTI	NG	JNCLASSII STRUCTL EXCAVAT	FIED JRE ION	REINFOR CONCRE DECK SL	CED TE .AB	GROOVING BRIDGE FLOORS	CLASS A CONCRETE	BRIDGE APPROACH SLABS	REINFORCINC STEEL
	LUMP SUM	l	IN.FT.		LIN.FT.		L	IN.FT.	EACH	EACH	EACH	+	LUMP SI	UM	SQ.FT		SQ.FT.	CU. YDS.	LUMP SUM	LBS.
SUPERSTRUCTURE															12,412	2	12,241		LUMP SUM	
END BENT 1																		46.2		6,152
BENT 1			60.0		33.0			63.0	1	1	1							55.3		17,888
END BENT 2																		46.0		6,141
TOTAL	LUMP SUM		60.0		33.0			63.0	1	1	1		LUMP SI	UM	12,412	2	12,241	147.5	LUMP SUM	30,181
	SPIRAL COLUMN REINFORCING STEEL	PRES CO	DIFIED 63″ STRESSED NCRETE IRDERS	HF STE	P 12X53 EL PILES	T V ME T	VO BAR Al RAIL	CONCRETE BARRIER RAIL	1'-2" X 2'-6" CONCRETE PARAPET	4" SL( PROTEC	OPE TION	RII CLA (2'-0	P RAP ASS II )"THICK)	-	EXTILE FOR INAGE	ELAS BE	STOMERIC ARINGS	ASBESTOS ASSESSMENT		
	LBS.	NO.	LIN.FT.	NO.	LIN.FT.	L	IN.FT.	LIN.FT.	LIN.FT.	SQ. Y	DS.	T	TONS	SQ	.YDS.	LU	MP SUM	LUMP SUM		
SUPERSTRUCTURE		14	1,516.08			2	210.05	486.44	218.23							LU	MP SUM	LUMP SUM		
END BENT 1				11	525					410	C									
BENT 1	3,442																			
END BENT 2				11	360								525		585					
TOTAL	3,442	14	1,516.08	22	885	2	210.05	486.44	218.23	41(	o l		525		585	LU	MP SUM	LUMP SUM	1	

DRAWN BY :	N.D'A	IUTO	DATE : 11/18/15
CHECKED BY : _	K.D.L	AYNE	DATE : 11/20/15
DESIGN ENGINE	ER OF RECORD: _	H.A.LOCKLEAR	_ DATE : <u>12/7/15</u>

+



ASSUMED LIVE LOAD = HL-93 OR ALTERNATE LOADING. THIS BRIDGE HAS BEEN DESIGNED IN ACCORDANCE WITH THE AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS. THIS BRIDGE IS LOCATED IN SEISMIC ZONE 1. FOR OTHER DESIGN DATA AND GENERAL NOTES, SEE SHEET SN.	RE IN
AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS.	NE TH
THIS BRIDGE IS LOCATED IN SEISMIC ZONE 1.	TH
	GF SF
FOR SUBMITTAL OF WORKING DRAWINGS, SEE SPECIAL PROVISIONS.	AN FC
FOR FALSEWORK AND FORMWORK, SEE SPECIAL PROVISIONS.	TF
FOR CRANE SAFETY, SEE SPECIAL PROVISIONS.	TH FC
FOR GROUT FOR STRUCTURES, SEE SPECIAL PROVISIONS.	DI
FOR CRANE SAFETY, SEE SPECIAL PROVISIONS. FOR GROUT FOR STRUCTURES, SEE SPECIAL PROVISIONS. FOR PLACING LOAD ON STRUCTURE MEMBERS, SEE SPECIAL PROVISIONS.	SE
THE CONTRACTOR SHALL PROVIDE INDEPENDENT ASSURANCE SAMPLES OF REINFORCING STEEL AS FOLLOWS:FOR PROJECTS REQUIRING UP TO 400 TONS OF REINFORCING STEEL,ONE 30 INCH SAMPLE OF EACH SIZE BAR USED,AND FOR PROJECTS REQUIRING OVER 400 TONS OF REINFORCING	FC SE FC
STEEL, TWO 30 INCH SAMPLES OF EACH SIZE BAR USED. THE BARS FROM WHICH THE SAMPLES ARE TAKEN MUST THEN BE SPLICED WITH	TH CC
REPLACEMENT BARS OF THE SIZE AND LENGTH OF THE SAMPLE PLUS A MINIMUM LAP SPLICE OF THIRTY BAR DIAMETERS. PAYMENT FOR THE	RE CC
SAMPLES OF REINFORCING STEEL SHALL BE CONSIDERED INCIDENTAL TO VARIOUS PAY ITEMS.	W / Re
THE ELEVATION AND CLEARANCE SHOWN ON THE PLANS AT THE POINTS	PI BF
OF MINIMUM VERTICAL CLEARANCE ARE FROM THE BEST INFORMATION AVAILABLE.PRIOR TO BEGINNING BRIDGE CONSTRUCTION, VERIFY THE	IN PF
ELEVATION ON THE EXISTING PAVEMENT AND CHECK THE CLEARANCE. REPORT ANY VARIATIONS TO THE ENGINEER. ANY PLAN REVISIONS NECESSARY TO	FC EX
ACHIEVE THE REQUIRED MINIMUM VERTICAL CLEARANCE WILL BE PROVIDED BY THE DEPARTMENT.	TH
FOR MAINTENANCE AND PROTECTION OF TRAFFIC BENEATH PROPOSED STRUCTURE, SEE SPECIAL PROVISIONS.	F F F C C L

PRESTRESSED CONCRETE DECK PANELS MAY BE USED IN LIEU OF METAL STAY-IN-PLACE FORMS IN ACCORDANCE WITH ARTICLE 420-3 OF THE STANDARD

AC	I	T	V
			0 F 0 E
			( F (

REMOVABLE FORMS MAY BE USED IN LIEU OF METAL STAY-IN-PLACE FORMS IN ACCORDANCE WITH ARTICLE 420-3 OF THE STANDARD SPECIFICATIONS.

EEDLE BEAMS WILL NOT BE ALLOWED UNLESS OTHERWISE CALLED FOR ON HE PLANS OR APPROVED BY THE ENGINEER.

HE CLASS AA CONCRETE IN THE BRIDGE DECK SHALL CONTAIN FLY ASH OR ROUND GRANULATED BLAST FURNACE SLAG AT THE SUBSTITUTION RATE SPECIFIED IN ARTICLE 1024-1 AND IN ACCORDANCE WITH ARTICLES 1024-5 AND 1024-6 OF THE STANDARD SPECIFICATIONS. NO PAYMENT WILL BE MADE OR THIS SUSTITUTION AS IT IS CONSIDERED INCIDENTAL TO THE COST OF HE REINFORCED CONCRETE DECK SLAB.

HE MATERIAL SHOWN IN THE CROSS-HATCHED AREA SHALL BE EXCAVATED OR A DISTANCE OF 40 FT.EACH SIDE OF CENTERLINE ROADWAY AS IRECTED BY THE ENGINEER. THIS WORK WILL BE PAID FOR AT THE CONTRACT LUMP SUM PRICE FOR UNCLASSIFIED STRUCTURE EXCAVATION. SEE SECTION 412 OF THE STANDARD SPECIFICATIONS.

OR LIMITS OF TEMPORARY SHORING FOR MAINTENANCE OF TRAFFIC, SEE TRAFFIC CONTROL PLANS.FOR PAY ITEM FOR TEMPORARY SHORING FOR MAINTENANCE OF TRAFFIC, SEE ROADWAY PLANS.

HE EXISTING STRUCTURE CONSISTING OF 4 SPANS @ 52'-6" ON REINFORCED CONCRETE DECK GIRDERS WITH A CLEAR ROADWAY WIDTH OF 28'-O"ON REINFORCED CONCRETE CAPS ON TIMBER PILES AT END BENTS AND REINFORCED CONCRETE POST AND WEB ON SPREAD FOOTINGS AT BENTS AND PEDESTRIAN VALKWAY ATTACHED TO THE STRUCTURE WITH TIMBER DECK ON I-BEAMS AND REINFORCED CONCRETE END BENT CAPS AND BENTS ON STEEL CAPS AND STEEL PILES LOCATED AT THE PROPOSED STRUCTURE SHALL BE REMOVED. THE EXISITNG BRIDGE IS PRESENTLY NOT POSTED FOR LOAD LIMIT. SHOULD THE STRUCTURAL NTEGRITY OF THE BRIDGE DETERIORATE DURING CONSTRUCTION OF THE PROPOSED BRIDGE, A LOAD LIMIT MAY BE POSTED AND MAY BE REDUCED AS FOUND NECESSARY DURING THE LIFE OF THE PROJECT.FOR REMOVAL OF XISTING STRUCTURES, SEE SPECIAL PROVISIONS.


HE SUBSTRUCTURE OF THE EXISTING BRIDGE INDICATED ON THE PLANS IS FROM THE BEST INFORMATION AVAILABLE. SINCE THIS INFORMATION IS SHOWN OR THE CONVENIENCE OF THE CONTRACTOR, THE CONTRACTOR SHALL HAVE NO CLAIM WHATSOEVER AGAINST THE DEPARTMENT OF TRANSPORTATION FOR ANY DELAYS OR ADDITIONAL COST INCURRED BASED ON DIFFERENCES BETWEEN THE EXISTING BRIDGE SUBSTRUCTURE SHOWN ON THE PLANS AND THE ACTUAL CONDITIONS AT THE PROJECT SITE.

REMOVAL OF THE EXISTING BRIDGE SHALL BE PERFORMED IN A MANNER THAT PREVENTS DEBRIS FROM FALLING INTO THE WATER. THE CONTRACTOR SHALL SUBMIT DEMOLITION PLANS FOR REVIEW AND REMOVE THE BRIDGE IN ACCORDANCE WITH ARTICLE 402-2 OF THE STANDARD SPECIFICATIONS.

THIS STRUCTURE HAS BEEN DESIGNED IN ACCORDANCE WITH "HEC 18-EVALUATING SCOUR AT BRIDGES."

FOR EROSION CONTROL MEASURES, SEE EROSION CONTROL PLANS.


FOR ASBESTOS ASSESSMENT FOR BRIDGE DEMOLITION AND RENOVATION ACTIVITIES. SEE SPECIAL PROVISIONS.



74

SIGNATURES COMPLETED

		LOAD AN	ID RE	SIST	ANCE	E FAG	CTOR	RAT	ING	(LRF	D) S		RY F	OR	PRES	TRES	SED	CON	CRET	E GI	RDEF	RS		
								STRENGTH I LIMIT STATE								SE	ERVICE III LIMIT STATE							
										MOMENT					SHEAR	AR			MOMENT					
LEVEL		VEHICLE	WEIGHT (W) (TONS)	CONTROLLING (#) LOAD RATING	MINIMUM RATING FACTORS (RF)	TONS = W X RF	LIVELOAD FACTORS	DISTRIBUTION FACTORS (DF)	RATING FACTOR	SPAN	GIRDER LOCATION	DISTANCE FROM LEFT END OF SPAN (f†)	DISTRIBUTION FACTORS (DF)	RATING FACTOR	SPAN	GIRDER LOCATION	DISTANCE FROM LEFT END OF SPAN (f†)	L I VEL OAD F AC T ORS	DISTRIBUTION FACTORS (DF)	RATING FACTOR	SPAN	GIRDER LOCATION	DISTANCE FROM LEFT END OF SPAN (f†)	COMMENT NUMBER
		HL-93(Inv)	N/A		1.01		1.75	0.781	1.49	А	ER	51.938	0.822	1.39	А	ER	72.713	0.80	0.781	1.01	В	ER	54.938	
DESIGN LOAD		HL-93(0pr)	NZA		1.81		1.35	0.781	1.93	А	ER	51.938	0.822	1.81	А	ER	72.713	N/A						
		HS-20(Inv)	36.000	2	1.44	51.931	1.75	0.781	2.10	А	ER	51.938	0.822	1.78	А	ER	72.713	0.80	0.781	1.44	В	ER	54.938	
RATING		HS-20(0pr)	36.000		2.3	82.949	1.35	0.781	2.72	А	ER	51.938	0.822	2.30	А	ER	72.713	N/A						
		SNSH	13.500		3.47	46.786	1.40	0.781	6.26	А	ER	51.938	0.822	5.36	А	ER	72.713	0.80	0.781	3.47	В	ER	54.938	
		SNGARBS2	20.000		2.49	49.815	1.40	0.781	4.52	А	ER	51.938	0.822	3.79	А	ER	72.713	0.80	0.781	2.49	В	ER	54.938	
	[	SNAGRIS2	22.000		2.32	51.088	1.40	0.781	4.22	А	ER	51.938	0.822	3 <b>.</b> 51	А	ER	72.713	0.80	0.781	2.32	В	ER	54.938	
		SNCOTTS3	27.250		1.72	46.921	1.40	0.781	3.11	А	ER	51.938	0.822	2.67	А	ER	72.713	0.80	0.781	1.72	В	ER	54.938	
	S S	SNAGGRS4	34.925		1.4	49.016	1.40	0.781	2.54	А	ER	51.938	0.822	2.20	А	ER	72.713	0.80	0.781	1.40	В	ER	54.938	
		SNS5A	35.550		1.38	48.874	1.40	0.781	2.49	А	ER	51.938	0.822	2.22	А	ER	72.713	0.80	0.781	1.37	В	ER	54.938	
		SNS6A	39.950		1.25	49.819	1.40	0.781	2.26	А	ER	51.938	0.822	2.02	А	ER	72.713	0.80	0.781	1.25	В	ER	54.938	
LEGAL		SNS7B	42.000		1.19	49.855	1.40	0.781	2.15	А	ER	51.938	0.822	1.98	А	ER	72.713	0.80	0.781	1.19	В	ER	54.938	
LOAD RATING		TNAGRIT3	33.000		1.52	50.044	1.40	0.781	2.75	А	ER	51.938	0.822	2.41	А	ER	72.713	0.80	0.781	1.52	В	ER	54.938	
NATING		TNT4A	33.075		1.52	50 <b>.</b> 251	1.40	0.781	2.76	А	ER	51.938	0.822	2.36	А	ER	72.713	0.80	0.781	1.52	В	ER	54.938	
		TNT6A	41.600		1.23	51.124	1.40	0.781	2.23	А	ER	51.938	0.822	2.09	А	ER	31.163	0.80	0.781	1.23	В	ER	54.938	
	ST	TNT7A	42.000		1.23	51.580	1.40	0.781	2.23	А	ER	51.938	0.822	2.05	А	ER	72.713	0.80	0.781	1.23	В	ER	54.938	
		TNT7B	42.000		1.25	52.649	1.40	0.781	2.28	А	ER	51.938	0.822	1.94	А	ER	72.713	0.80	0.781	1.25	В	ER	54.938	
		TNAGRIT4	43.000		1.21	51.817	1.40	0.781	2.19	А	ER	51.938	0.822	1.88	А	ER	72.713	0.80	0.781	1.21	В	ER	54.938	
		TNAGT5A	45.000		1.14	51.398	1.40	0.781	2.08	А	ER	51.938	0.822	1.86	А	ER	72.713	0.80	0.781	1.14	В	ER	54.938	
		TNAGT5B	45.000	$\langle 3 \rangle$	1.13	51.017	1.40	0.781	2.06	А	ER	51.938	0.822	1.79	А	ER	72.713	0.80	0.781	1.13	В	ER	54.938	



ASSEMBLED BY :H. A. LOC CHECKED BY : T. H. CA	2/16 9/16	
DRAWN BY : MAA 1/08 CHECKED BY : GM/DI 2/08	IAA/GM IAA/GM	
	(	D1-MAR-2016 11:57

R:\Structures\Plans\Str02\B5123\_SD\_LR\_02.dgn rwwright

+

+

<u>rfr Summary</u>

### LOAD FACTORS:


DESIGN	LIMIT STATE	$\gamma_{\text{DC}}$	$\gamma_{D\mathbf{W}}$	
LOAD RATING	STRENGTH I	1.25	1.50	
FACTORS	SERVICE III	1.00	1.00	

NOTES:

MINIMUM RATING FACTORS ARE BASED ON THE STRENGTH I AND SERVICE III LIMIT STATES. ALLOWABLE STRESSES FOR SERVICE III LIMIT STATE ARE AS REQUIRED FOR DESIGN.


(#) CONTROLLING LOAD RATING
1 DESIGN LOAD RATING (HL-93)
2 DESIGN LOAD RATING (HS-20)
<pre>3 LEGAL LOAD RATING **</pre>
* * SEE CHART FOR VEHICLE TYPE
GIRDER LOCATION
I - INTERIOR GIRDER EL - EXTERIOR LEFT GIRDER ER - EXTERIOR RIGHT GIRDER


PROJECT NO. B-5123 CABARRUS \_ COUNTY STATION: 21+44.10 -L-STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION RALEIGH CAR STANDARD FESSION SEAL 23371 LRFR SUMMARY FOR PRESTRESSED CONCRETE GIRDERS A. PATELINI Signed b vípul a patel 1C157DE15D464A4 3/1/2016 (NON-INTERSTATE TRAFFIC) SHEET NO. REVISIONS S-41 DATE: NO. BY: DATE: DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED BY: TOTAL SHEETS **74** STR.#2 STD.NO.LRFR1



ndaiuto


+







R:\Structures\Plans\Str02\B5123\_SD\_PS\_02.dgn ndaiuto

+








01-MAR-2016 10:56 R:\Structures\Plans\Str02\B5123\_SD\_PS\_02.dgn ndaiuto


+



+

01-MAR-2016 10:56 R:\Structures\Plans\Str02\B5123\_SD\_FP\_02.dgn ndaiuto

GHT LANE TROL LINE W.P. #3 © BEARINGS		0'/2"	15/16 + 8'-63/16 + 8'-63/16 +	p-63/16 63/	
		INTEGF E1	<u>RAL</u>		
	С	CT NO. <u>ABAR</u> DN: 2	RUS	CO	UNTY
Bocusigned by: vipul - patel 10757DE15D464AA 3/1/2016	ΝΟ ΒΥ-	SUPER SUPER GIRDE (RI) REVIS	RALEIGH RSTRUC ERLA GHTLA	NSPORTA TURE	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	NO. BY: 1 2		NO. ВҮ: 3 4	DATE:	TOTAL SHEETS 74



<sup>01-</sup>MAR-2016 10:56 R:\Structures\Plans\Str02\B5123\_SD\_G\*\_02.dgn ndaiuto

+

0.6" Ø L. R. GRADE 270 STRANDS APPLIED ULTIMATE AREA PRESTRESS STRENGTH (LBS.PER STRAND) (SQUARE INCHES) (LBS. PER STRAND) 43,950 0.217 58,600 REINFORCING STEEL FOR ONE GDR BAR INUMBEF TYPE |LENGTH|WEIGH SIZE S1 154 #4 6'-1" 626 S2 24 **#**6 6'-1" 219 S3 12 **#**4 8'-5" 2 67 S4 3'-0" 72 #4 144 3 S6 **#**5 4 4'-4" 795 176 STR 3'-8" **\*** S7 30 **#**5 S8 9'-0" #5 S9 30 **#**5 STR 3'-3" 102 STR 1'-10" S10 #ς 5 | 10'-0" S11 **#**5 STR 8'-0" S12 #4 86 16 S13 #5 3'-8" 4 \* NOTE: S7 BARS SHALL BE BENT BEFORE SHIPMENT. HEAT BENDING SHALL NOT BE ALLOWED. BAR TYPES - 8" <u>S3 5″</u> S8 10<sup>1</sup>/2" SIV 2 Ó (1)7<sup>|</sup>/2″ (4)1'-8" 4″ 5 ALL BAR DIMENSIONS ARE OUT-TO-OUT. QUANTITIES FOR ONE GIRDER REINFORCING 8,500 PSI 0**.**6″Ø STEEL CONCRETE L.R. STRANDS LB. C.Y. No. 20.9 2,265 38 **GIRDERS REQUIRED** LENGTH TOTAL LENGTH NUMBER 105′-31⁄2″ 737′-0½″ 7 PROJECT NO. <u>B-5123</u> CABARRUS COUNTY STATION: 21+44.10 -L-SHEET 1 OF 3 STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION RALEIGH STANDARD 63" PRESTRESSED CONCRETE MODIFIED BULB TEE CONTINUOUS FOR LIVE LOAD SPAN A (RIGHT LANE) REVISIONS SHEET NO. S-49 NO. BY:

DATE:


STD. NO. PCG7

TOTAL SHEETS

74


DATE:


BY:



<sup>01-</sup>MAR-2016 10:56 R:\Structures\Plans\Str02\B5123\_SD\_G\*\_02.dgn ndaiuto

+





. 8″


 $\sim$ 

2″

AT € OF GIRDER 0.6" Ø LOW RELAXATION STRAND LAYOUT

DEBONDING LEGEND


• FULLY BONDED STRANDS STRANDS DEBONDED FOR 4'-O"FROM END OF GIRDER STRANDS DEBONDED FOR 12'-O"FROM END OF GIRDER



DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED STR.#2

					CTDA				
	0.6	5″ØL.							
		EA		MATE NGTH STRAND	PRES	PLIED TRESS r strand)			
	0.2		58,6			950			
	REIN	ORCIN	NG STE	EEL FO	DR ONE GDR				
	BAR S1	NUMBER 166	SIZE #4	TYPE 1	LENGTH 6'-1"	WEIGHT 675			
	S2	24	<b>#</b> 6	1	6'-1" 8'-5"	219			
	S3 S4	12 72	#4 #4	2 3	3'-0"	67 144			
	S6 * S7	188 30	#5 #5	4 STR	4'-4" 3'-8"	850 115			
	S8 S9	2 32	#5 #5	2 STR	9'-0" 3'-3"	19 108			
	S10 S11	2 8	#3 #5	STR 5	1'-10" 10'-0"	1 83			
	S12 S13	16 2	#4	STR 4	8'-0" 3'-8"	86 86			
		TE: S7 E	#5 BARS_SH	ALL BE	BENT BI	EFORE			
			PMENT. H BE ALL	OWED.	NDING	SHALL			
	8″			TYPES					
		★	<u>53</u> - <u>58</u>						
		5'-5"		2	4'-0" 4'-0¾″				
			<u> </u>		4,-(				
				I	I <u>    Y                                </u>	L 6″			
	<u>9</u> 13		/'7  ◄	-					
	41 <u>3/6</u> 113/			<u>י</u> ל_	<b>A</b>	0. 			
		3		3'-01/2"	2'-4\/2"	2"RAD. 4'-9″			
	41/4 "	1'-8″		) , w	5,-	<b>Ⅰ_</b> ★			
			·	I <u> </u>	<u> </u>	5			
		all bar	DIMENSION		T-TO-OUT. GIRD	FR			
			REINFORC STEEL	ING 9,500	D PSI	0.6″Ø . STRANDS			
			LB.		Y.	No.			
			2,375			44			
	NUM					LENGTH			
		7	111'-	-3 <sup> </sup> /2"	779'	-0 <sup>l</sup> /2"			
_		<b></b>	•		5107				
F	PROJE								
_		ABA							
Ś	STATI	ON:	21+4	44.1(	) -L	_			
SHE	ET 2 OF	- 3							
		sTMENT	ATE OF NORT		RTATT	ON			
	ULI AN	_	RALEIG	·		~11			
	63″ P	ح RESTF	TANDA RESSE		NCRFI	IE			
	М	ODIF	IED B	ULB	TEE				
	CONT	[NUOU	S FOI SPAN		/E LO	AD			
			SPAN (RIGHT						
N0.	BY:	REV DATE:	ISIONS	: D4	S S	HEET NO. S-50			
า 1 2		_ · · ••	3 4			TOTAL SHEETS 74			
						17			

STD. NO. PCG7



DETAIL ``C"

			— D	EAD	LOA	D DE	FLEC	TIOI	ΝΤΑ	BLE	FOR	GIR	DERS	,			-					
			SPAN A																			
0.6"Ø LOW RELAXATION										G	RDERS	5 1 TH	ROUGH	7								
TWENTIETH POINTS		0.0	0.05	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	0.55	0.60	0.65	0.70	0.75	0.80	0.85	0.90	0.95	0.0
CAMBER (GIRDER ALONE IN PLACE)	┫	0.000	0.038	0.074	0.109	0.140	0.168	0.192	0.211	0.225	0.233	0.236	0.233	0.225	0.211	0.192	0.168	0.140	0.109	0.074	0.038	0.000
* DEFLECTION DUE TO SUPERIMPOSED D.L.	ł	0.000	0.018	0.035	0.051	0.066	0.079	0.091	0.099	0.106	0.109	0.112	0.109	0.106	0.099	0.091	0.079	0.066	0.051	0.035	0.018	0.000
FINAL CAMBER	f	0	<sup>1</sup> /4″	<sup> </sup> /2″	<sup>  </sup> / <sub> 6</sub> ″	7⁄8″	11/16″	1 <sup>3</sup> ⁄16″	1 3⁄/8″	17⁄16″	11/2″	1 <sup>1</sup> /2″	1 <sup>1</sup> /2″	17⁄16″	13⁄8″	1 <sup>3</sup> ⁄16″	1 <sup>1</sup> / <sub>16</sub> "	7⁄8″	<sup>11</sup> /16″	<sup>۱</sup> /2″	<sup>1</sup> /4″	0

	DEAD LOAD DEFLECTION TABLE FOR GIRDERS																					
			SPAN B																			
0.6″Ø LOW RELAXATION										GI	RDERS	5 1 TH	ROUGH	7								
TWENTIETH POINTS		0.0	0.05	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	0.55	0.60	0.65	0.70	0.75	0.80	0.85	0.90	0.95	0.0
CAMBER (GIRDER ALONE IN PLACE)	┫	0.000	0.043	0.086	0.125	0.162	0.194	0.222	0.244	0.260	0.269	0.273	0.269	0.260	0.244	0.222	0.194	0.162	0.125	0.086	0.043	0.000
* DEFLECTION DUE TO SUPERIMPOSED D.L.	ł	0.000	0.021	0.042	0.060	0.079	0.093	0.108	0.117	0.126	0.129	0.132	0.129	0.126	0.117	0.108	0.093	0.079	0.060	0.042	0.021	0.000
FINAL CAMBER	1	0	I/4″	<sup>1</sup> /2″	<sup>13</sup> / <sub>16</sub> "	1″	1 <sup>3</sup> ⁄16"	13⁄8″	11/2″	15⁄8″	1 <sup>11</sup> / <sub>16</sub> ″	1"/16″	1 <sup>11</sup> ⁄16″	15⁄8″	1 <sup>1</sup> /2″	13⁄8″	1 <sup>3</sup> / <sub>16</sub> ″	1″	13/16"	1/2"	<sup>1</sup> /4″	0

\* INCLUDES FUTURE WEARING SURFACE EXCEPT GIRDER 1. ALL VALUES ARE SHOWN IN FEET (DECIMAL FORM), EXCEPT "FINAL CAMBER", WHICH IS GIVEN IN INCHES (FRACTION FORM).

ASSEMBLED BY : T. H. CARRON CHECKED BY : H.A. LOCKLEAR	L DATE : 10/29/15 DATE : 11/1/15	
DRAWN BY : ELR 11/91 CHECKED BY : GRP 11/91	REV. 10/1/11         MAA/GM           REV. 1/15         MAA/TMG           REV. 2/15         MAA/TMG	DESIGN ENGINEER OF RECORD: 
		01-MAR-2016 10-56

+

+

01-MAR-2016 10:56 R:\Structures\Plans\Str02\B5123\_SD\_G#\_02.dgn ndaiuto

## NOTES

ALL REINFORCING STEEL SHALL BE GRADE 60.

EMBEDDED PLATE ``B-1'' SHALL BE GALVANIZED IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS.

ANCHOR STUDS SHALL CONFORM TO AASHTO M169 GRADES 1010 THROUGH 1020 OR APPROVED EQUAL, AND SHALL MEET THE TYPE 'B' REQUIREMENTS OF SUBSECTION 7.3 OF THE ANSI/AASHTO/AWS D1.5 BRIDGE WELDING CODE.

AT ENDS OF GIRDERS TO BE EMBEDDED IN CONCRETE DIAPHRAGMS OR END WALLS, PRESTRESSING STRANDS MAY EXTEND A MAXIMUM OF 2"BEYOND THE GIRDER ENDS. OTHERWISE, PRESTRESSING STRANDS SHALL BE CUT FLUSH WITH THE GIRDER ENDS.


THE TRANSFER OF LOAD FROM THE ANCHORAGES TO THE GIRDER SHALL BE DONE WHEN CONCRETE HAS REACHED A COMPRESSIVE STRENGTH OF NOT LESS THAN 6,700 PSI FOR SPAN A AND 7500 PSI FOR SPAN B.

DEPENDING ON THE TYPE OF SYSTEM USED TO SUPPORT THE DECK SLAB FORMS, PRESET ANCHORS MAY BE NECESSARY IN THE PRESTRESSED CONCRETE GIRDER.

DEPTH OF 1/4".

A 2" × 2" CHAMFER IS ALLOWED AT THE INTERSECTION OF THE WEB AND THE BOTTOM FLANGE OF THE 63" MODIFIED BULB TEES.

OF 4,500 lbs.




### EMBEDDED PLATE ``B-1'' DETAILS FOR 63" MODIFIED BULB TEES (2 REQ'D PER GIRDER)

ALL PRESTRESSING STRANDS SHALL BE 7-WIRE LOW-RELAXATION GRADE 270 STRANDS AND SHALL CONFORM TO AASHTO M203 EXCEPT FOR SAMPLING REQUIREMENTS WHICH SHALL BE IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS.


THE TOP SURFACE OF THE GIRDER, EXCLUDING THE OUTSIDE 4", SHALL BE RAKED TO A

THE CONTRACTOR HAS THE OPTION TO PROVIDE, AT NO ADDITIONAL COST TO THE DEPARTMENT, 2 ADDITIONAL STRANDS AT THE TOP OF THE GIRDER TO FACILITATE TYING OF THE REINFORCING STEEL. THESE STRANDS SHALL BE PULLED TO A LOAD





		CABAI	). <u> </u>	CO	3 UNTY -L-
	SHEET 3 C				
OFESSION SEAL 23371 HILL TO CINET?		rtment S1	TE OF NORTH CAP OF TRAN RALEIGH	<b>sportat</b> D	
SEAL 23371 HILL CONFER- Docusigned by: Vipul p. tel 10157DE15D464AA		INUOU [	) CONC S FOR )ETAIL GHT LA	LIVE   S	
3/1/2016		REVIS	IONS		SHEET NO.
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	№. ву: 1 22	DATE:	NO. BY: 3 4	DATE:	S-51 TOTAL SHEETS 74
	STR.#2		STD. NO	D.PCG9	-



ndaiuto

+

+

# STRUCTURAL STEEL NOTES

ALL INTERMEDIATE DIAPHRAGM STEEL AND CONNECTOR PLATES SHALL BE AASHTO M270 GRADE 50 OR APPROVED EQUAL.

TENSION ON THE ASTM A325 BOLTS THROUGH THE ANGLE MEMBER SHALL BE CALIBRATED USING DIRECT TENSION INDICATOR WASHERS IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS.

TENSION ON THE ASTM A449 BOLTS THROUGH THE GIRDER WEB SHALL BE SNUG TIGHTENED FOLLOWED BY AN ADDITIONAL  $\frac{1}{4}$  TURN.

THE PLATES, BENT PLATES, AND ANGLES SHALL BE GALVANIZED OR METALLIZED IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS. FOR THERMAL SPRAYED COATINGS (METALLIZATION), SEE SPECIAL PROVISIONS.

FOR METALLIZATION, APPLY AN 8 MIL THICK 99.99 PERCENT ZINC (W-Zn-1) THERMAL SPRAYED COATING WITH A 0.5 MIL THICK SEAL COAT TO ALL STEEL DIAPHRAGM SURFACES IN ACCORDANCE WITH THE THERMAL SPRAYED COATINGS SPECIAL PROVISION AND SECTION 442 OF THE STANDARD SPECIFICATIONS.

GALVANIZE THE HIGH STRENGTH BOLTS, NUTS, WASHERS AND DIRECT TENSION INDICATORS IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS.

USE AN ASTM F436 HARDENED WASHER WITH STANDARD AND SLOTTED HOLES UNDER EACH BOLT HEAD AND NUT.

FOR BOLTS THROUGH THE GIRDER WEB, PROVIDE SUFFICIENT LENGTH OF THREADS ON ALL BOLTS TO ACCOMMODATE WASHERS AND THE THICKNESS OF CONNECTING MEMBER PLUS AT LEAST 1/4" PROJECTION BEYOND THE NUT.

INTERMEDIATE DIAPHRAGM ASSEMBLY SHALL COMPLY WITH SECTION 1072 OF THE STANDARD SPECIFICATIONS.

SUBMIT TWO SETS OF WORKING DRAWINGS FOR THE INTERMEDIATE DIAPHRAGM ASSEMBLY FOR REVIEW, COMMENTS AND ACCEPTANCE. AFTER REVIEW, COMMENTS, AND ACCEPTANCE, SUBMIT SEVEN SETS FOR DISTRIBUTION.

IN THE EXTERIOR BAYS, PLACE TEMPORARY STRUTS BETWEEN PRESTRESSED GIRDERS ADJACENT TO THE STEEL DIAPHRAGMS. STRUTS SHALL REMAIN IN PLACE 3 DAYS AFTER CONCRETE IS PLACED.

THE COST OF THE STEEL DIAPHRAGMS AND ASSEMBLIES SHALL BE INCLUDED IN THE UNIT PRICE BID FOR PRESTRESSED CONCRETE GIRDERS.


SEAL 23371 NONEER Docusigned by: vipul - patel 10157DE15D4644A.	DIAPH	RTMENT S INTERN IRAGMS JLB TE CONCF	OF TAN MED SF E RET	NDAR NDAR OR 6 PRES	NSPORTA D STEE 3″ MOD TRESSI RDERS	L IFIED			
3/1/2016		REVI	SIONS	S		SHEET NO.			
DOCUMENT NOT CONSIDERED	NO. BY: DATE: NO. BY: DATE: S-52								
FINAL UNLESS ALL SIGNATURES COMPLETED	1		3 4			TOTAL SHEETS 74			
	STR.#2		ST	D. NC	. PCG11				

PROJECT NO. B-5123

STATION: 21+44.10 -L-

COUNTY

CABARRUS



 I3
 AAC/MAA
 T. H. CARROLL
 DATE : 12/7/15

 5
 01-MAR-2016 10:56
 01-MAR-2016 10:56
 01-MAR-2016 10:56

+

+

ndaiuto

### NOTES

AT ALL FIXED POINTS OF SUPPORT, NUTS FOR ANCHOR BOLTS ARE TO BE TIGHTENED FINGER TIGHT AND THEN BACKED OFF 1/2 TURN. THE THREAD OF THE NUT AND BOLT SHALL THEN BE BURRED WITH A SHARP POINTED TOOL.

STEEL SOLE PLATES, ANCHOR BOLTS AND NUTS SHALL BE GALVANIZED IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS.

PRIOR TO WELDING, GRIND THE GALVANIZED SURFACE OF THE PORTION OF THE EMBEDDED PLATE AND SOLE PLATE THAT ARE TO BE WELDED. AFTER WELDING, DAMAGED GALVANIZED SURFACES SHALL BE REPAIRED IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS.

WHEN WELDING THE SOLE PLATE TO THE EMBEDDED PLATE IN THE GIRDER, USE TEMPERATURE INDICATING WAX PENS, OR OTHER SUITABLE MEANS, TO ENSURE THAT THE TEMPERATURE OF THE SOLE PLATE DOES NOT EXCEED 300°F. TEMPERATURES ABOVE THIS MAY DAMAGE THE ELASTOMER.


SOLE PLATE P1, BOLTS AND NUTS SHALL BE INCLUDED IN THE PAY ITEM FOR PRESTRESSED CONCRETE GIRDERS.


ANCHOR BOLTS SHALL MEET THE REQUIREMENTS OF ASTM A449. NUTS SHALL MEET THE REQUIREMENTS OF AASHTO M291-DH OR AASHTO M292-2H.NO SHOP DRAWINGS ARE REQUIRED FOR ANCHOR BOLTS AND NUTS. SHOP INSPECTION IS REQUIRED.

ALL SURFACES OF BEARING PLATES SHALL BE SMOOTH AND STRAIGHT.


THE ELASTOMER IN THE STEEL REINFORCED BEARINGS SHALL HAVE A SHEAR MODULUS OF 0.160 KSI, IN ACCORDANCE WITH AASHTO M251.

FOR STEEL REINFORCED ELASTOMERIC BEARINGS, SEE SPECIAL PROVISIONS.






BAR TYPES		BIL	L OF	MA	TERIAL	-
1'-0 <sup>1</sup> /2" <u>5<sup>1</sup>/2</u> " S3	FOR	CONC	RETE I	BARRIE	ER RAIL C	)NLY
•7/." 4" S2	BAR	NO.	SIZE	TYPE	LENGTH	WEIGHT
$8\frac{7}{16}$ $5\frac{3}{4}$ $   4^{-}$ $5\frac{2}{2}$						
	<b>*</b> B1	22	<b>#</b> 5	STR	15'-8″	359
	<b>米</b> B2	66	<b>#</b> 5	STR	27'-7″	1899
	<b>米</b> B3	22	<b>#</b> 5	STR	12'-8"	291
3/4" 3'-5!/4" 3'-4" 3'-4" 2'-5!/4"						
	<b>*</b> S1	218	#5	1	4'-8"	1061
$[RAD \cdot \infty]$	<b>*</b> S2	214	#5	2	7'-0″	1562
	<b>*</b> S3	4	#5	2	5′-4″	22
<u> </u>						
	* EPOXY	COAT	ED			
(2)	REINF	ORCIN	G STEE	EL	LBS.	5,194
	CLASS A	A CON	NCRETE		C.Y.	29.7
DIMENSIONS ARE OUT TO OUT.	CONCRET	E BAR	RIER	RAIL	LIN.FT.	218.22





01-MAR-2016 10:56 R:\Structures\Plans\Str02\B5123\_SD\_BR\_02.dgn ndaiuto


—



АСН	PROJECT NO. <u>B-5123</u> <u>CABARRUS</u> COUNTY STATION: <u>21+44.10</u> -L- SHEET 2 OF 2
SEAL 23371 BOCUSigned by:	STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION RALEIGH STANDARD GUARDRAIL ANCHORAGE FOR 3'-6" BARRIER RAIL
vípul a patel 1C157DE15D464AA 3/1/2016	(RIGHT LANE)
5, 2, 2525	REVISIONS SHEET NO.
DOCUMENT NOT CONSIDERED	NO. BY: DATE: NO. BY: DATE: S-55
FINAL UNLESS ALL SIGNATURES COMPLETED	1 3 TOTAL SHEETS 74 74
	STR. #2 STD. NO. GRA2







	SEC	10IT	N S	-S
AT	DAM	IN O	PEN .	JOINT
(THIS	IS <sup>-</sup>	ΤΟ ΒΕ	USE	D ONLY
WHEN	SLIF	P FORM	M IS	USED)

+

DATE : 11/3/15 DATE : 11/9/15

> 01-MAR-2016 10:56 R:\Structures\Plans\Str02\B5123\_SD\_BR\_02.dgn ndaiuto

ALL REINFORCING STEEL IN BARRIER RAILS SHALL BE EPOXY COATED.

GROOVED CONTRACTION JOINTS,  $\frac{1}{2}$ " IN DEPTH, SHALL BE TOOLED IN ALL EXPOSED FACES OF THE BARRIER RAIL AND IN ACCORDANCE WITH ARTICLE 825-10(B) OF THE STANDARD SPECIFICATIONS. THE CONTRACTION JOINT SHALL BE LOCATED AT EACH THIRD POINT BETWEEN BARRIER RAIL EXPANSION JOINTS. ONLY ONE CONTRACTION JOINT IS REQUIRED AT MIDPOINT OF BARRIER RAIL SEGMENTS LESS THAN 20 FEET IN LENGTH AND NO CONTRACTION JOINTS ARE REQUIRED FOR THOSE SEGMENTS LESS THAN 10 FEET IN LENGTH.

LONGITUDNAL BARS IN THE RAIL MAY BE FIELD CUT TO AVOID DRAIN SLOTS.


\*\* THE CONTRACTOR MAY USE ADHESIVELY ANCHORED #5 S4 & S5 BARS.LEVEL 2 FIELD TESTING IS REQUIRED, AND THE YIELD LOAD OF THE #5 S4 & S5 IS 18.6 KIPS. FOR ADHESIVELY ANCHORED ANCHOR BOLTS OR DOWLES, SEE STANDARD SPECIFICATIONS.

ALL BAR DIMENSIONS ARE OUT TO OUT.

( ଫ

(3)

### BARRIER RAIL DETAILS



**₩** B2

**₩** B3

**\*** S4

**\*** S5

218

REINFORCING STEEL

CONCRETE BARRIER RAIL

CLASS AA CONCRETE

\* EPOXY COATED

22 **#**5 STR 12'-8"

3

**#**5

218 #5 STR

4'-3"

4'-1"

1899

291

966


928

30.9

LBS. 4,443


C.Y.

LIN.FT. 218.22




01-MAR-2016 10:56 R:\Structures\Plans\Str02\B5123\_SD\_BR\_02.dgn ndaiuto

—



	PROJECT NO. <u>B-5123</u> <u>CABARRUS</u> COUNTY STATION: <u>21+44.10</u> -L- SHEET 2 OF 2
ROACH _AB	STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION RALEIGH
AB WWW RTH CAROL NATION OF ESSION SEAL 23371 HH49 CAROL NATION DocuSigned by:	STANDARD GUARDRAIL ANCHORAGE FOR 3'-7" BARRIER RAIL
vípul a patel 10157DE15D464AA 3/1/2016	(RIGHT LANE)
	REVISIONS SHEET NO.
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL	していたし、 していたし、 SHEETS
SIGNATURES COMPLETED	<b>2</b>
	STR. #2 STD. NO. GRA2



01-MAR-2016 10:56 R:\Structures\Plans\Str02\B5123\_SD\_MR\_02.dgn ndaiuto

+

—

### NOTES

AT THE CONTRACTOR'S OPTION, METAL RAIL MAY BE EITHER ALUMINUM OR GALVANIZED STEEL IN ACCORDANCE WITH THE REQUIREMENTS OF THE GENERAL NOTES AND THE FOLLOWING SPECIFICATIONS FOR THE ALTERNATE MATERIALS; HOWEVER, THE CONTRACTOR WILL BE REQUIRED TO USE THE SAME RAIL MATERIAL ON ALL STRUCTURES ON THE PROJECT FOR WHICH METAL RAIL IS DESIGNATED.

UNLESS OTHERWISE REQUIRED IN THE CONTRACT DOCUMENTS, THE CONTRACTOR HAS THE OPTION TO USE AN ALTERNATE TO THE 2 BAR METAL RAIL. THE ALTERNATE RAIL SHALL MEET THE REQUIREMENTS OF THE AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS AND MUST BE LISTED ON THE DEPARTMENT'S APPROVED PRODUCTS LIST (APL) UNDER ``2 BAR METAL RAIL ALTERNATE''. ADJUSTMENTS TO THE CONCRETE PARAPET WILL NOT BE ALLOWED

ALUMINUM RAILS

POINT COLD DRIVEN AS PER DRAWING. MATERIAL FOR SHIMS TO BE ASTM B209 ALLOY 6061-T6.

GALVANIZED STEEL RAILS

MATERIAL AND GALVANIZING ARE TO CONFORM TO THE FOLLOWING SPECIFICATIONS: POST, POST BASES, RAILS, EXPANSION BARS AND CLAMP BARS: AASHTO M270 GRADE 36 STRUCTURAL STEEL -GALVANIZED TO AASHTO M111.

RIVETS: RIVETS SHALL MEET THE REQUIREMENTS OF ASTM A502 FOR GRADE 1 RIVETS. THE CUT ENDS OF GALVANIZED STEEL RAILING, AFTER GRINDING SMOOTH SHALL BE GIVEN TWO COATS OF ZINC RICH PAINT MEETING THE REQUIREMENTS OF FEDERAL SPECIFICATION MIL-P-26915 USAF TYPE 1, OR OF FEDERAL SPECIFICATIONS TT-P-641.

SHIMS: SHIMS SHALL MEET THE REQUIREMENTS OF ASTM A570 FOR GRADE 33 OR A611 FOR GRADE C AND SHALL BE GALVANIZED IN ACCORDANCE WITH AASHTO M111. RAIL CAPS: RAIL CAPS SHALL MEET THE REQUIREMENTS OF ASTM A570 FOR GRADE 33 OR A611 FOR GRADE C AND SHALL BE GALVANIZED IN ACCORDANCE WITH AASHTO M111.

GENERAL NOTES

RAILING SHALL BE CONTINUOUS FROM END POST TO END POST OF BRIDGE. EACH JOINT IN RAIL LENGTH SHALL BE SPLICED AS DETAILED. PANEL LENGTHS OF RAIL SHALL BE ATTACHED TO A MINIMUM OF THREE POSTS. FOR END OF RAIL TO CLEAR FACE OF CONCRETE END POST DIMENSION, SEE STANDARD NO. BMR2. CAP SCREWS SHALL BE ASTM F593 ALLOY 305 STAINLESS STEEL. WASHERS SHALL MEET THE REQUIREMENTS OF ASTM F844 EXCEPT THEY SHALL BE MADE FROM ALLOY 304 STAINLESS STEEL. CERTIFIED MILL REPORTS ARE REQUIRED FOR RAILS AND POSTS. SHOP INSPECTION IS NOT REQUIRED. METAL RAIL POSTS SHALL BE SET NORMAL TO CURB GRADE. METHOD OF MEASUREMENT FOR METAL RAILS: FOR LENGTH OF METAL RAILS TO BE PAID FOR, SEE THE STANDARD SPECIFICATIONS.

CURVED RAIL USAGE: WHERE RAILS ARE TO BE USED ON BRIDGES ON HORIZONTAL AND/OR VERTICAL CURVATURE THE CONTRACTOR MAY, AT HIS OPTION, HAVE THE REQUIRED CURVATURE IN THE RAIL FORMED IN THE SHOP OR IN THE FIELD. IN EITHER EVENT. THE RAIL SHALL CONFORM WITHOUT BUCKLING OR KINKING TO THE REQUIRED CURVATURE IN A UNIFORM MANNER ACCEPTABLE TO THE ENGINEER. TO INSURE FUTURE IDENTIFICATION OF THE FABRICATOR, A PERMANENT IDENTIFYING MARK SHALL BE PLACED ON EACH POST. THE METHOD OF MARKING AND LOCATION SHALL BE SUCH THAT IT DOES NOT DETRACT FROM THE APPEARANCE OF THE POST, BUT REMAINS VISIBLE AFTER RAIL PLACEMENT. SHIMS SHALL BE USED AS NECESSARY FOR POST ALIGNMENT. ALLOY 6351-T5 MAY BE SUBSTITUTED FOR ALLOY 6061-T6 WHERE APPLICABLE.

GROOVED CONTRACTION JOINTS, 1/2" IN DEPTH, SHALL BE TOOLED IN ALL EXPOSED FACES OF THE PARAPET AND IN ACCORDANCE WITH ARTICLE 825-10(B) OF THE STANDARD SPECIFICATIONS. A CONTRACTION JOINT SHALL BE LOCATED AT EACH THIRD POINT BETWEEN PARAPET EXPANSION JOINTS. ONLY ONE CONTRACTION JOINT IS REQUIRED AT MIDPOINT OF PARAPET SEGMENTS LESS THAN 20 FEET IN LENGTH AND NO CONTRACTION JOINTS ARE REQUIRED FOR THOSE SEGMENTS LESS THAN 10 FEET IN LENGTH.


PAY LENGTH = 210.05 LIN.FT.

MATERIAL FOR POSTS. BASES AND RAILS, EXPANSION BARS AND CLAMP BARS SHALL BE ASTM B-221 ALLOY 6061-T6. MATERIAL FOR RIVETS SHALL BE ASTM B316 ALLOY 6061-T6. RIVETS SHALL BE STANDARD BUTTON HEAD AND CONE

THE BASE OF RAIL POSTS, OR ANY OTHER ALUMINUM SURFACE IN CONTACT WITH CONCRETE SHALL BE THOROUGHLY COATED WITH AN ALUMINUM IMPREGNATED CAULKING COMPOUND OF APPROVED QUALITY.


MINOR VARIATIONS IN DETAILS OF METAL RAIL WILL BE CONSIDERED. DETAILS OF SUCH VARIATIONS, IF DESIRED, SHALL BE SUBMITTED FOR APPROVAL.


	(		<u>B</u> RRUS 21+44		3 UNTY L -				
	SHEET 1 (	)F 4							
SEAL 23371 BOCUSigned by:	STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION RALEIGH STANDARD 2 BAR METAL RAIL								
A. PANNIN		_		_					
vípul a patel 1C157DE15D464AA		(R]	GHT LA	ANE)					
3/1/2016		REVI	SIONS		SHEET NO.				
DOCUMENT NOT CONSTREPED	NO. BY:	DATE:	NO. BY:	DATE:	S-58				
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL	1		3		TOTAL SHEETS				
SIGNATURES COMPLETED	2		4		74				
	STR.#2	2	STD. N	O.BMR3	3				





\_\_\_\_

+









ASSEMBLED BY : K.D.L	DATE : 11/3/15					
CHECKED BY : N.D'AUTA	DATE : 11/9/15					
DRAWN BY : EEM 6/ CHECKED BY : RGW 6/		8/16/99 5/1/06R 10/1/11	MAB/LES KMM/GM MAA/GM			

01-MAR-2016 10:56 R:\Structures\Plans\Str02\B5123\_SD\_MR\_02.dgn ndaiuto

STRUCTURAL CONCRETE ANCHOR ASSEMBLY

THE STRUCTURAL CONCRETE ANCHOR ASSEMBLY SHALL CONSIST OF THE FOLLOWING COMPONENTS :

A. FERRULES SHALL BE MADE FROM STEEL MEETING THE REQUIREMENTS OF AASHTO M169, GRADE 12L14 AND SHALL HAVE A MINIMUM LENGTH OF THREADS OF 2" FOR 3/4" FERRULES.

B. 4 - 3/4" Ø X 21/2" BOLTS WITH WASHERS. BOLTS SHALL CONFORM TO THE REQUIREMENTS OF ASTM A307. BOLTS AND WASHERS SHALL BE GALVANIZED. AT THE CONTRACTOR'S OPTION, STAINLESS STEEL BOLTS AND WASHERS MAY BE USED AS AN ALTERNATE FOR THE  $\frac{3}{4}$ " Ø X 2" GALVANIZED BOLTS AND WASHERS. THEY SHALL CONFORM TO OR EXCEED THE MECHANICAL REQUIREMENTS OF ASTM A307. THE USE OF THIS ALTERNATE SHALL BE APPROVED BY THE

C. WIRE STRUT SHOWN IN THE CONCRETE ANCHOR ASSEMBLY DETAIL IS THE MINIMUM ALLOWABLE SIZE AND SHALL HAVE A MINIMUM TENSILE STRENGTH OF 100,000 PSI. AS AN OPTION, A  $\gamma_{16}$ " Ø WIRE STRUT WITH A MINIMUM TENSILE STRENGTH OF 90,000 PSI IS ACCEPTABLE.

D. THE METAL RAIL ANCHOR ASSEMBLIES TO BE HOT DIPPED GALVANIZED TO CONFORM TO REQUIREMENTS OF AASHTO M111.

E. THE COST OF THE METAL RAIL ANCHOR ASSEMBLY WITH BOLTS AND WASHERS COMPLETE IN PLACE SHALL BE INCLUDED IN THE PRICE BID FOR LINEAR FEET OF METAL RAIL.


F. BOLTS TO BE TIGHTENED ONE-HALF TURN WITH A WRENCH FROM A FINGER-TIGHT

THE CONTRACTOR MAY USE ADHESIVELY ANCHORED ANCHOR BOLTS IN PLACE OF THE METAL RAIL ANCHOR ASSEMBLY.LEVEL ONE FIELD TESTING IS REQUIRED, AND THE YIELD LOAD OF THE  $\frac{3}{4}$ " Ø BOLT IS 10 KIPS.FOR ADHESIVELY ANCHORED ANCHOR BOLTS OR DOWELS, SEE THE STANDARD SPECIFICATIONS.

WHEN ADHESIVELY ANCHORED ANCHOR BOLTS ARE USED, BOLTS SHALL MEET THE REQUIREMENTS OF ASTM F593 ALLOY 304 STAINLESS STEEL WITH MINIMUM 75,000 PSI ULTIMATE STRENGTH. NUTS SHALL MEET THE REQUIREMENTS OF ASTM F594 ALLOY 304 STAINLESS STEEL AND WASHERS SHALL MEET THE REQUIREMENTS OF ASTM F844 EXCEPT THEY SHALL BE MADE FROM ALLOY 304 STAINLESS STEEL.


└── Q %″Ø HOLES (PERMITTED CUTLINE)

	C	CT NO. CABAR ON: 2	RUS		UNTY
SEAL 23371 HILL A. PATELING		ARTMENT S	<sup>raleigh</sup> TANDAF	<b>NSPORTA</b> RD	
vípul a patel 1C157DE15D464AA	2	BAR (RI	META GHT LA		IL
3/1/2016		REVIS			SHEET NO. S-59
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL	NO. ВҮ: 1 О	DATE:	NO. BY:	DATE:	TOTAL SHEETS 74
SIGNATURES COMPLETED	2 STR.#2	2	<u> </u> STD. NC	D.BMR4	1 (4



01-MAR-2016 10:56 R:\Structures\Plans\Str02\B5123\_SD\_MR\_02.dgn ndaiuto

+



ASSEMBLED BY : K.D.LAYNE	DATE : 11/3/15
CHECKED BY : N.D'AIUTO	DATE : 11/9/15
DRAWN BY : FCJ 1/88 CHECKED BY : CRK 3/89	REV.5/7/03 RWW/JTE REV.5/1/06 TLA/GM REV.10/1/11 MAA/GM

+

### NOTES

STRUCTURAL CONCRETE INSERT

THE STRUCTURAL CONCRETE INSERT ASSEMBLY SHALL CONSIST OF THE FOLLOWING COMPONENTS:

- SHALL HAVE A MINIMUM LENGTH OF THREADS OF  $1^{1}/2^{\prime\prime}$ .
- SHALL BE APPROVED BY THE ENGINEER.)
- A MINIMUM TENSILE STRENGTH OF 90,000 PSI IS ACCEPTABLE.

### NOTES

METAL RAIL TO END POST CONNECTION

THE METAL RAIL TO END POST CONNECTION SHALL CONSIST OF THE FOLLOWING COMPONENTS:

- SHALL HAVE N.C. THREADS.
- D. STANDARD CLAMP BARS (SEE METAL RAIL SHEET ).

E.  $\frac{1}{2}$ " Ø PIPE SLEEVES (IF REQUIRED) TO BE GALVANIZED.

THE COST OF THE STANDARD CLAMP BARS AND CAP SCREWS USED IN THE METAL RAIL TO END POST CONNECTION SHALL BE INCLUDED IN THE UNIT CONTRACT PRICE BID FOR LINEAR FEET OF 1 OR 2 BAR METAL RAILS.

THE  $\frac{3}{4}$ "STRUCTURAL CONCRETE INSERT WITH BOLT SHALL BE ASSEMBLED IN THE SHOP.

THE COST OF THE  $\frac{3}{4}$ " STRUCTURAL CONCRETE INSERT ASSEMBLY, AND THE  $\frac{1}{2}$ " PLATES COMPLETE IN PLACE SHALL BE INCLUDED IN THE VARIOUS PAY ITEMS.

THE CONTRACTOR, AT HIS OPTION, MAY USE AN ADHESIVE BONDING SYSTEM IN LIEU OF THE STRUCTURAL CONCRETE INSERT EMBEDDED IN THE END POST. IF THE ADHESIVE BONDING SYSTEM IS USED, THE 3/4" & X 15/8" BOLT WITH WASHER SHALL BE REPLACED WITH A 3/4" & X 61/2" BOLT AND 2" O.D. WASHER. ALL SPECIFICATIONS THAT APPLY TO THE 3/4" X 15/8" BOLT SHALL APPLY TO THE 3/4" X 6 1/2" BOLT. FIELD TESTING OF THE ADHESIVE BONDING SYSTEM IS NOT REQUIRED.

A. FERRULES SHALL BE MADE FROM STEEL MEETING THE REQUIREMENTS OF AASHTO M169, GRADE 12L14 AND

B. 1 - 3/4" Ø X 15/8" BOLT WITH WASHER.BOLT SHALL CONFORM TO THE REQUIREMENTS OF ASTM A307.BOLT AND WASHER SHALL BE GALVANIZED. (AT THE CONTRACTOR'S OPTION, STAINLESS STEEL BOLT AND WASHER MAY BE USED AS AN ALTERNATE FOR THE  $\frac{3}{4}$ " Ø X 1%" GALVANIZED BOLT AND WASHER. THEY SHALL CONFORM TO OR EXCEED THE MECHANICAL REQUIREMENTS OF ASTM A307. THE USE OF THIS ALTERNATE


C. WIRE STRUT SHOWN IN THE CONCRETE INSERT ASSEMBLY DETAIL IS THE MINIMUM ALLOWABLE SIZE AND SHALL HAVE A MINIMUM TENSILE STRENGTH OF 100,000 PSI. AS AN OPTION, A  $\frac{1}{16}$  "Ø WIRE STRUT WITH

A. 1/2" PLATES SHALL CONFORM TO AASHTO M270 GRADE 36 AND SHALL BE GALVANIZED AFTER FABRICATION.


B. 3/4" STRUCTURAL CONCRETE INSERT SHALL HAVE A WORKING LOAD SHEAR CAPACITY OF 4800 LBS. THE FERRULES SHALL ENGAGE A 3/4" X 15/8" BOLT WITH 2" O.D. WASHER IN PLACE. THE 3/4" X 15/8" BOLT

C. CAP SCREWS FOR RAIL ATTACHMENT TO ANGLE SHALL CONFORM TO THE REQUIREMENTS OF ASTM F593 ALLOY 305 STAINLESS STEEL. CAP SCREWS TO BE CENTERED IN SLOTS AT 60°F.

		NO BARRUS 1:21+4		3 UNTY L -
	SHEET 4 OF	4		
SEAL 23371 BOCUSIGNED DocuSigned by: vipul - partel 10157DE15D464AA 3/1/2016	RAI	(RIGHT I	ARD SPACINO DETAII	S 
3, 1, 2010		REVISIONS		SHEET NO.
OCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	NO. BY: 1 2	DATE: NO. BY: 3 4	DATE:	S-61 TOTAL SHEETS 74
	STR.#2	STD.N	IO. BMR2	)



		BAR	ΤΥF	PES			
1'-11\/2"		10"	2'-4"	10			
ALL BAR DIMENSIONS ARE OUT TO OUT.							
	BIL	L OF	MA	TERIAL	-		
P A		ΕΤ Α	ND E	ND POS	STS		
BAR	NO.	SIZE	TYPE	LENGTH	WEIGHT		
<b>*</b> B1	16	<b>#</b> 5	STR	15′-8″	261		
<b>*</b> B2	48	#5	STR	27'-7"	1,381		
<b>*</b> B3	16	<b>#</b> 5	STR	12'-8"	211		
<b>*</b> E1	4	<b>#</b> 7	STR	2'-6"	20		
* E1 * E2	4	#7	STR	<u> </u>	20 25		
* E2	4	#7	STR	3'-6"	29		
* E4	4	#7	STR	4'-0"	33		
* E5	4	#7	STR	4'-4"			
	4	··· 1	אונ	4 - 4	35		
<b>₩</b> F1	4	<b>#</b> 6	STR	1'-10"	11		
<b>*</b> F2	2	#6	STR	3'-4"	10		
<b>*</b> F3	2	#6	STR	3'-11"	12		
<b>*</b> F4	2	#6	STR	3'-0"	9		
* F5	2	#6	STR	3'-8"	11		
<b>*</b> S1	218	<b>#</b> 5	1	5′-5″	1,232		
<b>*</b> S2	218	<b>#</b> 5	2	5′-6″	1,251		
* EP0>	Y COA	TED					
REIN	NFORCI	NG ST	EEL =	LBS.	4,531		
CLAS	SS AA	CONCR	ETE =	C.Y.	24.0		
	x 2'-6						
CONC	RETE F	PARAPE	T =	LIN.FT.	218.23		



+


01-MAR-2016 10:56 R:\Structures\Plans\Str02\B5123\_SD\_BM\_02.dgn ndaiuto

			E	IEDUL	SCH	BAR	RCING	REINFOF	R			
	WEIGHT	LENGTH	TYPE	SIZE	NO.	BAR	WEIGHT	LENGTH	TYPE	SIZE	NO.	BAR
	3328	21′-5″	STR	<b>#</b> 5	149	<b>*</b> B1	19800	56'-1″	STR	<b>#</b> 5	339	<b>*</b> A1
	1394	26'-9"	STR	#4	78	<b>*</b> B2	19800	56'-1″	STR	<b>#</b> 5	339	A2
7	6167	39'-5″	STR	<b>#</b> 5	150	<b>*</b> B3						
5′-8"	2566	33'-3"	STR	<b>#</b> 5	74	<b>₩</b> B4	222	53'-2"	STR	<b>#</b> 5	4	<b>*</b> A101
ר, ני	10076	56'-2″	STR	<b>#</b> 5	172	B5	209	50'-0"	STR	<b>#</b> 5	4	<b>*</b> A102
1	1472	28'-3"	STR	#4	78	<b>₩</b> B6	195	46'-9"	STR	<b>#</b> 5	4	<b>*</b> A103
-	3523	22'-8"	STR	<b>#</b> 5	149	<b>₩</b> B7	182	43′-7″	STR	<b>#</b> 5	4	<b>*</b> A104
							168	40'-4"	STR	<b>#</b> 5	4	<b>*</b> A105
	131	13'-11"	STR	<b>#</b> 5	9	H1	155	37'-2″	STR	<b>#</b> 5	4	<b>*</b> A106
	128	13′-8″	STR	<b>#</b> 5	9	H2	142	33'-11"	STR	<b>#</b> 5	4	<b>*</b> A107
	194	14'-4"	STR	<b>#</b> 5	13	Н3	128	30'-9"	STR	<b>#</b> 5	4	<b>*</b> A108
	191	14'-1"	STR	<b>#</b> 5	13	H4	115	27′-6″	STR	<b>#</b> 5	4	<b>*</b> A109
S2 S5	118	12'-7"	STR	<b>#</b> 5	13	H5	102	24'-4"	STR	<b>#</b> 5	4	<b>*</b> A110
	120	12'-10″	STR	<b>#</b> 5	13	Н6	88	21'-1"	STR	<b>#</b> 5	4	<b>*</b> A111
	206	15′-2″	STR	<b>#</b> 5	9	Н7	75	17'-11"	STR	<b>#</b> 5	4	<b>*</b> A112
- 0 - 0	209	15′-5″	STR	<b>#</b> 5	9	H8	61	14′-8″	STR	#5	4	<b>*</b> A113
4'-10" 5'-11"							48	11'-6″	STR	<b>#</b> 5	4	<b>*</b> A114
4 4	652	23'-3"	STR	#4	42	K1	35	8'-4"	STR	<b>#</b> 5	4	<b>*</b> A115
<u> </u>	14	5'-2″	STR	#4	4	K2	21	5'-1"	STR	<b>#</b> 5	4	<b>*</b> A116
	9	6′-7″	STR	#4	2	К3						
. 1	100	8'-4"	STR	#4	18	К4	222	53'-2"	STR	<b>#</b> 5	4	A201
<b></b>	13	5'-0″	STR	#4	4	К5	209	50'-0"	STR	<b>#</b> 5	4	A202
	15	5′-9″	STR	#4	4	К6	195	46′-9″	STR	<b>#</b> 5	4	A203
	88	6′-7″	STR	#4	20	К7	182	43'-7"	STR	#5	4	A204
	37	3′-6″	STR	#4	16	K8	168	40'-4"	STR	<b>#</b> 5	4	A205
	59	4′-5″	STR	#4	20	К9	155	37'-2"	STR	<b>#</b> 5	4	A206
	39	5'-10″	STR	#4	10	K10	142	33'-11″	STR	<b>#</b> 5	4	A207
1	451	7′-6″	STR	#4	90	K11	128	30'-9"	STR	<b>#</b> 5	4	A208
	7	5′-4″	STR	#4	2	K12	115	27′-6″	STR	<b>#</b> 5	4	A209
	31	4'-7"	STR	#4	10	K13	102	24'-4"	STR	<b>#</b> 5	4	A210
<i>L</i> <sub>THIS</sub>	23 4	5'-10″	5	#4	6	K14	88	21'-1"	STR	<b>#</b> 5	4	A211
BETWE	46	11'-5″	6	#4	6	K15	75	17'-11"	STR	<b>#</b> 5	4	A212
GIRDE	22	5′-6″	5	#4	6	K16	61	14′-8″	STR	<b>#</b> 5	4	A213
	172	10'-9"	6	#4	24	K17	48	11'-6″	STR	<b>#</b> 5	4	A214
							35	8'-4"	STR	<b>#</b> 5	4	A215
	375	2'-10"	2	#4	198	S1	21	5′-1″	STR	<b>#</b> 5	4	A216
	478	13'-3"	3	#4	54	S2	•					
	557	11'-11"	4	#4	70	<b>*</b> S3						
	379	10'-6"	4	#4	54	<b>*</b> S4						
	165	15'-5"	3	#4	16	S5						
	220	11'-9"	3	#4	28	S6						
		-	-									
POL												

21	S1	198	#4	2	2'-10"	375	
	S2	54	#4	3	13'-3"	478	
	<b>*</b> S3	70	#4	4	11'-11"	557	
	<b>*</b> S4	54	#4	4	10'-6"	379	
	S5	16	#4	3	15′-5″	165	
	S6	28	#4	3	11'-9″	220	
	U1	30	#4	1	14'-9"	296	
	U2	12	#4	7	9'-2"	73	
	REINF	ORCIN	NG STER	LBS.	36,504		
	₩ EPO REINF		ATED NG STE	EL	LBS.	41,132	
							I


GROOVING BRIDGE FLOORS 2,219 SQ.FT. APPROACH SLABS 10,022 SQ.FT. BRIDGE DECK 12,241 SQ.FT. TOTAL

·								
	SUPERSTRUCTURE REINFORCING STEEL LENGTHS ARE BASED ON THE							
FOLL	OWING	MINI	MUM SF	PLICE I	ENGTHS			
BAR SIZE	SUPERST EXCEPT A SLABS, P AND BARR	APPROACH ARAPET,	APPROACH SLABS		PARAPET AND BARRIER			
	EPOXY COATED	UNCOATED	EPOXY COATED	UNCOATED	RAIL			
#4	2'-0"	1'-9"	2'-0"	1'-9"	2'-9"			
#5	2'-6"	2'-2"	2'-6"	2'-2"	3'-5"			
#6	3'-0"	2'-7"	3'-10"	2'-7"	4'-4"			
#7	5′-3″	3'-6"						
#8	6'-10"	4'-7"						




٠

DEPARTMENT OF TRANSPORTATION RALEIGH TH CARO OFESSION SEAL 23371 SUPERSTRUCTURE BILL OF MATERIAL ACINEER Z A. PATELIN PEDog SigAed by: vipul a patel (RIGHT LANE) 1C157DE15D464AA.. 3/1/2016 REVISIONS SHEET NO. S-63 NO. BY: DATE: DATE: BY: DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED TOTAL SHEETS 74




DRAWN BY :	N.D'A	N.D'AIUTO			
CHECKED BY :	K.D.L	AYNE	DATE : 11/18/1		
DESIGN ENGINEER	OF RECORD:	T.H.CARROLL			
DESIGN ENGINEEN					



01-MAR-2016 10:56 R:\Structures\Plans\Str02\B5123\_SD\_E\*\_02.dgn ndaiuto

+



01-MAR-2016 10:56 R:\Structures\Plans\Str02\B-5123\_SD\_B\*\_02.dgn ndaiuto

—

+

### NOTES

STIRRUPS AND "U" BARS IN CAP MAY BE SHIFTED AS NECESSARY TO CLEAR ANCHOR BOLTS.


HOOKS ON "V" BARS MAY BE TURNED AS NECESSARY FOR PLACING REINFORCING STEEL.


ALL STEEL IN THE DRILLED PIERS IS INCLUDED IN THE PAY ITEMS FOR "REINFORCING STEEL" AND "SPIRAL COLUMN REINFORCING STEEL".

THE LOCATION OF THE CONSTRUCTION JOINT IN THE DRILLED PIERS IS BASED ON AN APPROXIMATE GROUND LINE ELEVATION. IF THE CONSTRUCTION JOINT IS ABOVE THE ACTUAL GROUND LINE ELEVATION, THE CONTRACTOR SHALL PLACE THE CONSTRUCTION JOINT 1 FT. BELOW THE GROUND LINE.

FOR DRILLED PIERS, SEE GEOTECHNICAL SPECIAL PROVISIONS AND SECTION 411 OF THE STANDARD SPECIFICATIONS.

THE CONTRACTOR'S ATTENTION IS CALLED TO THE FACT THAT THE LONGITUDINAL REINFORCEMENT FOR THE DRILLED PIERS IS DETAILED WITH 3 FEET OF EXTRA LENGTH.






DRAWN BY : CHECKED BY : N. D'AIUTO 

+

+


01-MAR-2016 10:56 R:\Structures\Plans\Str02\B-5123\_SD\_B\*\_02.dgn ndaiuto

	BILL	. OF	ΜΑΤ	ERIAL	
BAR	NO.	SIZE	TYPE	LENGTH	WEIGHT
B1	8	<b>#</b> 11	1	59'-8"	2536
B2	7	#11	STR	56'-8″	2107
B3	8	<b>#</b> 5	STR	56'-8"	473
	10			454.04	
M1	12	#11	STR	45'-2"	2880
M2	12	#11 #11	STR	41'-2"	2625
M3	12	#11	STR	37'-4"	2380
S1	54	<b>#</b> 5	2	13'-0"	732
S2	28	<b>#</b> 5	2	12-0"	350
U1	63	#4	3	6'-10″	288
U2	8	#4	3	6'-8"	36
U3	8	#4	3	7'-1"	38
V1	36	<b>#</b> 11	4	18'-0"	3443
	ORCING			LBS.	17,888
SP-1	1	**	5	827'-7"	863
SP-2	1	**	5	732'-1"	764
SP-3	1	**	5	639'-1"	667
SP-4 SP-5	1	*	6 6	589'-3" 572'-1"	394 382
SP-5 SP-6	1	*	6	572 -1	372
	-		0	JJ1 -4	512
	AL COLU Forcing		L	LBS.	3,442
REINF D-31 (	FORCING	STEE RAWN W	l Shal	-3 SPIRAL L BE W31 R #5 PLA	OR
REINF D-20	ORCING	STÉE RAWN	l Shal	SPIRAL L BE W20 OR #4 PL4	
P(	5 A CON DUR #3 DUR #2	(CAP)			40.4 14.9
ΙΟΙΑΙ	_ CLASS	A CO	NCRET	E C.Y.	55.3
				NTITIES	
DRILLE	ED PIER	CONC	RETE		
	*1 (DRIL			C.Y.	43.3
IN SO				LIN.FT.	60.00
II TON	Ø DRILLE N SOIL			LIN.FT.	33.00
	NENT ST -0"ØDF			LIN.FT.	63.00
SID TN	NSPECTI	ONS		EA.	1
	ESTING			EA.	-
CSL TE				EA.	1
	JBES			LIN.FT.	1 390
				L 1 10 1 10	550



01-MAR-2016 10:55 R:\Structures\Plans\Str02\B5123\_SD\_E\*\_02.dgn ndaiuto

+




01-MAR-2016 10:55 R:\Structures\Plans\Str02\B5123\_SD\_E\*\_02.dgn ndaiuto


+

+

R TYPES			BILI	_ 0F	MA	FERIAL	
41/2"	3'-5" 41/2		ł	END	BENT	Γ2	
		BAR	NO.	SIZE	TYPE	LENGTH	WEIGHT
в1 нк.	НК.	B1 B2	10 5	#9 #9	1	37'-5" 60'-0"	1272 1020
32	(2)	B2 B3	1	#9	1	17'-4"	59
33	<u> </u>	B4	1	#9	1	17'-8"	60
34	1/ 7// / ٨	B B5	1	#9	1	18'-0"	61
5	1'-3" LA	00	1	#9	1	18'-3"	62
86		B7 B8	1 30	#9 #4	1 STR	18'-7" 23'-8"	63 474
37		B9	19	#4	STR	3'-5"	43
		B10	5	#4	STR	17'-2"	57
	( (4) )	B11	5	#4	STR	8'-7"	29
		H1	6	#5	STR	13'-11"	87
		H1 H2	6	#5	STR	13'-8"	86
	1'-8"Ø	Н3	10	#5	STR	14'-4"	149
		H4	10	#5	STR	14'-1"	147
	7/ 5//	<u> </u>	62	#4	7	11/_5″	173
	3′-5″	S1 S2	62 82	#4 #4	3	11'-5" 4'-2"	473 228
		S3	44	#4	4	6'-6"	191
		S4	20	#4	3	12'-11"	173
1′-6″						<u> </u>	
, T		U1	18	#4	5	6'-5"	77
<u>*</u>	_1 1	V1	108	#5	STR	6'-11"	779
		V2	24	#5	STR	10'-0"	250
		٧3	26	#5	STR	11'-1"	301
ONS ARF	ΟυΤ ΤΟ ΟυΤ.	REIN	FORCIN	G STEE	ĒL	LBS.	6,141
			S A CO				
		CAP,	LOWER	WINGS	& COI	LARS C.	Y. 46.0
		HP 1	2X53 ST	EEL P	ILES		
				NO	. 11	LIN.F	T. 360
\ 							
3 @ CTS.							
TS.	<u>5 V3</u> ГҮР.)						
TS.	5 V3 TYP.)						
TS.	SHA				R-	5123	
TS.	SHA	PROJEC				5123	
TS.	H., BARS 6" CTS.		TNO				JNTY
rs.	0 6" CTS.	CA	ABAF	RRU	S	COL	JNTY
「S. ►	0 6" CTS.		ABAF	RRU	S	COL	
-S	10-#5 '\H'' BARS @ 6" CTS.	C/ STATIO	ABAF N:	RRU	S	COL	
-S	10-#5 '\H'' BARS @ 6" CTS.	CA	ABAF N: 2	<u>RU</u> 21+	S 44.1	<b>COL</b> 10 -L	
577.85	0 = #2H., BARS @ 6" CTS.	CA STATIO SHEET 2 OF	ABAF N: 2	RRU 21+	S 44.1	<b>COL</b> 10 -L	
577.85		CA STATIO SHEET 2 OF	ABAF N: 2 STMENT	RU 21+	S 44.1 RTH CAROLI TRANS	COL 0 -L	
577.85		CA STATIO SHEET 2 OF	ABAF N: 2 STMENT	RU 21+	S 44.1 RTH CAROLI TRANS	COL 0 -L	
577.85		CA STATIO SHEET 2 OF	ABAF N: 2 sta SUE	RRU 21+	S 44.1 RTH CAROLI TRANS	COU 0 -L	
577.85		CA STATIO SHEET 2 OF	ABAF N: 2 SUE SUE	RU 21+ OF RALE STR	S 44.1 TRANS	COL 0 -L	
577.85		CA STATIO SHEET 2 OF	ABAF N: 2 SUE SUE	RU 21+ OF RALE STR	S 44.1 RTH CAROLI TRANS	COL 0 -L	
577.85	SUPP.)	CA STATIO SHEET 2 OF	ABAF N: 2 TMENT SUE IN ENE	RU 21+ SSTR NTE NTE D B	S 44.1 TRANS	L COL	
577.85	SEAL 23371 Conversion	CA STATIO SHEET 2 OF	ABAF N: 2 TMENT SUE IN ENE	RU 21+ SSTR NTE NTE D B	S 44.1 TRANS	LOCL JRE JRE LC LC LC LC LC LC LC LC LC LC LC LC LC	 ION
577.85	SUPP.) SUPP. SUPP.) SUPP.	CA STATIO SHEET 2 OF DEPAR	ABAF N: 2 STMENT SUE IN ENE (R] REVI	RU 21+ OF SSTR NTE D B IGHT	S 44.1 TRANS UCTL GRA ENT	L COL D COL COL COL COL COL COL COL COL COL COL	 ION SHEET NO.
577.85 A OF WIN EVEL)	SUPP.) SUPP. SUPP.) SUPP.	CA STATIO SHEET 2 OF	ABAF N: 2 sta SUE SUE IN ENE (R]	RU 21+ OF SSTR SSTR DB CGHT	S 44.1 TRANS	LOCL JRE JRE LC LC LC LC LC LC LC LC LC LC LC LC LC	 ION

2 STR.#2





STA.15+07.92 -SRVRD-

EL.567.30

RIGHT LANE

11/2:1

-O" BERM

FL.

579.63

EVEL'

- 4" CONCRETE

SLOPE PROTECTION -L-


27'-0"


STA. 21+44.11 -L-

STA.15+24.77

-SRVRD-

STA.15+93.09 -SRVRD-EL.566.47






ASSEMBLED BY : K.D.LAYNE CHECKED BY : H.LOCKLEAR	DATE : 11/9/15 DATE : 11/18/15	
	REV. 5/1/06         TLA/GN           REV. 10/1/11         MAA/GI           REV. 12/21/11         MAA/GI	Ň

+

+




# GENERAL NOTES


SLOPE PROTECTION SHALL BE PLACED UNDER THE END OF THE BRIDGE AS SHOWN IN THE DETAILS. STRAIGHT EDGING WILL NOT BE REQUIRED UNLESS, IN THE OPINION OF THE ENGINEER, VISUAL INSPECTION INDICATEDS NEED FOR IT. MEASUREMENT AND PAYMENT SHALL BE AS PRESCRIBED IN SECTION 462 OF THE STANDARD SPECIFICATIONS.FOR BERM WIDTH, SEE GENERAL DRAWING.

SLOPE PROTECTION SHALL CONSIST OF 4" POURED-IN PLACE CONCRETE PAVING AS SHOWN IN THE DETAILS ON THIS SHEET. CONCRETE SHALL BE CLASS ``B''. THE CONCRETE SURFACE SHALL BE FLOATED WITH A WOODEN FLOAT AND FINISHED. WELDED WIRE FABRIC REINFORCING SHALL BE 6 X 6 -W1.4 X W1.4, 60" WIDE. SLOPE PROTECTION SHALL BE POURED IN 5' STRIPS AS SHOWN IN THE "POURING DETAIL" WITH 2'-O"LONG #4 BARS PLACED ALONG THE SLOPE BETWEEN STRIPS AT 1'-6" MAXIMUM SPACING. SLOPE PROTECTION MAY BE POURED IN ALTERNATE 4' AND 5' STRIPS AS SHOWN IN THE "OPTIONAL POURING DETAIL" WITH ADJACENT RUNS OF WELDED WIRE FABRIC LAPPING AT LEAST 6". THE COST OF THE WELDED WIRE FABRIC AND #4 BARS, IF USED, SHALL BE INCLUDED IN THE CONTRACT UNIT PRICE BID PER SQUARE YARD FOR SLOPE PROTECTION.

BRIDGE @ STA.21+44.10 -L-	4 INCH SLOPE PROTECTION	* WELDED WIRE FABRIC 60 INCHES WIDE
	SQUARE YARDS	APPROX.L.F.
END BENT 1	410	820
* QUANTITY SHO	OWN IS BASED ON 5'PC	DURS.

---- 4" CONCRETE SLOPE PROTECTION 6 X 6 - W1.4 X W1.4







ESTIMATED QUANTITIES						
BRIDGE @ STA.21+44.10 -L-	RIP RAP CLASS II (2'-0" THICK)	GEOTEXTILE FOR DRAINAGE				
	TONS	SQUARE YARDS				
BANK STABILIZATION NEAR END BENT 2	50	55				
END BENT 2	475	530				
TOTAL	525	585				

•

STR.#2




STR.#2



<sup>01-</sup>MAR-2016 10:55 R:\Structures\Plans\Str02\B5123\_SD\_AS\_02.dgn ndaiuto

	PROJECT NO. <u>B-5123</u> <u>CABARRUS</u> COUNTY STATION: <u>21+44.10</u> -L-						
SHEET 2 OF 3							
DEPARTMENT OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATIO RALEIGH							
OR THE CAROLINA NOR THE CAROLINA SEAL 23371 HILL AND SEAL 23371 HILL AND SEAL 23371 HILL AND SEAL 23371	BRIDGE APPROACH SLAB DETAILS						
vípul a patel 10157DE15D464AA 3/1/2016	(RIGHT LANE)						
5, 1, 2020	REVISIONS SHEET NO.						
DOCUMENT NOT CONSTDERED	NO. BY: DATE: NO. BY: DATE: S-73						
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	1     3     TOTAL SHEETS       2     4     74						
	STR.#2						



ASSEMBLED BY : K.D.LAYNE CHECKED BY : N.D'AIUTO

+

+

DATE : 8/25/15 DATE : 11/9/15

01-MAR-2016 10:55 R:\Structures\Plans\Str02\B5123\_SD\_AS\_02.dgn ndaiuto


### NOTES

ALL REINFORCING STEEL IN BARRIER RAILS SHALL BE EPOXY COATED.

THE #5 S4, S5, S6, & S7 BARS IS 18.6 KIPS. FIELD TESTING FOR THE ADHESIVE BOND SYSTEM IS NOT REQUIRED.

REINFORCING BARS IN THE RAIL MAY BE FIELD CUT TO AVOID DRAIN SLOTS.

AND IN ACCORDANCE WITH ARTICLE 825-10(B) OF THE STANDARD SPECIFICATIONS. THE CONTRACTION JOINT SHALL BE LOCATED AT EACH THIRD POINT BETWEEN BARRIER RAIL EXPANSION JOINTS. ONLY ONE SEGMENTS LESS THAN 10 FEET IN LENGTH.



### BAR TYPES

\* \* THE #5 S4, S5, S6 & S7 BARS SHALL BE INSTALLED USING AN ADHESIVE ANCHORING SYSTEM. THE YIELD LOAD FOR

GROOVED CONTRACTION JOINTS,  $\frac{1}{2}$ " IN DEPTH, SHALL BE TOOLED IN ALL EXPOSED FACES OF THE BARRIER RAIL CONTRACTION JOINT IS REQUIRED AT MIDPOINT OF BARRIER RAIL SEGMENTS LESS THAN 20 FEET IN LENGTH AND NO CONTRACTION JOINTS ARE REQUIRED FOR THOSE

ALL BAR DIMENSIONS ARE OUT TO OUT.							
	BILL OF MATERIAL						
FOR CONCRETE BARRIER RAIL							
BAR	NO.	SIZE	TYPE	LENGTH	WEIGHT		
	22	#5	стр	24'-7"	ECA		
* B3	22	- <sup></sup> C	STR	24 - 1	564		
<b>*</b> S4	44	<b>#</b> 5	3	4'-3"	195		
<b>*</b> S5	44	<b>#</b> 5	STR	4'-1"	187		
<b>₩</b> S6	4	<b>#</b> 5	3	3'-6"	15		
<b>米</b> S7	4	<b>#</b> 5	STR	3'-4"	14		
* EPOXY COATED REINFORCING STEEL LBS. 975							
CLASS AA CONCRETE							
BARRIER RAIL = C.Y. 7.0							
CONCRETE BARRIER RAIL = LIN.FT. 50.0							

