
DETAIL A PATCHING EXISTING PAVEMENT





MILL EXISTING ASPHALT PAVEMENT AND REMOVE
EXISTING LOOSE BASE AND/OR SUBGRADE MATERIAL AND REPLACE WITH ACIC
TYPE, I19.0X AND ACSC TYPE, S9.5X AS DIRECTED BY THE ENGINEER.

DETAIL B

ASPHALT CONCRETE SURFACE COURSE

TYPE S9.5B (LEVELING COURSE)






2016 - 2017
Resurfacing Program
Typical Sections
Alexander County

<u>DETAIL C</u> MILLING BRIDGE APPROACHES



EXISTING CONC. BRIDGE DECK



EXISTING PAVEMENT

| | PAVEMENT SCHEDULE |
|----|--|
| C1 | PROP. APPROX. 2.0" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 224 LBS. PER SQ. YD. |
| C2 | PROP. APPROX. 1.5" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD. |
| E | PROP. APPROX. 5" ASPHALT CONCRETE BASE COURSE, TYPE B25.0B, AT AN AVERAGE RATE OF 570 LBS. PER SQ. YD. |
| Т | AGGREGATE SHOULDER BORROW (SHOULDER RECONSTRUCTION) |
| ٧ | FULL DEPTH RECLAMATION, MIXING DEPTH 12" PORTLAND CEMENT TO BE ADDED AT A RATE OF 80 LBS PER SQ. YD. |

PROJ. REFERENCE NO.

STATE PROJ. NO. F.A. PROJ. NO

ALEXANDER COUNTY

2016CPT.12.04.10021

2016CPT.12.04.20021

2016CPT. 12. 04. 20022

EXISTING PAVEMENT

TOTAL SHEETS

DESCRIPTION

PRIMARY RESURFACING

SECONDARY RESURFACING

FULL DEPTH RECLAMATION

SHEET NO.