

ipadams


DRAWN BY :	T.L. AVERETTE			1-16
CHECKED BY :	J.P. /	ADAMS	DATE :	2-16
DESIGN ENGINEER	OF RECORD:	T.L. AVERETTE	DATE :	2-16

+

+

13-APR-2016 12:33 R:\Structures\Plans\Str_1\Super_Draw\B5121_SD_TS_01.dgn

SHOWING END BENT DIAPHRAGMS 5" CONCRETE MEDIAN TO BE PLACED DURING STAGE III NOT SHOWN ☆ 1'-4" X 3'-6" CONCRETE PARAPET SHALL BE PLACED DURING STAGE IV CONSTRUCTION



NOTES:

PROVIDE 1 1/4" HIGH BEAM BOLSTERS UPPER AT 4'-0" CTS. ATOP THE METAL STAY-IN-PLACE FORMS TO SUPPORT THE BOTTOM MAT OF 'A' BARS. WHEN USING REMOVABLE FORMS, PROVIDE CONTINUOUS HIGH CHAIRS FOR METAL DECK (C.H.C.M.) @ 4'-0"CTS. WITH A HEIGHT TO SUPPORT THE BOTTOM MAT OF 'A' BARS A CLEAR DISTANCE OF 2 1/2" ABOVE THE TOP OF THE REMOVABLE FORM.

LONGITUDINAL STEEL MAY BE SHIFTED SLIGHTLY, AS NECESSARY, TO AVOID INTERFERENCE WITH STIRRUPS IN PRESTRESSED CONCRETE GIRDERS.

PARAPET AND MEDIAN IN THE SPAN SHALL NOT BE CAST UNTIL ALL SLAB CONCRETE IN THE SPAN HAS BEEN CAST AND HAS REACHED A MINIMUM COMPRESSIVE STRENGTH OF 3,000 PSI.

#6 D1 DOWELS SHALL BE PLACED IN THE SAME HORIZONTAL PLANE AS THE TOP AND BOTTOM SLAB REINFORCING STEEL.

SEE TRAFFIC CONTROL PLANS FOR LOCATION AND PAY LIMITS OF THE PORTABLE CONCRETE BARRIERS AND WATER FILLED BARRIERS.

FOR EXPANSION JOINT SEALS, SEE SPECIAL PROVISIONS.

AESTHETIC DETAILS NOT SHOWN FOR CLARITY. FOR AESTHETIC DETAILS, SEE "PARAPET AESTHETIC DETAILS" SHEETS AND SPECIAL PROVISIONS.

DECK EDGE BEAM NOT SHOWN FOR CLARITY. FOR DETAILS AND REINFORCING STEEL, SEE "DECK EDGE BEAM" SHEETS.

FOR SAND LIGHTWEIGHT CONCRETE, SEE SPECIAL PROVISIONS.

THREADED RODS FOR PRECAST PANELS ARE NOT SHOWN FOR CLARITY. SEE "PRECAST PANEL" SHEETS FOR LOCATION AND DETAILS OF THREADED RODS.

