


TYPICAL SECTION NO.1 US 601 NORTH (MAP 1)



TYPICAL SECTION NO.2 US 601 NORTH (MAP 2) * SEE NOTE 2 AND PROFILE MILLING DETAIL

| STATE | PROJECT NO. | SHEET NO. | TOTAL SHEETS |
|-------|--|--------------|-----------------|
| N.C. | 2017CPT.IO.07.I090I.I - ETC. 2017CPT.IO.07.2090I.I - ETC. | 8 | |

F.A. PROJECT NO.

PAVEMENT SCHEDULE

| | TAVELLENT SCHEDOLL |
|------|---|
| C1) | PROP. APPROX. 2.0" ASPHALT CONC. SURFACE COURSE, TYPE S9.5C, AT AN AVERAGE RATE OF 224 LBS. PER SO. YD. |
| (C2) | PROP. APPROX. 1.5" ASPHALT CONC. SURFACE COURSE, TYPE S9.5C, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD. |
| (C3) | PROP. APPROX. 1.5" ASPHALT CONC. SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD. |
| (C4) | PROP. APPROX. 2.0" ASPHALT CONC. SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 224 LBS. PER SQ. YD. |
| (D1) | PROPOSED 2.5" ASPHALT CONC.INTERMEDIATE CORSE, TYPE I19.0B, AT AN AVERAGE RATE OF 285 LBS.PER SQ.YD. |
| (D2) | AST MAT COAT # 78M |
| E1) | PROPOSED 5" OF ASPHALT CONC. BASE COURSE, B25.0C, AT AN AVERAGE RATE 570 LBS. PER SQ. YD. |
| (T1) | SHOULDER RECONSTRUCTION |
| U | EXISTING PAVEMENT |
| (V1) | MILLING OF EXISTING PAVEMENT, 2.0" IN DEPTH. |
| (V2) | PROFILE MILLING EXISTING ASPHALT, Ø - 1.5" |

2017-2018 UNION COUNTY RESURFACING CONTRACT *1

 SCALE
 -NA

 DATE
 12/16

 DWG. BY
 AMO

 DESIGN BY
 AMO

 APPROVED
 CLA

