




| PAVEMENT SCHEDULE |   |
|-------------------|---|
| C2                | PROP. APPROX. 1.5" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 165 LBS. PER SQ. YD.  |
| C3                | PROP. APPROX. 2.0" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, TWO LAYER AT AN AVERAGE RATE OF 110 LBS., PER SQ.YD.,   |
| C4                | PROP. APPROX. 1.5" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5C, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD.  |
| C5                | PROP. APPROX. 2.0" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5C, AT AN AVERAGE RATE OF 224 LBS. PER SQ. YD.  |
| C6                | PROP. ASPHALT SURFACE TREATMENT, MATCOAT #67, AT AN AVERAGE RATE OF 25 LBS. PER SQ. YD. (STONE) AND 0.35 GALLONS PER SQ. YD. (LIQUID ASPHALT)                               |
| C8                | PROP. ASPHALT SURFACE TREATMENT, DOUBLE SEAL:<br>TOP LAYER #78 STONE AT 12 LBS./SY, AND 0.25 GALS./SY EMULSION<br>BOTTOM LAYER #78 AT 18 LBS/SY, AND 0.30 GALS./SY EMULSION |
| D2                | PROP. APPROX. 2.5" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE I19.0C AT AN AVERAGE RATE OF 285 LBS. PER SQ. YD.   |
| F                 | PROPOSED FULL DEPTH RECLAMATION AT A DEPTH OF 12 INCHES WITH PORTLAND CEMENT TREATED BASE AT AN AVERAGE RATE OF 73 LBS/SY   |
| J                 | ABC STONE 12" DEPTH   |
| V1                | INCIDENTAL MILLING  |
| V2                | MILLING 1.0" DEPTH  |
| V3                | MILLING 1.5" DEPTH  |
| V4                | MILLING 2.0" DEPTH  |
| V5                | MILLING 2.5" DEPTH  |
| V6                | MILLING 4.0" DEPTH  |
| T                 | SHOULDER RECONSTRUCTION   |



TYPICAL SECTION NO. 34




TYPICAL SECTION NO. 35



TYPICAL SECTION NO. 36

2018/2019 MECKLENBURG COUNTY RESURFACING

|           |      |   |           |
|-----------|------|---|-----------|
| SCALE     | -NA- |  | REVISIONS |
| DATE      | 3/18 |   | 4/4/18    |
| DWG. BY   | JHE  |   |           |
| DESIGN BY | JHE  |   |           |
| APPROVED  |      |   |           |