

PLAN

AS-BUILT REPAIR QUANTITY TABLE TOP OF DECK REPAIRS ESTIMATE ACTUAL SCARIFYING BRIDGE DECK 336 SQ. YDS. 5.6 SQ. YDS. CLASS II SURFACE PREPARATION CONCRETE DECK REPAIR FOR PPC OVERLAY 5.6 SQ. YDS. SHOTBLASTING BRIDGE DECK 336 SQ. YDS. 11.7 CU. YDS. PPC MATERIALS 336 SQ. YDS. PLACING AND FINISHING PPC OVERLAY GROOVING BRIDGE FLOORS 2805 SQ.FT.

TOP OF DECK REPAIR QUANTITIES REPRESENT ESTIMATED VALUES OF CLASS II SURFACE PREPARATION AND CONCRETE DECK REPAIR FOR PPC OVERLAY AFTER REMOVAL OF UNSOUND CONCRETE (MIN. 2" CLEAR TO SAWCUT). SEE OVERLAY SURFACE PREPARATION FOR POLYESTER POLYMER CONCRETE SPECIAL PROVISION.

NOTES:

REPAIR LOCATIONS AND ESTIMATED QUANTITIES ARE BASED ON THE BEST INFORMATION AVAILABLE. IF ADDITIONAL REPAIRS NOT SHOWN ON THE DRAWINGS ARE DEEMED NECESSARY BY THE ENGINEER, THE ENGINEER WILL NOTE ON THE DRAWINGS THE APPROXIMATE LOCATIONS AND DESCRIPTION OF THE REPAIRS AND ENTER THE ACTUAL QUANTITIES INTO THE AS-BUILT REPAIR QUANTITY TABLE.

FOR SECTIONS A-A AND B-B, SEE "JOINT DETAILS" SHEET.



TO U.S. 74

CLASS II SURFACE PREPARATION

PROJECT NO. I-5825

MECKLENBURG COUNTY

BRIDGE NO. 207

SHEET 1 OF 3

Nicholas Pierce 3/2/2018

STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
RALEIGH

PLAN OF SPAN

APPROACH SLAB 1 AND SPAN A

REVISIONS SHEET NO DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED 2 4 31

DRAWN BY: ______ E.K. POPE DATE: 12/17
CHECKED BY: _____ A. SORSENGINH DATE: 1/18

TO U.S. 521