



STATE	PROJECT NO.	SHEET NO.	TOTAL SHEETS
N.C.	I-5811	4	




INCIDENTAL MILLING PAVEMENT
DETAIL AT BRIDGE




DETAIL - GORE AREAS

MILLING DETAIL 1



MILLING DETAIL 2



PROFILE MILL EXISTION
ASPHALT PAVEMENT 0" - 3/4"

PAVEMENT SCHEDULE

C1	PROP. APPROX. 1 1/2" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5D, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD.
C2	PROP. APPROX. 3/4" OPEN-GRADED ASPHALT FRICTION COURSE, TYPE FC-1 MODIFIED, AT AN AVERAGE RATE OF 90 LBS PER SQ. YD.
C3	PROP. APPROX. 1 1/2" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5C, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD.
D	PROP. APPROX. 4 1/2" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE I19.0C, AT AN AVERAGE RATE OF 513 LBS. PER SQ. YD.
U1	EXISTING TRAVELWAY.
U2	EXISTING PAVED SHOULDER.
V1	MILLING ASPHALT PAVEMENT 1 1/2" DEPTH
V2	MILLED RUMBLE STRIP
V3	MILLING ASPHALT PAVEMENT 0 - 3/4" DEPTH.
V4	MILLING ASPHALT PAVEMENT 4 1/2" DEPTH

04-APR-2018 14:51
 C:\Users\pjp\p\Documents\misc\discard\I-5811\I-5811 typical Sh4.dgn
 plotter: AI_CSD-202592