


6/2/2019

| FINAL PAVEMENT SCHEDULE | |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| C1 | PROP. APPROX. 1.5" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 165 LBS. PER SQ. YD. |
| C2 | PROP. APPROX. 2.5" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 138 LBS. PER SQ. YD. IN EACH OF THE TWO LAYERS. |
| C3 | PROP. VARIABLE DEPTH ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 110.0 LBS. PER SQ. YD. PER 1" DEPTH. TO BE PLACED IN LAYERS NOT LESS THAN 1" OR TO EXCEED 1.5" IN DEPTH. |
| E1 | PROP. APPROX. 4.0" ASPHALT CONCRETE BASE COURSE, TYPE B25.0C, AT AN AVERAGE RATE OF 456 LBS PER SQ. YD. |
| R1 | SHOULDER BERM GUTTER |
| T | EARTH MATERIAL. |
| U | EXISTING PAVEMENT. |
| V | INCIDENTAL MILLING |

NOTE: PAVEMENT EDGE SLOPES ARE 1:1 UNLESS SHOWN OTHERWISE
 NOTE: FINAL PAVEMENT DESIGN PER PAVEMENT DESIGN MEMO DATED 07/29/2019 FROM CLARK S. MORRISON, PHD, P.E.

| | |
|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|
| PROJECT REFERENCE NO. <i>BR-0117</i> | SHEET NO. <i>2A-2</i> |
| ROADWAY DESIGN ENGINEER | |
| | |
| 2/24/2020 DocuSigned by: <i>John P. Magers</i> | |
| DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED | |
| PREPARED IN THE OFFICE OF: | NC FIRM LICENSE No: C-1506 501 Fayetteville St., Suite 1500 Raleigh, NC 27601 (919)882-7839 |



TYPICAL SECTION NO. 2 ON STRUCTURE
 FOR BRIDGE OVER GUMBERRY SWAMP
 -L- STA. 13+77.66 TO STA. 14+75.03
 ** SEE STRUCTURE PLANS FOR PAVEMENT THICKNESS

24-FEB-2020 10:23
 BR-0117-r-01-typic.dgn
 idebbone