



EMBEDDED PLATE "B-1" DETAILS FOR AASHTO TYPE IV GIRDER AND

(2 REQ'D PER GIRDER)

DEAD LOAD DEFLECTION TABLE FOR GIRDERS																								
O.6"Ø LOW RELAXATION		EXTERIOR GIRDER												INTERIOR GIRDER										
TENTH POINTS	0	.1	. 2	.3	.4	. 5	.6	.7	.8	.9	0	0	.1	. 2	.3	.4	. 5	.6	.7	.8	.9	0		
CAMBER (GIRDER ALONE IN PLACE)	0.000	0.065	0.124	0.169	0.198	0.208	0.198	0.169	0.124	0.065	0.000	0.000	0.065	0.124	0.169	0.198	0.208	0.198	0.169	0.124	0.065	0.000		
* DEFLECTION DUE TO SUPERIMPOSED D.L.	0.000	0.047	0.092	0.128	0.151	0.159	0.151	0.128	0.092	0.047	0.000	0.000	0.052	0.103	0.143	0.168	0.177	0.168	0.143	0.103	0.052	0.000		
FINAL CAMBER	0	3/16"	3/8"	1/2"	9/16"	5⁄8″	%6″	1/2"	3/8"	³ / ₁₆ "	0	0	1/8"	1/4"	⁵ /16″	3/8"	3/8"	3/8"	5/16"	1/4"	1/8"	0		

* INCLUDES FUTURE WEARING SURFACE

1/24/2020

MAA/TMG MAA/THC

DATE: 08/26/19

DESIGN ENGINEER OF RECORD:

CHECKED BY: R.C.LARSON

DRAWN BY: ELR 11/91 REV. 1/15 REV. 2/15 REV. 12/17

ASSEMBLED BY: Z.KADI ____DB3C8E45B0的地下E: 08/26/19

ALL VALUES ARE SHOWN IN FEET (DECIMAL FORM), EXCEPT "FINAL CAMBER ", WHICH IS GIVEN IN INCHES (FRACTION FORM).

B-5671 PROJECT NO. ____ EDGECOMBE __ COUNTY STATION: ____17+00.00 -L-

SHEET 2 OF 2

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION RALEIGH STANDARD

PRESTRESSED CONCRETE GIRDER CONTINUOUS FOR LIVE LOAD DETAILS

NOTES

ALL PRESTRESSING STRANDS SHALL BE 7-WIRE LOW-RELAXATION GRADE 270 STRANDS AND SHALL CONFORM TO AASHTO M203 EXCEPT FOR SAMPLING REQUIREMENTS WHICH SHALL BE

ANCHOR STUDS SHALL CONFORM TO AASHTO M169 GRADES 1010 THROUGH 1020 OR APPROVED EQUAL, AND SHALL MEET THE TYPE "B" REQUIREMENTS OF SUBSECTION 7.3 OF THE

EMBEDDED PLATE "B-1" SHALL BE GALVANIZED IN ACCORDANCE WITH THE STANDARD

AT ENDS OF GIRDERS TO BE EMBEDDED IN CONCRETE DIAPHRAGMS OR END WALLS,

PRESTRESSING STRANDS MAY EXTEND A MAXIMUM OF 2"BEYOND THE GIRDER ENDS. OTHERWISE, PRESTRESSING STRANDS SHALL BE CUT FLUSH WITH THE GIRDER ENDS.

ANCHORS MAY BE NECESSARY IN THE PRESTRESSED CONCRETE GIRDER.

THE TRANSFER OF LOAD FROM THE ANCHORAGES TO THE GIRDER SHALL BE DONE WHEN CONCRETE HAS REACHED A COMPRESSIVE STRENGTH OF NOT LESS THAN 6500 PSI.

DEPENDING ON THE TYPE OF SYSTEM USED TO SUPPORT THE DECK SLAB FORMS, PRESET

THE TOP SURFACE OF THE GIRDER. EXCLUDING THE OUTSIDE 4". SHALL BE RAKED TO A

IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS.

ALL REINFORCING STEEL SHALL BE GRADE 60.

ANSI/AASHTO/AWS D1.5 BRIDGE WELDING CODE.

SPECIFICATIONS.

DEPTH OF 1/4".

KCI Associates
of North Carolina, P.A.
4505 Falls of Neuse Road, Suite 400 Raleign, NC 27609-6270 Phone 1999 783-9214

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED