



PAVEMENT SCHEDULE

C1	PROP. APPROX. 1¼" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B AT AN AVERAGE RATE OF 137.5 LBS. PER SQ. YD.	S	SHOULDER RECONSTRUCTION, ASB REQUIRED
C2	PROP. APPROX. 1½" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B AT AN AVERAGE RATE OF 165 LBS. PER SQ. YD.	U	EXISTING PAVEMENT
E	5½" ASPHALT CONCRETE BASE COURSE, TYPE B25.0C, AT AN AVERAGE RATE OF 627 LBS. PER SQ. YD.	V1	MILLING ASPHALT PAVEMENT, 0"-1¼"
R	EXISTING CURB & GUTTER		



TYPICAL SECTION NO. 1

MAP NO.s 1-7, 9-11, 13-19, 21, 23-42



TYPICAL SECTION NO. 2

MAP NO. 8

2' SHOULDER WIDENING AT BOTH TRAVEL LANES AT APPROXIMATELY STATIONS

4 + 75 - 10 + 25, 15 + 18 - 18 + 10
 25 + 10 - 26 + 90, 28 + 00 - 31 + 10
 34 + 70 - 37 + 60, 52 + 30 - 60 + 25

 SYSTEMS
 2024/05/17
 10:00 AM
