



**SOIL TEST RESULTS**

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	LL	PL I.	% BY WEIGHT				% PASSING SIEVES			% MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
SS-130	CL	12+20	1.49-1.94	A-2-6(2)	37	18	47.0	18.3	8.5	26.1	97	69	36	-	-
SS-131	CL	12+20	3.01-3.46	A-2-7(2)	49	25	69.7	6.8	7.3	26.1	82	43	28	-	-
SS-132	CL	12+20	4.64-4.99	A-2-6(1)	36	18	68.7	11.1	8.1	22.1	87	49	28	-	-
SS-133	CL	12+20	6.06-6.51	A-2-4(0)	31	9	68.5	10.9	6.5	14.1	84	38	19	-	-
SS-125	CL	12+60	1.38-1.83	A-7-6(22)	61	27	6.8	19.3	17.5	56.3	100	98	78	-	-
SS-126	CL	12+60	2.90-3.35	A-2-7(2)	44	23	65.3	10.9	5.6	28.2	94	67	32	-	-
SS-127	CL	12+60	4.43-4.88	A-2-6(0)	33	14	67.7	10.9	7.3	24.1	75	53	24	-	-
SS-128	CL	12+60	5.95-6.40	A-2-6(0)	33	12	62.1	10.5	9.3	18.1	80	44	23	-	-
SS-129	CL	12+60	7.48-7.93	A-2-4(0)	32	10	67.7	11.3	6.9	14.1	87	38	21	-	-
SS-120	5 RT	13+30	1.24-1.69	A-7-6(10)	48	22	10.1	35.4	10.3	44.3	100	98	56	-	-
SS-121	5 RT	13+30	2.76-3.21	A-2-7(3)	60	25	66.3	9.2	5.2	30.2	94	60	34	-	-
SS-122	5 RT	13+30	4.29-4.74	A-2-6(1)	38	19	67.7	9.9	4.2	28.2	87	48	29	-	-
SS-123	5 RT	13+30	5.81-6.26	A-2-6(0)	36	15	63.2	10.7	8.0	18.1	68	34	19	-	-
SS-124	5 RT	13+30	7.34-7.79	A-2-6(0)	34	12	67.2	12.1	4.6	16.1	100	44	22	-	-
SS-117	10 RT	13+60	1.04-1.49	A-2-7(2)	44	22	62.9	11.9	7.0	28.2	86	54	31	-	-
SS-118	10 RT	13+60	2.56-3.01	A-2-7(1)	41	19	65.9	6.2	5.7	22.1	94	46	22	-	-
SS-119	10 RT	13+60	4.09-4.54	A-2-6(0)	34	13	66.4	10.7	6.8	16.1	85	40	22	-	-
SS-116	CL	14+30	2.84-3.09	A-7-6(32)	68	28	0.6	11.5	35.6	62.3	100	100	95	-	-
SS-112	15 LT	14+60	0.00-0.30	A-2-6(0)	74	NP	62.4	13.7	15.9	8.0	99	61	26	-	-
SS-112A	15 LT	14+60	0.30-0.45	A-1-5(0)	18	NP	74.6	12.5	4.8	8.0	71	38	10	-	-
SS-113	15 LT	14+60	1.37-1.82	A-2-7(1)	46	19	64.6	11.5	7.8	16.1	79	33	21	-	-
SS-114	15 LT	14+60	2.89-3.34	A-7-6(21)	47	18	1.3	7.9	46.3	44.3	100	99	95	-	-

**SOIL TEST RESULTS**

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	LL	PL I.	% BY WEIGHT				% PASSING SIEVES			% MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
SS-97	CL	15+10	0.00-0.45	A-2-4(0)	14	NP	66.3	27.9	7.3	3.0	82	53	15	-	-
SS-98	CL	15+10	1.40-1.95	A-2-7(2)	42	20	66.3	9.5	4.0	30.2	84	47	30	-	-
SS-99	CL	15+10	2.92-3.37	A-2-7(1)	42	20	64.4	6.4	5.0	24.1	93	44	28	-	-
SS-107	CL	15+60	1.38-1.83	A-2-7(4)	63	30	66.1	6.0	5.6	32.2	92	60	35	-	-
SS-108	CL	15+60	2.90-3.35	A-2-6(1)	40	18	49.7	14.3	5.8	30.2	78	62	30	-	-
SS-109	CL	15+60	4.43-4.88	A-2-6(1)	39	15	67.2	5.4	5.2	22.1	89	38	25	-	-
SS-110	CL	15+60	5.95-6.40	A-2-6(0)	37	16	68.8	6.8	6.8	18.1	88	39	22	-	-
SS-111	CL	15+60	7.48-7.93	A-2-6(0)	34	12	66.6	10.7	8.7	14.1	82	36	20	-	-