



STATE	PROJECT NO.	SHEET NO.	TOTAL SHEETS
N.C.	7CR.10681.3, ETC.	9	20


7CR.10681.3
7CR.20171.3
7CR.20681.3
7CR.306802.3
7CR.306811.3




TYPICAL SECTION NO. 8



TYPICAL SECTION NO. 12




TYPICAL SECTION NO. 9




MILL EXISTING ASPHALT PAVEMENT 0-3" AT LOCATIONS AS DIRECTED BY THE ENGINEER

NOTE:
TO BE USED IN CONJUNCTION WITH
TS. NO. 11 ON MAP 10
TS. NO. 11, 12 ON MAP 10




MILL EXISTING ASPHALT PAVEMENT 0-1.25" AT LOCATIONS AS DIRECTED BY THE ENGINEER

NOTE:
TO BE USED IN CONJUNCTION WITH
TS. NO. 8 ON MAP 6 AND
TS. NO. 9, 10 ON MAP 7




TYPICAL SECTION NO. 10




MILL EXISTING ASPHALT PAVEMENT 3" IN DEPTH, REPLACE WITH INTERMEDIATE COURSE AT LOCATIONS AS DIRECTED BY THE ENGINEER.

NOTE:
TO BE USED IN CONJUNCTION WITH
TS. NO. 8 ON MAP 6



MILL 1 1/4" AND REPLACE WITH "C1"

NOTE:
TO BE USED IN CONJUNCTION WITH
TS. NO. 7 ON MAP 7



TYPICAL SECTION NO. 11

PAVEMENT SCHEDULE

C1	PROP. APPROX. 1 1/4" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 140 LBS. PER SQ. YD.	D	PROP. APPROX. 3" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE I19.0B, AT AN AVERAGE RATE OF 336 LBS. PER SQ. YD.
C2	PROP. APPROX. 1" ASPHALT CONCRETE SURFACE COURSE, TYPE SF9.5A, AT AN AVERAGE RATE OF 110 LBS. PER SQ. YD.	F	ASPHALT SURFACE TREATMENT, NO. 78M STONE.
C3	PROP. APPROX. 1 1/2" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD.	R1	2-6 CURB AND GUTTER
		R2	VALLEY GUTTER
		U	EXISTING PAVEMENT.
		T	EARTH MATERIAL.

5/28/99
22-SEP-2004 10:35
surfacing\orange 2005\Contract Package\Typicals_Orange.dgn