

PROJ. NO. -6.469022T
ID NO. - R-0513A
COUNTY -ROBESON

EB1-C

SOIL TEST RESULTS															
SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-124	CL	16+52.7	0.89-1.34	A-2-4(0)	17	NP	70.8	18.0	3.1	8.0	97	59	12	-	-
SS-125	CL	16+52.7	3.93-4.38	A-2-4(0)	34	NP	62.0	21.7	8.2	8.0	100	68	18	-	-
SS-126	CL	16+52.7	5.45-5.90	A-3(0)	24	NP	45.2	52.1	1.7	1.0	100	80	4	-	-
SS-127	CL	16+52.7	8.49-8.94	A-2-4(0)	24	NP	64.3	23.9	5.7	6.0	93	55	11	-	-
SS-128	CL	16+52.7	10.01-10.46	A-1-b(0)	31	NP	65.6	18.1	4.2	12.1	90	49	16	-	-
SS-129	CL	16+52.7	11.62-12.07	A-2-4(0)	17	NP	70.1	16.4	2.4	11.1	98	59	14	-	-
SS-130	CL	16+52.7	13.14-13.59	A-7-6(19)	45	22	4.8	17.5	25.4	52.3	100	96	84	19.3	-
SS-131	CL	16+52.7	14.66-15.11	A-2-4(0)	21	NP	33.4	45.1	3.4	18.1	100	96	23	-	-
SS-132	CL	16+52.7	16.18-16.63	A-6(10)	32	17	15.5	17.5	20.7	46.3	100	92	71	13.7	-
SS-133	CL	16+52.7	19.22-19.67	A-2-6(0)	26	12	41.4	30.0	6.4	22.1	99	66	33	-	-

BI-A

SOIL TEST RESULTS															
SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-142	9.0m LT	16+94.7	0.88-1.33	A-2-4(0)	20	4	58.1	20.3	7.4	14.2	98	60	25	-	-
SS-143	9.0m LT	16+94.7	22.16-22.61	A-1-b(0)	22	4	79.4	10.4	2.1	8.1	99	41	11	-	-

EB2-C

SOIL TEST RESULTS															
SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-134	CL	17+27.4	2.30-2.75	A-1-b(0)	22	NP	81.2	16.7	1.1	1.0	99	45	3	-	-
SS-135	CL	17+27.4	6.86-7.31	A-1-b(0)	18	NP	83.5	13.0	2.5	1.0	83	27	4	-	-
SS-136	CL	17+27.4	8.38-8.83	A-3(0)	22	NP	66.5	25.7	3.8	4.0	97	59	8	-	-
SS-137	CL	17+27.4	9.90-10.35	A-2-4(0)	22	8	63.5	11.4	19.1	6.0	89	47	23	-	-
SS-138	CL	17+27.4	12.94-13.39	A-6(0)	23	11	44.1	23.1	8.7	24.1	100	78	36	-	-
SS-139	CL	17+27.4	14.46-14.91	A-7-6(27)	50	26	4.8	4.0	22.7	68.4	100	97	92	19.2	-
SS-140	CL	17+27.4	17.50-17.95	A-7-6(24)	46	24	4.4	5.8	21.3	68.4	100	97	92	28.6	-
SS-141	CL	17+27.4	20.54-20.99	A-2-4(0)	22	6	50.7	26.6	4.6	18.1	100	74	24	-	-