

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

CONST. REV.

R / W REV.

-RPAY2-


SOIL SAMPLE TEST RESULTS															
SAMPLE NO.	STATION	OFFSET	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	2.0mm	425um	75um		
SS-146	11+20		0.30-0.45	A-7-6(11)	43	16	20.5	12.5	26.8	40.2	100	87	69		
SS-147	11+20		0.76-1.21	A-6(1)	29	15	46.0	17.9	7.9	28.1	98	68	37	18.3	
SS-148	11+20		1.52-1.97	A-1-b(0)	20	NP	76.5	14.2	2.3	7.0	98	47	10		
SS-149	11+20		2.23-2.78	A-1-b(0)	18	NP	88.7	10.3	0.0	1.0	98	34	2		
SS-139	13+90		0.30-0.45	A-6(1)	27	15	47.8	17.7	10.4	24.1	97	67	37		
SS-140	13+90		0.76-1.21	A-2-6(1)	28	17	57.5	14.5	5.9	22.1	98	60	29		
SS-141	13+90		1.52-1.97	A-1-b(0)	16	NP	84.5	12.3	0.1	3.0	89	37	3		
SS-142	13+90		2.59-3.04	A-2-6(2)	38	24	61.9	8.8	5.1	24.1	98	48	30		
SS-143	13+90		4.11-4.41	A-4(2)	20	10	17.9	39.4	18.6	24.1	100	92	50		
SS-144	13+90		5.64-6.09	A-1-b(0)	20	NP	88.0	8.2	1.7	2.0	96	21	4		
SS-145	13+90		8.69-9.14	A-3(0)	21	NP	65.1	24.6	1.2	9.0	95	55	10		

BEGIN GRADE
RPAY2 - STA. 10+00
EL = 52.648

PI = 10+80.000
EL = 52.888 m
VC = 120 m
K = 218

PI = 12+60.000
EL = 52.438 m
VC = 240 m
K = 107

- (A) MED. STIFF DARK BRN SILTY CLAY, MOI
- (B) SOFT GRAY SDY CLAY, WET




-RPAY2-

SOIL SAMPLE TEST RESULTS															
SAMPLE NO.	STATION	OFFSET	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	2.0mm	425um	75um		
SS-128	16+50	CL	0.30-0.45	A-6(1)	27	12	34.6	28.0	9.3	28.2	100	78	41		
SS-129	16+50	CL	0.76-1.21	A-6(2)	28	12	19.3	41.2	7.2	32.2	100	88	43	17.5	
SS-130	16+50	CL	1.52-1.97	A-1-b(0)	19	NP	77.7	19.5	0.8	2	92	42	3		
SS-131	16+50	CL	2.59-3.04	A-6(6)	33	16	24.5	18.1	11.1	46.3	95	83	56	17.7	
SS-132	16+50	CL	4.11-4.56	A-3(0)	19	NP	69.5	26.1	0.4	5	98	54	6		
SS-133	16+50	CL	7.16-7.60	A-3(0)	20	NP	72.3	21.8	0.8	5	98	53	6		
SS-134	16+50	CL	8.69-9.14	A-2-4(0)	32	NP	61.7	23.5	7.7	7	91	52	16		
SS-135	16+50	CL	10.21-10.66	A-6(9)	31	15	9.7	24.7	17.3	48.3	100	94	72		

- (A) V. LOOSE BRN SILTY F. SAND, MOI
- (B) SOFT BRN SDY SILT, MOI
- (C) MED STIFF GRAY BRN SANDY CLAY, MOI
- (D) LOOSE TO MED DENSE TAN AND GRAY F-CSE SAND, SAT
- (E) MED STIFF TO STIFF GRAY SDY SILTY CLAY, WET

PI = 15+80.000
EL = 58.850 m
VC = 120 m
K = 95

END GRADE
RPAY2 - STA. 16+44.79
EL = 59.327



NOTE: SEE SHEET NO. 20 & NO. 19 FOR ALIGNMENT

09-NOV-2000 09:36
r:\0513a\proj\0513a.pfl
aburney