

**A-21**  
**R-2514A**

HOLE #	SAMPLE #	PASS 2.0mm	PASS 425 $\mu$ m	PASS 75 $\mu$ m	CSESAND	FINESAND	SI	CL	LL	PI	CLASS	DEPTH	MOIST.	ORG.
B1-A	SBL	SS-1	100	97	35	8.5	62.0	17.4	12.1	27	NP A24(0)	0.76-1.21		
		SS-2	100	94	21	15.6	66.9	5.5	12.1	21	NP A24(0)	1.52-1.97		
		SS-3	56	40	4	55.4	39.4	1.2	4.0	20	NP A1B(0)	2.29-2.59		
		SS-4	100	99	11	7.7	82.2	2.0	8.1	24	NP A24(0)	3.05-3.50		
		SS-5	99	81	41	41.4	18.6	13.7	26.3	25	11 A6(1)	4.81-5.26	16.8	
		SS-6	100	95	25	17.6	58.0	8.3	16.2	23	5 A24(0)	6.34-6.79		
		SS-7	100	80	25	50.5	24.6	6.7	18.2	22	8 A24(0)	7.86-8.31		
		SS-8	100	98	6	9.7	84.6	1.6	4.0	19	NP A3(0)	17.04-17.28		
B2-A	SBL	SS-9	96	91	25	17.0	62.0	14.9	6.1	37	NP A24(0)	0.76-1.21		
		SS-10	95	86	26	19.6	58.2	10.1	12.1	22	NP A24(0)	1.52-1.97		
		SS-11	100	99	12	7.7	81.4	2.8	8.1	25	NP A24(0)	3.05-3.50		
		SS-12	91	73	32	44.8	20.4	10.5	24.2	30	16 A26(1)	3.81-4.26		
		SS-13	94	68	36	46.7	16.6	12.5	24.2	24	8 A4(0)	4.69-5.14		
		SS-14	100	91	24	25.9	50.9	5.1	18.2	23	6 A24(0)	6.28-6.73		
		SS-15	100	78	28	52.1	19.8	7.9	20.2	24	10 A24(0)	7.80-8.25		
		SS-16	100	98	6	8.7	86.7	0.6	4.0	22	NP A3(0)	16.95-17.22		
EB1-A	SBL	SS-17	100	99	44	7.3	49.5	14.9	28.3	26	12 A6(2)	0.76-1.21	16.3	
		SS-18	100	98	33	8.1	67.1	18.8	6.1	41	NP A25(0)	2.29-2.74		
		SS-19	96	89	9	34.9	57.8	3.2	4.0	21	NP A3(0)	4.14-4.59		
		SS-20	100	98	9	9.9	82.0	2.0	6.1	24	NP A3(0)	5.67-6.12		
		SS-21	99	80	43	39.4	18.8	13.5	28.3	24	8 A4(0)	7.19-7.64		
		SS-22	100	78	26	52.9	21.2	7.7	18.2	24	11 A26(0)	10.24-10.69		
EB2-A	SBL	SS-23	99	93	43	15.6	48.9	11.3	24.2	21	7 A4(0)	1.13-1.58		
		SS-24	98	96	15	8.5	77.6	1.8	12.1	24	NP A24(0)	5.70-6.15		
		SS-25	95	70	35	45.9	19.0	10.9	24.2	20	3 A24(0)	7.22-7.67		
		SS-26	100	79	27	53.3	20.2	6.3	20.2	24	12 A26(0)	10.27-10.72		
		SS-27	100	95	11	11.5	79.6	2.8	6.1	22	NP A24(0)	20.94-21.39		
B2-B	NBL	SS-28	99	94	16	13.3	73.7	6.9	6.1	40	17 A26(0)	0.30-0.45	101.5	12.2
		SS-29	83	81	64	5.7	19.4	64.8	10.1	21	NP A4(0)	2.29-2.74		
		SS-30	97	75	43	42.0	15.2	16.6	26.3	29	12 A6(2)	4.18-4.63		
		SS-31	100	91	29	29.5	42.0	8.3	20.2	25	10 A24(0)	7.22-7.67	24.2	
		SS-32	65	45	16	42.4	35.4	10.1	12.1	18	NP A1B(0)	11.80-12.25		
EB2-B	NBL	SS-33	99	81	23	35.2	45.1	7.7	12.1	17	NP A24(0)	0.30-0.45		
		SS-34	100	97	23	13.3	69.9	12.7	4.0	32	NP A24(0)	1.52-1.97	88.7	7.8
		SS-35	98	80	7	40.2	54.9	0.8	4.0	21	NP A3(0)	3.05-3.50		
		SS-36	96	72	34	46.5	19.6	13.7	20.2	24	7 A24(0)	5.70-6.15		
		SS-37	100	85	29	32.7	39.2	7.9	20.2	23	8 A24(0)	7.22-7.67		
		SS-38	72	53	17	49.7	28.1	6.1	16.2	25	8 A24(0)	11.80-12.25		
		SS-39	65	32	9	71.7	16.0	6.3	6.1	15	NP A1B(0)	16.37-16.82		
EB1-B	NBL	SS-40	68	42	13	52.3	31.3	8.3	8.1	25	NP A1B(0)	0.30-0.45		
		SS-41	72	49	3	52.3	44.4	3.2	0.0	22	NP A1B(0)	2.29-2.74		
		SS-42	100	97	10	16.2	74.3	3.4	6.1	23	NP A3(0)	4.08-4.53		
		SS-43	92	68	36	43.4	19.2	13.1	24.2	24	9 A4(0)	5.61-6.06		
		SS-44	100	95	19	20.6	61.4	5.9	12.1	24	NP A24(0)	7.13-7.58		
		SS-45	98	78	30	44.6	25.9	7.3	22.2	33	17 A26(1)	10.18-10.63	28.7	
B1-B	NBL	SS-46	97	93	21	11.3	73.9	14.7	0.0	37	NP A24(0)	0.30-0.45	61.6	9
		SS-47	87	79	16	18.4	64.8	4.6	12.1	22	NP A24(0)	2.29-2.74		
		SS-48	94	78	36	43.4	18.6	13.7	24.2	25	12 A6(1)	4.18-4.63		
		SS-49	100	91	33	28.3	39.6	11.9	20.2	23	8 A24(0)	7.22-7.67		
		SS-50	95	88	8	16.0	76.8	3.2	4.0	21	NP A3(0)	16.37-16.75		
		SS-51	74	32	3	68.5	28.1	1.4	2.0	18	NP A1B(0)	20.93-21.38		