

5/28/99



REVISIONS

PAVEMENT SCHEDULE

C1	PROP. APPROX. 2 1/2" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 112 LBS. PER SQ. YD. IN EACH OF TWO LAYERS.	R1	2'-6" CONCRETE CURB AND GUTTER.
D1	PROP. APPROX. 4 1/2" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE I19.0B, AT AN AVERAGE RATE OF 114 LBS. PER SQ. YD. IN EACH OF TWO LAYERS.	S1	4" CONCRETE SIDEWALK.
E1	PROP. APPROX. 3" ASPHALT CONCRETE BASE COURSE, TYPE B25.0B, AT AN AVERAGE RATE OF 342 LBS. PER SQ. YD.	T	EARTH MATERIAL.
		U	EXISTING PAVEMENT.

NOTE: PAVEMENT EDGE SLOPES ARE 1:1 UNLESS SHOWN OTHERWISE.

PROJECT REFERENCE NO. B-3424		SHEET NO. 2	
RW SHEET NO.		PAVEMENT DESIGN ENGINEER	
ROADWAY DESIGN ENGINEER 		PAVEMENT DESIGN ENGINEER 	



08 FEB 2004 10:31 AM
C:\Users\jstroup\Documents\Projects\B-3424.txd
AT DS203646