

HOLE #	SAMPLE #	PASS 2.0mm	PASS 425µm	PASS 75µm	CSESAND	FINESAND	SI	CL	LL	PI	CLASS	DEPTH	MOIST.	ORG.
B1-B	SS-58	100	95	81	6.9	15.8	14.7	62.6	77	36	A75(35)	0.30-0.60	45.1	
-L-RT	SS-59	100	98	75	4.8	26.9	31.9	36.4	65	4	A5(9)	2.53-2.98	37.1	
	SS-60	100	99	71	2.8	37.0	36.0	24.2	60	12	A75(12)	7.10-7.55		
	SS-61	100	98	73	5.5	29.7	40.6	24.2	72	20	A75(19)	11.67-12.12		
	SS-62	100	95	63	10.1	35.2	32.5	22.2	52	10	A5(7)	16.25-16.70	31.2	
	SS-63	100	99	62	4.6	45.3	33.9	16.2	39	5	A4(3)	20.82-21.27		
	SS-64	100	98	51	8.5	55.2	26.3	10.1	31	5	A4(1)	25.39-25.84	29.6	
B2-A	SS-65	88	83	60	12.3	23.4	11.7	52.5	36	11	A6(5)	0.30-0.45		
-L-LT	SS-66	100	97	63	7.3	40.2	20.2	32.3	56	13	A75(9)	1.37-1.67		
	SS-67	100	96	55	12.3	40.4	31.1	16.2	50	12	A75(6)	5.61-6.06		
	SS-68	100	97	44	14.1	49.7	24.0	12.1	43	NP	A5(0)	10.18-10.63		
	SS-69	100	93	53	14.5	42.8	34.5	8.1	40	9	A4(3)	14.75-15.20		
	SS-70	100	97	50	9.3	53.5	29.1	8.1	35	7	A4(2)	19.32-19.77		
	SS-71	100	83	37	26.5	44.4	19.0	10.1	25	NP	A4(0)	23.90-24.08		
EB2-A	SS-72	100	98	84	5.0	14.1	16.6	64.3	66	37	A76(35)	0.30-0.45		
-L-LT	SS-73	97	95	69	5.9	28.5	25.3	40.4	59	20	A75(15)	1.22-1.67		
	SS-74	100	97	71	7.2	27.1	37.5	28.1	61	11	A75(12)	5.58-6.03		
	SS-75	100	97	57	11.5	37.6	30.9	20.1	58	12	A75(7)	10.14-10.59		
	SS-76	100	97	59	9.0	40.6	34.3	16.1	46	10	A5(6)	14.72-15.17		
	SS-77	100	97	48	11.7	49.4	28.8	10.1	33	NP	A4(0)	19.29-19.74		
	SS-78	100	90	50	16.7	42.2	31.1	10.1	31	2	A4(0)	25.39-25.75		