



SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	LL	PL I.	% BY WEIGHT				% PASSING SIEVES			% MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
SS-199	CL	103+60	0.70-1.15	A-7-5(36)	30	42	4.8	23.2	11.3	60.6	100	98	76		
SS-200	CL	103+60	2.22-2.67	A-5(3)	43	8	8.7	47.1	26.1	18.2	100	97	52		
ST-9	CL	103+60	4.00-4.61	A-5(1)	44	7	11.1	52.9	21.9	14.1	100	99	46		
RT-6	CL	103+60	4.20-5.26	A-7-5(7)	50	15	8.4	45.4	17.7	28.5	100	97	54		
SS-201	CL	103+60	6.78-7.23	A-5(2)	50	NP	12.7	34.7	40.4	12.1	100	92	60		
GBR-7	CL	103+60	7.23-10.20	A-7-5(9)	50	18	11.2	36.8	19.6	32.5	97	91	57		
SS-202	CL	103+60	9.82-10.27	A-5(0)	48	NP	16.0	39.4	36.6	8.1	100	92	60		

SS-199 SS-201
SS-200 CBR-7
ST-9 SS-202
RT-6

Ⓝ RESIDUAL: RED-BROWN, VERY STIFF, DRY TO MOIST, MICACEOUS CLAY, HIGH PLASTICITY

*****SYSTEM TIME*****
 *****DATE*****
 *****DRAWN BY*****
 *****CHECKED BY*****
 *****DATE*****