


# GRAIN SIZE DISTRIBUTION TEST REPORT



Test	% +3"	% GRAVEL	% SAND	% SILT	% CLAY
● 13	0.0	0.0	96.7	3.3	


LL	PI	D <sub>85</sub>	D <sub>60</sub>	D <sub>50</sub>	D <sub>30</sub>	D <sub>15</sub>	D <sub>10</sub>	C <sub>c</sub>	C <sub>u</sub>
● 21	NP	1.32	0.742	0.627	0.437	0.282	0.219	1.17	3.4

MATERIAL DESCRIPTION	USCS	AASHTO
● TAN FINE TO COARSE SAND		A-1-b

Project No.: 30725-1-4791  
 Project: CLAYTON BYPASS OVER AUSTIN POND  
 ● Location: SS-11  
 Date: 10-15-01

Remarks:

# GRAIN SIZE DISTRIBUTION TEST REPORT



Test	% +3"	% GRAVEL	% SAND	% SILT	% CLAY
● 14	0.0	0.0	18.1	81.9	

LL	PI	D <sub>85</sub>	D <sub>60</sub>	D <sub>50</sub>	D <sub>30</sub>	D <sub>15</sub>	D <sub>10</sub>	C <sub>c</sub>	C <sub>u</sub>
● 39	16			0.0054					

MATERIAL DESCRIPTION	USCS	AASHTO
● TAN BLUE GREY FINE SANDY SILTY CLAY		A-6(14)

Project No.: 30725-1-4791  
 Project: CLAYTON BYPASS OVER AUSTIN POND  
 ● Location: SS-16  
 Date: 10-15-01

Remarks:  
 MOISTURE CONTENT: 34.6%