



RPC

CONST. REV.
R/W REV.

PROJECT REFERENCE NO. R-2552AB	SHEET NO. 25
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER
INCOMPLETE PLANS DO NOT USE FOR R/W ACQUISITION PRELIMINARY PLANS DO NOT USE FOR CONSTRUCTION	



SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	LL	PI	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
S-55	CL	11+20	3.00-4.00	A-4(2)	36	10	29.7	29.9	20.2	20.2	100	84	46	-	-
S-51	CL	11+80	0.00-1.00	A-7-5(27)	66	28	2.2	22.6	18.6	56.6	100	100	81	-	-
S-52	CL	11+80	1.50-2.25	A-7-5(14)	54	18	7.7	31.9	22.0	38.4	100	96	69	-	-
S-53	CL	11+80	2.25-2.60	A-7-5(13)	55	17	3.8	34.9	26.9	34.3	100	99	68	-	-
S-54	CL	11+80	2.60-3.96	A-7-5(10)	51	15	5.1	36.0	22.6	36.4	100	99	66	-	-
SS-49	IM LT	12+40	2.04-2.49	A-7-6(19)	57	32	11.7	27.2	22.9	38.2	96	90	64	39.5	-
SS-50	IM LT	12+40	4.17-4.62	A-4(0)	40	NP	17.3	48.5	20.1	14.1	100	96	42	-	-
S-137	CL	13+80	0.00-1.90	A-7-6(7)	49	21	24.2	28.0	13.5	34.3	94	82	49	-	-
S-46	CL	13+80	1.00-2.00	A-7-6(5)	42	23	31.6	27.8	0.4	40.2	100	89	42	-	-
S-138	CL	13+80	1.90-3.00	A-2-4(0)	30	NP	25.8	46.6	21.6	6.0	98	76	33	-	-
S-47	CL	13+80	2.50-3.20	A-2-6(1)	32	17	65.6	13.3	1.0	20.1	95	53	23	-	-
S-48	CL	13+80	3.25-4.03	A-7-5(24)	71	24	9.7	14.7	11.3	64.4	99	94	77	-	-
S-136	CL	14+80	0.90-3.00	A-4(0)	30	10	31.0	35.7	7.1	26.2	100	86	37	-	-

(M) RESIDUAL: BROWN, LOOSE, MOIST, SILTY SAND
 (N) COASTAL PLAIN: ORANGE-BROWN TO RED-BROWN, SOFT TO MEDIUM STIFF, MOIST, SANDY CLAY, MEDIUM PLASTICITY

\$\$\$\$\$SYTIME\$\$\$\$\$
\$\$\$\$\$SYSDON\$\$\$\$\$
\$\$\$\$\$SYUSERNAME\$\$\$\$\$