



STATE	PROJECT NO.	SHEET NO.	TOTAL SHEETS
N.C.	7CR.10791.57, 7CR.20791.57	3	



*NOTE: NO PAVEMENT ON BRIDGE #302
STA. 67+65 TO STA. 70+25

TYPICAL SECTION NO. 1


TO BE USED ON MAP 1
STA. 0+00 TO STA. 5+05
STA. 64+40 TO STA. 71+80



*NOTE: NO PAVEMENT ON BRIDGES:
BRIDGE #303: STA. 72+85 TO STA. 74+75.
BRIDGE #304: STA. 77+20 TO STA. 79+40

TYPICAL SECTION NO. 4


TO BE USED ON MAP 1
STA. 71+80 TO STA. 74+75
STA. 77+20 TO STA. 81+55
STA. 82+75 TO STA. 84+85



***NOTE: MILL 1 1/4" AND FILL 1 1/4" WITH
SURFACE COURSE, TYPE SF9.5A ON MAP 5
BRIDGE #283: STA. 49+45 TO STA. 49+85

TYPICAL SECTION NO. 7


TO BE USED ON MAP 5
STA. 49+45 TO STA. 51+85



*NOTE: NO PAVEMENT ON SECTIONS:
MAP 4: STA. 2+50 TO STA. 3+10
STA. 40+80 TO STA. 41+65


TYPICAL SECTION NO. 2

TO BE USED ON MAPS 1 AND 4
MAP 1: STA. 5+05 TO STA. 14+80
STA. 16+50 TO STA. 64+40
STA. 74+75 TO STA. 76+00
STA. 81+55 TO STA. 82+75
STA. 85+45 TO STA. 130+80



TYPICAL SECTION NO. 5


TO BE USED ON MAP 1
STA. 76+00 TO STA. 77+20
STA. 84+85 TO STA. 85+45



*NOTE: NO PAVEMENT ON MAP 3 SECTION:
STA. 10+05 TO STA. 11+65
**NOTE: NO PAVEMENT ON BRIDGES:
MAP 3: BRIDGE #6 STA. 91+70 TO STA. 92+90
MAP 6: BRIDGE #80 STA. 171+60 TO STA. 173+10
MAP 8: BRIDGE #45 STA. 71+75 TO STA. 79+70
***NOTE: MILL 1 1/4" AND FILL 1 1/4" WITH
SURFACE COURSE, TYPE SF9.5A ON BRIDGE:
MAP 9: BRIDGE #177 STA. 112+35 TO STA. 114+25
****NOTE: ROCK OR CONCRETE WALL ON MAP 10
STA. 65+05 TO STA. 76+35

TYPICAL SECTION NO. 6

TO BE USED ON MAPS 2, 3, 5, 6, 8, 9, 10, 11, 12,
13, 14, 15, 16, 17, 18, AND 19
MAP 5: STA. 0+00 TO STA. 49+45
MAP 8: STA. 0+00 TO STA. 79+70
MAP 9: STA. 0+00 TO STA. 135+60
MAP 15: STA. 19+65 TO STA. 43+60



TYPICAL SECTION NO. 3

TO BE USED ON MAP 1
STA. 14+80 TO STA. 16+50

PAVEMENT SCHEDULE

C1	PROP. APPROX. 1 1/2" ASPHALT CONCRETE SURFACE COURSE, TYPE SF9.5A, AT AN AVERAGE RATE OF 165 LBS. PER SQ. YD.	
C2	PROP. APPROX. 1 1/4" ASPHALT CONCRETE SURFACE COURSE, TYPE SF9.5A, AT AN AVERAGE RATE OF 137.5 LBS. PER SQ. YD.	
C3	PROP. APPROX. 1" ASPHALT CONCRETE SURFACE COURSE, TYPE SF9.5A, AT AN AVERAGE RATE OF 110 LBS. PER SQ. YD.	
C4	PROP. APPROX. 1 1/2" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD.	
F1	AST MAT COAT #67 STONE	
F2	AST MAT COAT, #78M STONE	
R	CONCRETE STRUCTURE	
U	EXISTING PAVEMENT.	
V1	0 - 1 1/2" MILLING	V2 1 1/4" MILLING
V3	1 1/2" MILLING	

SYSTEMS ENGINEERING
 CONSULTANTS
 PAVEMENT DESIGN
 DIVISION