

PAVEMENT SCHEDULE

PROJECT REFERENCE NO.  
2016CPT.05.06.10911.I, etc.

SHEET NO.  
5

C1	1¼" ASPHALT CONCRETE SURFACE COURSE, TYPE SF9.5A, AT AN AVERAGE RATE OF 137.5 LBS. PER SQ. YD.
C2	1½" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD.
E	5.5" ASPHALT CONCRETE BASE COURSE, TYPE B25.0B, AT AN AVERAGE RATE OF 627 LBS. PER SQ. YD. TO PROVIDE 1' TO 2' WIDENING AS DIRECTED BY THE ENGINEER
S	PROP. SHOULDER RECONSTRUCTION
U	EXISTING PAVEMENT
V1	1¼" MILLING
V2	0" - 1¼" MILLING NEW ASPHALT TO BE PAVED BACK FLUSH
V3	0" - 1½" MILLING NEW ASPHALT TO MATCH EXISTING

