



|                  |  |           |              |
|------------------|--|-----------|--------------|
| STATE            | PROJECT NO.  | SHEET NO. | TOTAL SHEETS |
| N.C.             | 2017CPT.10.08.109011<br>2017CPT.10.08.209011 - ETC.<br>2017CPT.10.08.209021 - ETC. | 14        |              |
| F.A. PROJECT NO. |  |           |              |



TYPICAL SECTION NO. 7  
SR 2102 MEDLIN ROAD (MAP 6)  
FROM 33+80 TO 43+60  
\*SEE NOTE 3



TYPICAL SECTION NO. 8  
SR 2102 MEDLIN ROAD (MAP 6)  
FROM STA:48+70 TO STA:50+30

PAVEMENT SCHEDULE

|      |  |
|------|--|
| (C1) | PROP. APPROX. 2.0" ASPHALT CONC. SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 224 LBS. PER SQ. YD.  |
| (C2) | PROP. APPROX. 1.5" ASPHALT CONC. SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD.  |
| (C3) | PROP. APPROX. 1.0" ASPHALT CONC. SURFACE COURSE, TYPE SF9.5A, AT AN AVERAGE RATE OF 110 LBS. PER SQ. YD. |
| (C4) | PROP. ASPHALT SURFACE TREATMENT, DOUBLE SEAL. SEE SPECIAL PROVISION FOR AGGREGATE TYPE.                  |
| (D1) | PROPOSED 2.5" ASPHALT CONC. INTERMEDIATE CORSE, TYPE I19.0B, AT AN AVERAGE RATE OF 285 LBS. PER SQ. YD.  |
| (D2) | AST MAT COAT # 78M   |
| (D3) | AST MAT COAT # 67  |
| (E1) | PROPOSED 5" OF ASPHALT CONC. BASE COURSE, TYPE B25.0C, AT AN AVERAGE RATE 570 LBS. PER SQ. YD.           |
| (T1) | SHOULDER RECONSTRUCTION  |
| (U)  | EXISTING PAVEMENT  |
| (V1) | MILLING OF EXISTING PAVEMENT, 2.0" IN DEPTH.   |
| (V2) | MILLING OF EXISTING PAVEMENT, 1.5" IN DEPTH.   |
| (V3) | PROFILE MILLING EXISTING ASPHALT, 0 - 1.5"   |
| (Z)  | FULL DEPTH RECLAMATION   |

2017-2018  
UNION COUNTY RESURFACING  
CONTRACT # 2

|           |       |  |           |
|-----------|-------|--|-----------|
| SCALE     | -NA-  |  | REVISIONS |
| DATE      | 12/16 |  |           |
| DWG. BY   | AMO   |  |           |
| DESIGN BY | AMO   |  |           |
| APPROVED  | CLA   |  |           |