

MILLING DETAIL AT BRIDGE APPROACHES

WHERE BRIDGES WIL NOT BE RESURFACED.
THIS WILL BE PAID FOR AS INCIDENTAL MILLING.
USE AT:

MAP NO.	BRIDGE NO.
14	87, 295
21	495, 751



BRIDGE DETAIL

MILL 1–1/2" OFF EXISTING PAVEMENT
SEE MAPS FOR BRIDGE LOCATION.
USE AT:

MAP NO.	BRIDGE NO.
29	704
52	6
53	380



MILLING DETAIL AT BRIDGE APPROACHES

WHERE BRIDGES WILL BE MILLED THEN RESURFACED.
THIS WILL BE PAID FOR AS INCIDENTAL MILLING.
USE AT:

MAP NO.	BRIDGE NO.
29	704
52	6
53	380

PAVEMENT SCHEDULE	
C1	PROP. APPROX. 1-1/2" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 165 LBS. PER SQ. YARD
C2	PROP. APPROX. 1-1/2" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5C, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YARD
V1	MILLING ASPHALT PAVEMENT, 0" TO 1-1/2" DEPTH
V2	MILLING ASPHALT PAVEMENT, 1-1/2" DEPTH

6/2/99
12-NOV-2018 18:30
S:\Traffic\Traffic Engrg\2020 Buncombe\2020_Bunc_Resurf_Typicals.dgn
$$$$USERNAME$$$$