TRENCH DETAIL

PLACE FOUNDATION CONDITIONING MATERIAL BELOW
BEDDING IF REQUIRED, AS DIRECTED BY ENGINEER.
PIPE BEDDED IN SELECT MATERIAL, CLASS II (TYPE 1)
OR CLASS III. TRENCH BACKFILLED IN LOOSE 6"
LAYERS COMPACTED TO TOP OF TRENCH USING LOCAL
EXCAVATED MATERIAL IF APPROVED BY THE ENGINEER,

OR SELECT MATERIAL. ALL MATERIAL SHALL BE FREE OF ROCKS, FOREIGN MATERIAL, AND FROZEN EARTH. COMPACTION SHALL BE TO APPROXIMATELY 95% DENSITY IN ACCORDANCE WITH AASHTO T-99 AS MODIFIED BY THE DEPARTMENT OF TRANSPORTATION.

BEDDING FOUNDATION


CONDITIONING FABRIC AS


REQUIRED

FOUNDATION

CONDITIONING AS REQUIRED

PROJECT TYPICAL DETAILS





PROJECT REFERENCE NO.

R-5797

DESIGNED BY: SLK

DRAWN BY: SLK

CHECKED BY: DBC

APPROVED BY: DBC

REVISED:

NORTH CAROLINA
DEPARTMENT OF
TRANSPORTATION

UTILITIES ENGINEERING SEC.
PHONE: (919)707-6690
FAX: (919)250-4151

UC-3B

2/16/2021

CAROLINA

022092

UTILITY


OUTILITY


UTILITY CONSTRUCTION


DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

FINAL DESIGN

RELEASE
FOR CONSTRUCTION







NOTES:

- 1.) THRUST BLOCKS SHALL BE INSTALLED ON PVC WATER DISTRIBUTION LINES 6" THRU 12" DIA. IN THE MANNER SHOWN.
- 2.) PIPE GREATER THAN 12 INCH
 DIAMETER SHALL REQUIRE RESTRAINT
 JOINT PIPE FOR THE PROPER LENGTH.
- 3.) SAC-CRETE SHALL NOT BE ALLOWED.
- 4.) NO CONCRETE SHALL BE PLACED ON BOLTS. WRAP JOINT FITTINGS WITH PLASTIC.
- 5.) CONCRETE SHALL BE A MINIMUM 3,000 psi.
- 6.) ALL BEARING SURFACES SHALL BE AGAINST UNDISTURBED

CONCRETE THRUST BLOCK DETAIL

| | | THRUST | FBLOCKING SC | HEDULE | | |
|-----------------------|---|--------------|--------------|---------------|---------------|---------------|
| FITTING SIZE (IN.) | MINIMUM BLOCKING AREA AND VOLUME IN S.F. AND (C.Y.) | | | | | |
| | 11 1/4° | 22 1/2° | 45° | 90° | TEE | PLUG |
| 2 | | | 0.23 (0.11) | 0.38 (0.11) | 0.30 (0.11) | 0.30 (0.11) |
| 4 | | | 0.83 (0.18) | 1.35 (0.18) | 0.98 (0.18) | 0.98 (0.18) |
| 6 | 0.40 (0.01) | 0.80 (0.02) | 1.73 (0.20) | 3.00 (0.33) | 2.17 (0.25) | 2.17 (0.25) |
| 8 | 0.80 (0.02) | 1.50 (0.04) | 3.08 (0.34) | 5.40 (0.60) | 3.83 (0.42) | 3.83 (0.42) |
| 10 | 1.20 (0.03) | 2.30 (0.07) | 4.72 (0.52) | 8.40 (0.94) | 5.92 (0.66) | 5.92 (0.66) |
| 12 | 1.70 (0.05) | 3.30 (0.12) | 6.82 (0.75) | 12.00 (1.33) | 8.48 (0.94) | 8.48 (0.94) |
| 16 | 3.00 (0.33) | 5.90 (0.65) | 11.60 (0.86) | 21.30 (1.57) | 15.00 (0.97) | 15.00 (0.97) |
| 20 | 4.60 (0.52) | 9.20 (0.76) | 18.00 (1.32) | 33.30 (3.60) | 23.30 (1.87) | 23.30 (1.87) |
| 24 | 6.70 (0.75) | 13.20 (0.97) | 26.00 (2.28) | 48.00 (5.29) | 33.60 (3.24) | 33.60 (3.24) |
| 30 | 10.40 (0.77) | 20.70 (1.80) | 40.60 (4.45) | 75.00 (10.30) | 52.50 (6.32) | 52.50 (6.32) |
| 36 | 15.00 (1.28) | 29.80 (3.11) | 58.40 (7.67) | 108.0 (17.90) | 75.60 (10.90) | 75.60 (10.90) |

NOTE: Values given are based on 200 psi water pressure and 2000 lb/sf soil bearing capacity. Soils with less bearing capacity such as muck, peat or soft clay will require greater blocking areas and volumes.

The thrust blocking shown above is based on the use of mechanical joint as shown