



**TYPICAL SECTION NO. 1**



**NOTE:**  
MILL 1.5" +/- ON MAP NO. 1 BRIDGE NO. 158  
AS DIRECTED BY THE ENGINEER TO RESURFACE  
AND NOT ADD ANY ADDITIONAL WEIGHT ON  
THE BRIDGE.

PAVEMENT SCHEDULE	
C1	PROP. APPROX. 1¼" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 137.5 LBS. PER SQ. YD.
C2	PROP. APPROX. 1½" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 165 LBS. PER SQ. YD.
C3	PROP. APPROX. 1½" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5C, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD.
C4	PROP. APPROX. 2" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5C, AT AN AVERAGE RATE OF 224 LBS. PER SQ. YD.
T	SHOULDER GRADING
U	EXISTING PAVEMENT
V1	MILLING OF EXISTING ASPHALT PAVEMENT AT DEPTH OF 1¼"
V2	MILLING OF EXISTING ASPHALT PAVEMENT AT DEPTH OF 1½"
V3	MILLING OF EXISTING ASPHALT PAVEMENT AT DEPTH OF 2"