

AS-BUILT REPAIR QUANTITY TABLE

DECK SURFACE REPAIR SPAN B

	ESTIMATE	ACTUAL
CLASS II SURFACE PREPARATION	0.0 SQ. YDS.	
LMC OVERLAY-ES	51.4 CU. YDS.	
PLACING & FINISHING OF LMC OVERLAY-ES	925.0 SQ. YDS.	
SCARIFYING BRIDGE DECK	925.0 SQ. YDS.	
HYDRO-DEMOLITION OF BRIDGE DECK	925.0 SQ. YDS.	
GROOVING BRIDGE FLOORS	7955.5 SQ. FT.	
BRIDGE JOINT DEMOLITION	94.0 SQ. FT.	

NOTES




TOP OF DECK REPAIR QUANTITIES REPRESENT ESTIMATED VALUES OF CLASS II SURFACE PREPARATION AND CONCRETE DECK REPAIR FOR LMC OVERLAY-ES AFTER REMOVAL OF UNSOUND CONCRETE. (MIN. 2" CLEAR TO SAWCUT). SEE LMC OVERLAY-ES SURFACE PREPARATION SPECIAL PROVISION.


REPAIR LOCATIONS AND ESTIMATE OF QUANTITIES ARE BASED ON THE BEST INFORMATION AVAILABLE. IF ADDITIONAL REPAIRS NOT SHOWN ON THE DRAWINGS ARE DEEMED NECESSARY BY THE ENGINEER, THE ENGINEER WILL NOTE ON THE DRAWINGS THE APPROXIMATE LOCATIONS AND DESCRIPTION OF THE REPAIRS AND ENTER THE ACTUAL QUANTITIES INTO THE AS-BUILT REPAIR QUANTITY TABLE.

FOR SECTIONS B-B AND C-C, SEE "JOINT DETAILS" SHEET.

FOR OVERLAY OF BRIDGE WITH LATEX MODIFIED CONCRETE-EARLY STRENGTH, SEE SPECIAL PROVISIONS.


PAYMENT FOR CLASS II SURFACE PREPARATION IS BASED ON THE SQUARE FEET OF ADDITIONAL DEMOLITION REQUIRED FOLLOWING HYDRO-DEMOLITION OF THE BRIDGE DECK, SEE LMC OVERLAY-EARLY STRENGTH SURFACE PREPARATION SPECIAL PROVISIONS.

-  APPROX. CLASS II SURFACE PREPARATION
-  BRIDGE JOINT DEMOLITION
-  SCARIFYING BRIDGE DECK



PROJECT NO. 15BPR.55
FORSYTH COUNTY
 BRIDGE NO. 330392

SHEET 2 OF 4



STATE OF NORTH CAROLINA
 DEPARTMENT OF TRANSPORTATION
 RALEIGH

DECK SURFACE REPAIR SPAN B

DRAWN BY : T.S.PARRISH DATE : .05/2021
 CHECKED BY : E.BAYISSA DATE : .07/2021

DOCUMENT NOT CONSIDERED
 FINAL UNLESS ALL
 SIGNATURES COMPLETED

REVISIONS						SHEET NO.
NO.	BY:	DATE:	NO.	BY:	DATE:	
1			3			S3-05
2			4			TOTAL SHEETS 79