



5/14/99

PROJECT NO.	SHEET NO.	TOTAL SHEETS
49919	4	



TYPICAL SECTION NO. 3  
MAP 3 - PEA RIDGE RD.

DETAIL FOR MAP 4 - FULL DEPTH PAVEMENT REPAIR



MAP 4 - SB US 1 ON RAMP

NOTE: REMOVE FULL DEPTH EXISTING CONCRETE PAVEMENT AND REPLACE WITH ASPHALT AS DIRECTED BY THE ENGINEER.

PAVEMENT SCHEDULE	
C1	PROP. APPROX. 1.5" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5C, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD.
C2	PROP. APPROX. 3.0" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5C, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD. IN EACH OF TWO LAYERS.
D1	PROP. APPROX. 3.5" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE I19.0C, AT AN AVERAGE RATE OF 399 LBS. PER SQ. YD.
D2	PROP. APPROX. 5.0" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE I19.0C, AT AN AVERAGE RATE OF 285 LBS. PER SQ. YD. IN EACH OF TWO LAYERS.
E1	PROP. APPROX. 4.0" ASPHALT CONCRETE BASE COURSE, TYPE B25.0C, AT AN AVERAGE RATE OF 456 LBS. PER SQ. YD.
E2	PROP. APPROX. 6.5" ASPHALT CONCRETE BASE COURSE, TYPE B25.0C, AT AN AVERAGE RATE OF 371 LBS. PER SQ. YD. IN EACH OF TWO LAYERS.
S	AGGREGATE SHOULDER BORROW
U	EXISTING PAVEMENT
V1	PROP. MILLING 1.5" DEPTH
V2	PROP. MILLING 5.0" DEPTH
V3	TRENCHING FOR BASE COURSE (SEE S.P.)
V4	MILLING 0" TO 5"

\Roadway\Projects\2022\Phase1A\Proj\Blue-Rdy-typ-phase1A.dgn  
 5/17/2022 10:10:10 AM  
 Detail