

EMBEDDED PLATE "B-1" DETAILS FOR AASHTO TYPE III GIRDER (2 REQ'D PER GIRDER)

UP STATION DIM. "D" /- DIM. "B" DIM. "A" DIM. "C" PRESTRESSED CONCRETE GIRDER

ELEVATION- 11/2" Ø HOLE LOCATION

11/2" Ø HOLE LOCATION

GIRDER	``A''	``B′′	``C''	``D''	
A1	34'-91/2"	-	29'-91/2"	64′-7"	
A2	29'-91/2"	5′-0″	29'-91/2"	64′-7″	
А3	29'-91/2"	5′-0″	29'-91/2"	64′-7″	
Δ4	29'-91/2"	5′-0″	29'-91/2"	64′-7"	
A5	29'-91/2"	-	34′-9½″	64′-7"	
B1	37′-1″	-	32'-1"	69'-2"	
B2	32′-1″	5′-0″	32′-1″	69′-2″	
В3	32′-1″	5′-0″	32′-1″	69′-2″	
B4	32′-1″	5′-0″	32′-1″	69′-2″	
B5	32'-1"	-	37′-1″	69′-2″	
C1, D1 ,E1, F1	34′-7″	-	29′-7″	64′-2″	
C2, D2, E2, F2	29'-7"	5′-0″	29′-7"	64'-2"	
C3, D3, E3, F3	29'-7"	5′-0″	29′-7"	64′-2″	
C4, D4, E4, F4	29′-7″	5′-0″	29′-7"	64′-2″	
C5, D5, E5, F5	29′-7″	-	34'-7"	64′-2″	
G1	38'-7"	-	33′-7"	72′-2"	
G2	33'-7"	5′-0″	33′-7″	72'-2"	
G3	33'-7"	5′-0″	33′-7″	72′-2″	
G4	33'-7"	5′-0″	33'-7"	72′-2″	
G5	33′-7"	-	38′-7″	72'-2"	
H1	41'-31/2"	-	36′-31/2″	77'-7"	
H2	36′-31/2″	5′-0″	36′-31/2″	77'-7"	
Н3	36′-31/2″	5′-0″	36′-3 ¹ / ₂ "	77′-7″	
H4	36′-31/2″	5′-0″	36′-3 ¹ / ₂ ″	77'-7"	
Н5	36′-31/2″	-	41'-3 ¹ / ₂ "	77′-7"	

NOTES

- ALL PRESTRESSING STRANDS SHALL BE 7-WIRE LOW-RELAXATION GRADE 270 STRANDS AND SHALL CONFORM TO AASHTO M203 EXCEPT FOR SAMPLING REQUIREMENTS WHICH SHALL BE IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS.
- ALL REINFORCING STEEL SHALL BE GRADE 60.

APPLY EPOXY PROTECTIVE COATING TO END OF GIRDER SURFACES INDICATED IN ELEVATION VIEW.

EMBEDDED PLATE "B-1" SHALL BE GALVANIZED IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS.

ANCHOR STUDS SHALL CONFORM TO AASHTO M169 GRADES 1010 THROUGH 1020 OR APPROVED EQUAL, AND SHALL MEET THE TYPE "B" REQUIREMENTS OF SUBSECTION 7.3 OF THE ANSI/AASHTO/AWS D1.5 BRIDGE WELDING CODE.

AT ENDS OF GIRDERS TO BE EMBEDDED IN CONCRETE DIAPHRAGMS OR END WALLS, PRESTRESSING STRANDS MAY EXTEND A MAXIMUM OF 2"BEYOND THE GIRDER ENDS. OTHERWISE, PRESTRESSING STRANDS SHALL BE CUT FLUSH WITH THE GIRDER ENDS.

THE TRANSFER OF LOAD FROM THE ANCHORAGES TO THE GIRDER SHALL BE DONE WHEN CONCRETE HAS REACHED A COMPRESSIVE STRENGTH OF NOT LESS THAN THE REQUIRED STRENGTH SHOWN IN THE "CONCRETE RELEASE STRENGTH" TABLE.

DEPENDING ON THE TYPE OF SYSTEM USED TO SUPPORT THE DECK SLAB FORMS, PRESET ANCHORS MAY BE NECESSARY IN THE PRESTRESSED CONCRETE GIRDER.

THE TOP SURFACE OF THE GIRDER, EXCLUDING THE OUTSIDE 4", SHALL BE RAKED TO A DEPTH OF 1/4".

THE CONTRACTOR HAS THE OPTION TO PROVIDE, AT NO ADDITIONAL COST TO THE DEPARTMENT, 2 ADDITIONAL STRANDS AT THE TOP OF THE GIRDER TO FACILITATE TYING OF THE REINFORCING STEEL. THESE STRANDS SHALL BE PULLED TO A LOAD OF 4500 lbs.

CONCRETE RELEASE STRENGTH						
SPAN	PSI					
А	5500					
В	5500					
C-F	5500					
G	6500					
Н	6500					

PROJECT NO. B-4786 STATION: 28+03.00 -L-

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

STANDARD

PRESTRESSED CONCRETE GIRDER CONTINUOUS FOR LIVE LOAD DETAILS

OCUMENT NOT CONSIDERED FINAL							
NLESS ALL SIGNATURES COMPLETED	REVISIONS						SHEET
TGS ENGINEERS 706 HILLSBOROUGH STREET	NO.	BY:	DATE:	NO.	BY:	DATE:	1 S-2
SUITE 200 RALEIGH, NC 27603	1			3			TOTA SHEE
PH (919) 773–8887	<u> </u>			A L			ll 57

SHEET 8 OF 9

STD. NO. PCG9 (Sht. 2)

DATE : 10-18 DATE : 11-18 ASSEMBLED BY : SBW CHECKED BY : MGC DRAWN BY: ELR 11/91 CHECKED BY: GRP 11/91