

PROJECT NO.: B-4442


SHEET 1 OF 1

COMPUTED BY: MF

CHECKED BY: AM

SECTION: 610

ASPHALT CONCRETE INTERMEDIATE COURSE TYPE I19.0C



CALCULATE:

$$\frac{\text{LENGTH} \times ((W+W1)/2) \times D \times 114\# / \text{YD}^2 / \text{IN}}{9 \text{ FT}^2 / \text{YD}^2 \times 2000\# / \text{TON}} = \underline{\hspace{2cm}} \text{ TONS}$$

NOTE: IF USING AREA, NO LENGTH OR W1 FIGURE IS NEEDED IN COMPUTATION.

LINE	BEG. STA.	END STA.	LENGTH	AREA / W	W1	DEPTH	TONS
-L-	297+00	303+00		11415		4	289.18
-L-	297+00	303+00		19069		4	483.08
-L-	297+00	303+00		7081		4	179.39
-L-	303+00	313+57		129191		4	3272.84
-L-	316+95	327+50		128413		4	3253.13
-L-	327+50	332+11		8257		4	209.18
-L-	327+50	332+11		14349		4	363.51
-L-	327+50	332+11		4903		4	124.21
-L-	297+50	302+50		Wedging		Var	29.68
-L-	328+00	331+50		Wedging		Var	16.57
-L-	297+05	308+95		22500		2.5	356.25
-L-	321+52	333+05		21425		2.5	339.23
						TOTAL	8916.24
						SAY	8920.00