

CONNECTOR PLATE DETAILS






PLATE DETAILS CHANNEL END





4235 SOUTH STREAM BLVD. SUITE 150, CHARLOTTE, NC 28217 (704) 332-2289 D. LOFLIN _ DATE : <u>08-2021</u> **DOCUMENT NOT CONSIDERED FINAL** _ DATE : <u>09-2021</u> L. YARBROUGH NC LICENSE NO. C-2213 DESIGN ENGINEER OF RECORD: VINCENT M. WU DATE: 10-2021

BR-0029 PROJECT NO._ MACON COUNTY 15+52.07 -L-STATION:

STRUCTURAL STEEL NOTES

AASHTO M270 GRADE 50 OR APPROVED EQUAL.

PROVISIONS.

SPECIFICATIONS.

FOR DISTRIBUTION.

GIRDERS.

UNDER EACH BOLT HEAD AND NUT.

OF THE STANDARD SPECIFICATIONS.

IN PLACE 3 DAYS AFTER CONCRETE IS PLACED.

ACCORDANCE WITH THE STANDARD SPECIFICATIONS.

ALL INTERMEDIATE DIAPHRAGM STEEL AND CONNECTOR PLATES SHALL BE

TENSION ON THE ASTM A325 BOLTS THROUGH THE CHANNEL MEMBER SHALL BE CALIBRATED USING DIRECT TENSION INDICATOR WASHERS IN

THE PLATES, BENT PLATES, CHANNELS, AND ANGLES SHALL BE GALVANIZED OR METALLIZED IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS.

FOR METALLIZATION, APPLY AN 8 MIL THICK 99.99 PERCENT ZINC (W-Zn-1)

GALVANIZE THE HIGH STRENGTH BOLTS, NUTS, WASHERS AND DIRECT TENSION

USE AN ASTM F436 HARDENED WASHER WITH STANDARD AND SLOTTED HOLES

FOR BOLTS THROUGH THE GIRDER WEB, PROVIDE SUFFICIENT LENGTH OF THREADS ON ALL BOLTS TO ACCOMMODATE WASHERS AND THE THICKNESS

OF CONNECTING MEMBER PLUS AT LEAST $\frac{1}{4}$ "PROJECTION BEYOND THE NUT.

INTERMEDIATE DIAPHRAGM ASSEMBLY SHALL COMPLY WITH SECTION 1072

IN THE EXTERIOR BAYS, PLACE TEMPORARY STRUTS BETWEEN PRESTRESSED GIRDERS ADJACENT TO THE STEEL DIAPHRAGMS. STRUTS SHALL REMAIN

SUBMIT TWO SETS OF WORKING DRAWINGS FOR THE INTERMEDIATE DIAPHRAGM ASSEMBLY FOR REVIEW, COMMENTS AND ACCEPTANCE. AFTER REVIEW, COMMENTS, AND ACCEPTANCE, SUBMIT SEVEN SETS

THE COST OF THE STEEL DIAPHRAGMS AND ASSEMBLIES SHALL BE INCLUDED IN THE UNIT PRICE BID FOR PRESTRESSED CONCRETE

THERMAL SPRAYED COATING WITH A 0.5 MIL THICK SEAL COAT TO ALL STEEL DIAPHRAGM SURFACES IN ACCORDANCE WITH THE THERMAL SPRAYED

COATINGS SPECIAL PROVISION AND SECTION 442 OF THE STANDARD

INDICATORS IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS.

TENSION ON THE ASTM A449 BOLTS THROUGH THE GIRDER WEB SHALL

BE SNUG TIGHTENED FOLLOWED BY AN ADDITIONAL 1/4 TURN.

FOR THERMAL SPRAYED COATINGS (METALLIZATION), SEE SPECIAL

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

STANDARD

INTERMEDIATE STEEL DIAPHRAGMS FOR TYPE IV PRESTRESSED CONCRETE GIRDERS

REVISIONS					SHEET NO.
BY:	DATE:	NO.	BY:	DATE:	S-16
		3			TOTAL SHEETS
		4			33

UNLESS ALL SIGNATURES COMPLETED

Plotted By: vwu

DRAWN BY :

2:37:48 PM

SECTION A-A

R:\BR0029\Structures\100 Percent\401_031_BR0029_SMU_G3_016.dgn

CONNECTION DETAILS

DRMP JOB NUMBER: 17-0416.029