This electronic collection of documents is provided for the convenience of the user and is Not a Certified Document –

The documents contained herein were originally issued and sealed by the individuals whose names and license numbers appear on each page, on the dates appearing with their signature on that page.

This file or an individual page shall not be considered a certified document.

OJECT: B-5652

74477


STATE OF NORTH CAROLINA
DIVISION OF HIGHWAYS

ONSLOW COUNTY


LOCATION: BRIDGE NO. 33 OVER WOLF SWAMP
ON US 17

TYPE OF WORK: GRADING, PAVING, DRAINAGE AND STRUCTURE

STRUCTURE PLANS









DESIGN DATA

GRAPHIC SCALES

PLANS

PROFILE (HORIZONTAL)

PROFILE (VERTICAL)

See Sheet 1A For Index of Sheets See Sheet 1B For Conventional Symbols

<u>1327</u>

1326 Kellum

B-5652

- PROJECT

LIMITS

ADT 2022 = 16,900 ADT 2040 = 22,300

> K = 9 % D = 55 %

T = 5 %*
V = 60 MPH

* TTST = 2% DUAL 3%

STATEWIDE TIER

FUNCTIONAL CLASS

ARTERIAL

LENGTH ROADWAY TIP PROJECT = 0.355 MILES

PROJECT LENGTH

LENGTH STRUCTURE TIP PROJECT = 0.019 MILES

TOTAL LENGTH TIP PROJECT = 0.374 MILES

MOTT | (919) 552-2253 | (Fax) | www.mottmac.com/americas | LICENSE | NO. F-0669 | 2018 | STANDARD | SPECIFICATIONS |

RIGHT OF WAY DATE:
NOVEMBER 22, 2021

LETTING DATE:
DECEMBER 20, 2022

SUNGATE DESIGN GROUP, P.A.

905 JONES FRANKLIN ROAD
RALEIGH, NORTH CAROLINA 27606
TEL (919) 859-2243
ENG FIRM LICENSE NO. C-890

MICHAEL PEKAREK PE

MICHAEL PEKAREK, PE

PROJECT ENGINEER
PEF ENGINEER

JOSH DALTON, PE

HYDRAULIC ENGINEER
PEF ENGINEER

DAVID STUTTS, PE

NCDOT BRIDGE PROGRAM MANAGER

ENGINEER




9/14/2022 | 5:22 AM PDT


DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

PLANS PREPARED BY:



LICENSURE NO. C-4434





END BENT 1

FOUNDATION NOTES:

PILES AT END BENT 1 ARE DESIGNED FOR A FACTORED RESISTANCE OF 110 TONS PER PILE.

DRIVE PILES AT END BENT 1 TO A REQUIRED DRIVING RESISTANCE OF 185 TONS PER PILE.

PIPE PILE PLATES ARE REQUIRED FOR STEEL PIPE PILES AT END BENT 2. USE PIPE PILE PLATES WITH A DIAMETER EQUAL TO THE PIPE PILE DIAMETER. FOR STEEL PIPE PILE PLATES, SEE SECTION 450 OF THE STANDARD SPECIFICATIONS.

450 OF THE STANDARD SPECIFICATIONS.

END BENT 2

SEAL 18056 5640 Dillard Drive, Suite 200 Cary, NC 27518

PROJECT NO. <u>B-5652</u> ONSLOW COUNTY STATION:20+64.00 -L_RT-

SHEET 2 OF 4

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION RALEIGH

GENERAL DRAWING

SHEET NO.

S-3

TOTAL SHEETS

26

FOR BRIDGE ON US 17 NB OVER WOLF SWAMP BETWEEN SR 1407 AND SR 1327

LICENSURE NO. C-4434 **DOCUMENT NOT CONSIDERED FINAL**

REVISIONS 9/14/2022 | 5:22 AM NO. BY: BY: DATE: DATE: **UNLESS ALL SIGNATURES COMPLETED**

S.D. COOPER DRAWN BY: _ CHECKED BY: J.A. BATTS __ DATE: 5-22 __ DATE: 5-22

FOUNDATION LAYOUT (ALL PILES ARE PP 16 X 0.50 GALVANIZED STEEL PILES)
(DIMENSIONS LOCATING PILES ARE SHOWN TO THE CENTERLINE OF PILES)


FOR PILES, SEE SECTION 450 OF THE STANDARD SPECIFICATIONS.

PIPE PILE PLATES ARE REQUIRED FOR STEEL PIPE PILES AT END BENT 1. USE PIPE PILE PLATES WITH A DIAMETER EQUAL TO THE PIPE PILE DIAMETER. FOR STEEL PIPE PILE PLATES, SEE SECTION 450 OF THE STANDARD SPECIFICATIONS.

PILES AT END BENT 2 ARE DESIGNED FOR A FACTORED RESISTANCE OF 110 TONS PER PILE.

DRIVE PILES AT END BENT 2 TO A REQUIRED DRIVING RESISTANCE OF 185 TONS PER PILE.

TESTING PILES WITH THE PDA DURING DRIVING, RESTRIKING OR REDRIVING MAY BE REQUIRED. THE ENGINEER WILL DETERMINE THE NEED FOR PDA TESTING, FOR PDA TESTING, SEE SECTION



_	TOTAL BILL OF MATERIAL													
	CONST., MAINT., & REMOVAL OF TEMPORARY STRUCTURE	REMOVAL OF EXISTING STRUCTURE	ASBESTOS ASSESSMENT	PDA TESTING	UNCLASSIFIED STRUCTURE EXCAVATION	REINFORCED CONCRETE DECK SLAB	GROOVING BRIDGE FLOORS	CLASS AA CONCRETE	BRIDGE APPROACH SLABS	REINFORCING STEEL				
	LS	LS	LS	EA	LS	SF	SF	CY	LS	LB				
SUPERSTRUCTURE						3,958	4,973							
END BENT 1								36.7		5,049				
END BENT 2								36.7		5,049				
TOTAL	LS	LS	LS	1	LS	3,958	4,973	73.4	LS	10,098				

		STRESSED CRETE RDER	PILE DRIVING EQUIPMENT SETUP FOR PP 16 X 0.50 GALV. STEEL PILES	IGALV.STE	X 0.50 EL PILES	PIPE PILE PLATES	PILE REDRIVES	CONCRETE BARRIER RAIL	RIP RAP CLASS II (2'-0"THICK)	GEOTEXTILE FOR DRAINAGE	ELASTOMERIC BEARINGS			
	NO.	LF	EA	NO.	LF	EA	EA	LF	TON	SY	LS			
SUPERSTRUCTURE	5	489.58						196.67			LS			
END BENT 1			8	8	400	8	4		210	235				
END BENT 2			8	8	440	8	4		155	175				
TOTAL	5	489.58	16	16	840	16	8	196.67	365	410	LS			

T. BANKOVICH CHECKED BY: J.A. BATTS 5-22 5-22 DATE: . DATE: _

NOTES:

ASSUMED LIVE LOAD = HL-93 OR ALTERNATE LOADING.

THIS BRIDGE HAS BEEN DESIGNED IN ACCORDANCE WITH THE AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS.

THIS BRIDGE IS LOCATED IN SEISMIC ZONE 1.

THIS STRUCTURE CONTAINS THE NECESSARY CORROSION PROTECTION REQUIRED FOR A CORROSIVE SITE.

FOR EROSION CONTROL MEASURES, SEE EROSION CONTROL PLANS.

THE EXISTING STRUCTURE CONSISTING OF 3 SPANS, 1 SPAN @ 31'-7", 1 @ 32'-6", AND 1 @ 31'-10" SHALL BE REMOVED. THE SUPERSTRUCTURE HAS A CLEAR ROADWAY WIDTH OF 26'-0"WITH REINFORCED CONCRETE DECK GIRDERS. THE END BENTS CONSIST OF REINFORCED CONCRETE INTEGRAL CAP ABUTMENTS. THE INTERIOR BENTS CONSIST OF REINFORCED CONCRETE POST AND BEAM AND WEB PIERS. REMOVE EXISTING PIERS TO FOOTINGS.

THE SUBSTRUCTURE OF THE EXISTING BRIDGE INDICATED ON THE PLANS IS FROM THE BEST INFORMATION AVAILABLE. SINCE THIS INFORMATION IS SHOWN FOR THE CONVENIENCE OF THE CONTRACTOR, THE CONTRACTOR SHALL HAVE NO CLAIM WHATSOEVER AGAINST THE DEPARTMENT OF TRANSPORTATION FOR ANY DELAYS OR ADDITIONAL COST INCURRED BASED ON DIFFERENCES BETWEEN THE EXISTING BRIDGE SUBSTRUCTURE SHOWN ON THE PLANS AND THE ACTUAL CONDITIONS AT THE PROJECT SITE.

FOR SUBMITTAL OF WORKING DRAWINGS, SEE SPECIAL PROVISIONS.

FOR FALSEWORK AND FORMWORK, SEE SPECIAL PROVISIONS.

FOR CRANE SAFETY, SEE SPECIAL PROVISIONS.

FOR GROUT FOR STRUCTURES, SEE SPECIAL PROVISIONS.

NEEDLE BEAMS WILL NOT BE ALLOWED UNLESS OTHERWISE CALLED FOR ON THE PLANS OR APPROVED BY THE ENGINEER.

FOR ASBESTOS ASSESSMENT FOR BRIDGE DEMOLITION AND RENOVATION ACTIVITIES, SEE SPECIAL PROVISIONS,

FOR LIMITS OF TEMPORARY SHORING FOR MAINTENANCE OF TRAFFIC, SEE TRAFFIC CONTROL PLANS. FOR PAY ITEM FOR TEMPORARY SHORING FOR MAINTENANCE OF TRAFFIC. SEE ROADWAY PLANS.

REMOVABLE FORMS MAY BE USED IN LIEU OF METAL STAY-IN-PLACE FORMS IN ACCORDANCE WITH ARTICLE 420-3 OF THE STANDARD SPECIFICATIONS.

REMOVAL OF THE EXISTING BRIDGE SHALL BE PERFORMED IN A MANNER THAT PREVENTS DEBRIS FROM FALLING INTO THE WATER. THE CONTRACTOR SHALL SUBMIT DEMOLITION PLANS FOR REVIEW AND REMOVE THE BRIDGE IN ACCORDANCE WITH ARTICLE 402-2 OF THE STANDARD SPECIFICATIONS.

CLASS AA CONCRETE SHALL BE USED IN CAST-IN-PLACE END BENT CAPS AND SHALL CONTAIN CALCIUM NITRITE CORROSION INHIBITOR.

THE CONTRACTOR WILL BE REQUIRED TO CONSTRUCT, MAINTAIN, AND AFTERWARDS REMOVE A TEMPORARY STRUCTURE AT STA. 19+22.00 -LDET- FOR USE DURING CONSTRUCTION OF THE PROPOSED STRUCTURE. FOR CONSTRUCTION, MAINTENANCE AND REMOVAL OF TEMPORARY STRUCTURE, SEE SPECIAL PROVISIONS.

THE BRIDGE RAILS ON THE TEMPORARY STRUCTURE SHALL BE DESIGNED FOR THE AASHTO LRFD TEST LEVEL 3 (TL-3) CRASH TEST CRITERIA. FOR CONSTRUCTION, MAINTENANCE AND REMOVAL OF TEMPORARY STRUCTURE, SEE SPECIAL PROVISIONS.

PRESTRESSED CONCRETE DECK PANELS MAY BE USED IN LIEU OF METAL STAY-IN-PLACE FORMS IN ACCORDANCE WITH ARTICLE 420-3 OF THE STANDARD SPECIFICATIONS.

FOR OTHER DESIGN DATA AND GENERAL NOTES, SEE SHEET SN.

THIS STRUCTURE HAS BEEN DESIGNED IN ACCORDANCE WITH "HEC 18-EVALUATING SCOUR AT BRIDGES."

THE MATERIAL SHOWN IN THE CROSS-HATCHED AREA SHALL BE EXCAVATED FOR A DISTANCE OF 25 FT EACH SIDE OF CENTERLINE ROADWAY AS DIRECTED BY THE ENGINEER. THIS WORK WILL BE PAID FOR AT THE CONTRACT LUMP SUM PRICE FOR UNCLASSIFIED STRUCTURE EXCAVATION, SEE SECTION 412 OF THE STANDARD SPECIFICATIONS,

ALL METALLIZED SURFACES SHALL RECEIVE A SEAL COATING AS SPECIFIED IN TABLE 2 OF THE DEPARTMENTS THERMAL SPRAYED COATINGS (METALLIZATION) PROGRAM. FOR THERMAL SPRAYED COATINGS, SEE SPECIAL PROVISIONS.

ALL BAR SUPPORTS USED IN THE (BARRIER RAIL, PARAPET, SIDEWALK, DECK, BENT CAPS, COLUMNS, PILE CAPS, FOOTINGS) AND ALL INCIDENTAL REINFORCING STEEL SHALL BE EPOXY COATED IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS.

> PROJECT NO. B-5652ONSLOW COUNTY STATION: 20+64.00 -L_RT-

SHEET 3 OF 4

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION RALEIGH

GENERAL DRAWING

FOR BRIDGE ON US 17 NB OVER WOLF SWAMP BETWEEN SR 1407 AND SR 1327

LICENSURE NO. C-4434

5640 Dillard Drive, Suite 200 Cary, NC 27518


9/14/2022 | 5:22 AM

SHEET NO. REVISIONS NO. BY: S-4 BY: DATE: DATE: SHEETS

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

LOAD AND RESISTANCE FACTOR RATING (LRFR) SUMMARY FOR PRESTRESSED CONCRETE GIRDERS

							STRENGTH I LIMIT STATE						SE	SERVICE III LIMIT STATE										
										MOMENT					SHEAR						MOMENT			
LEVEL		VEHICLE	WEIGHT (W) (TONS)	CONTROLLING (#)	MINIMUM RATING FACTORS (RF)	TONS = W × RF	LIVE-LOAD FACTORS (Y _{LL})	DISTRIBUTION FACTORS (DF)	RATING FACTOR	SPAN	GIRDER LOCATION	DISTANCE FROM LEFT END OF SPAN (ft)	DISTRIBUTION FACTORS (DF)	RATING FACTOR	SPAN	GIRDER LOCATION	DISTANCE FROM LEFT END OF SPAN (ft)	LIVE-LOAD FACTORS (Y _{LL})	DISTRIBUTION FACTORS (DF)	RATING FACTOR	SPAN	GIRDER LOCATION	DISTANCE FROM LEFT END OF SPAN (ft)	COMMENT NUMBER
		HL-93 (INVENTORY)	N/A	1	1.10		1.75	0.753	1.60	А	EL	48.25	0.861	1.10	Α	I	9 . 65	0.80	0.707	1.40	А	I	48.25	
DESIGN LOAD		HL-93 (OPERATING)	N/A		1.62		1.35	0.753	2.07	А	EL	48.25	0.861	1 . 62	Α	I	9 . 65	N/A						
LOAD RATING		HS-20 (INVENTORY)	36.000	2	1.67	60.1	1.75	0.753	2.21	А	EL	48.25	0.861	1.67	Α	I	9 . 65	0.80	0.707	1.94	А	I	48.25	
		HS-20 (OPERATING)	36.000		2.31	83 . 2	1.35	0.753	2.87	А	EL	48.25	0.861	2 . 31	Α	I	9 . 65	N/A						
		SNSH	13 . 500		3.67	49.5	1.40	0.753	6 . 54	А	EL	48.25	0.861	5 . 73	Α	I	9 . 65	0.80	0.707	3 . 67	Α	I	48.25	
	ш	SNGARBS2	20.000		2.66	53.2	1.40	0.753	4.74	А	EL	48.25	0.861	3 . 96	Α	I	9 . 65	0.80	0.707	2.66	Α	I	48.25	
	IICL	SNAGRIS2	22.000		2.49	54 . 8	1.40	0.753	4.44	А	EL	48.25	0.861	3 . 64	А	I	9 . 65	0.80	0.707	2.49	А	I	48.25	
	VEH.	SNCOTTS3	27.250		1.82	49.6	1.40	0.753	3.25	А	EL	48.25	0.861	2 . 76	Α	I	9 . 65	0.80	0.707	1.82	Α	I	48.25	
	GLE (S)	SNAGGRS4	34.925		1 . 50	52.4	1.40	0.753	2.67	А	EL	48.25	0.861	2.22	Α	I	9 . 65	0.80	0.707	1 . 50	Α	I	48.25	
	SINGL	SNS5A	35 . 550		1.47	52 . 3	1.40	0.753	2 . 61	А	EL	48.25	0.861	2.23	А	I	9 . 65	0.80	0.707	1.47	А	I	48.25	
		SNS6A	39 . 950		1.33	53.1	1.40	0.753	2.37	А	EL	48.25	0.861	2.00	Α	I	9 . 65	0.80	0.707	1.33	Α	I	48.25	
LEGAL LOAD		SNS7B	42.000		1.27	53.3	1.40	0.753	2.26	А	EL	48.25	0.861	1.92	Α	I	9 . 65	0.80	0.707	1.27	А	I	48.25	
RATING	ILER	TNAGRIT3	33.000		1.62	53 . 5	1.40	0.753	2.89	Α	EL	48.25	0.861	2.43	Α	I	9 . 65	0.80	0.707	1.62	Α	I	48.25	
	TRAI	TNT4A	33.075		1 . 63	53 . 9	1.40	0.753	2.90	Α	EL	48.25	0.861	2.38	Α	I	9 . 65	0.80	0.707	1.63	Α	I	48.25	
	SEMI-1	TNT6A	41.600		1.32	54.9	1.40	0.753	2.35	А	EL	48.25	0.861	2.05	Α	I	9 . 65	0.80	0.707	1.32	А	I	48.25	
	I (A)	TNT7A	42.000		1.32	55.4	1.40	0.753	2.35	А	EL	48.25	0.861	2.01	Α	I	9 . 65	0.80	0.707	1.32	А	I	48.25	
	CTOR (TT	TNT7B	42.000		1.35	56.7	1.40	0.753	2.41	А	EL	48.25	0.861	1.88	А	I	9 . 65	0.80	0.707	1.35	А	I	48.25	
	TRAC	TNAGRIT4	43.000		1.30	55 . 9	1.40	0.753	2.31	А	EL	48.25	0.861	1.80	Α	I	9 . 65	0.80	0.707	1.30	А	I	48.25	
	TRUCK	TNAGT5A	45.000		1.23	55.4	1.40	0.753	2.19	А	EL	48.25	0.861	1.76	Α	I	9 . 65	0.80	0.707	1.23	А	I	48.25	
	TR	TNAGT5B	45.000	3	1.22	54.9	1.40	0.753	2.17	А	EL	48.25	0.861	1.68	Α	I	9 . 65	0.80	0.707	1.22	А	I	48.25	



LRFR SUMMARY

LOAD FACTORS:

DESIGN	LIMIT STATE	γ_{DC}	$\gamma_{\sf DW}$
LOAD RATING	STRENGTH I	1 . 25	1.50
FACTORS	SERVICE III	1.00	1.00

NOTES:

MINIMUM RATING FACTORS ARE BASED ON THE STRENGTH I AND SERVICE III LIMIT STATES.

ALLOWABLE STRESSES FOR SERVICE III LIMIT STATE ARE AS REQUIRED FOR DESIGN.

COMMENTS:

- 1. DISTANCE FROM LEFT END OF SPAN IS MEASURED FROM & BEARING.
- 2. BEARING TO BEARING LENGTH OF ALL GIRDERS = 96'-6"

(#) CONTROLLING LOAD RATING

1 DESIGN LOAD RATING (HL-93)

2 DESIGN LOAD RATING (HS-20)

3 LEGAL LOAD RATING ** ** SEE CHART FOR VEHICLE TYPE

GIRDER LOCATION

I - INTERIOR GIRDER

EL - EXTERIOR LEFT GIRDER

ER - EXTERIOR RIGHT GIRDER

PROJECT NO. <u>B-5652</u> ONSLOW _ COUNTY

STATION: 20+64.00 -L_RT-

SHEET 4 OF 4

DEPARTMENT OF TRANSPORTATION GENERAL DRAWING

LRFR SUMMARY FOR PRESTRESSED CONCRETE GIRDERS

STATE OF NORTH CAROLINA

(NON-INTERSTATE TRAFFIC)


SHEET NO. REVISIONS S-5 NO. BY: NO. BY: DATE: DATE: TOTAL SHEETS


5640 Dillard Drive, Suite 200 Cary, NC 27518


LICENSURE NO. C-4434

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED


__ DATE: 5-22 __ DATE: 5-22 __ DATE: 5-22 T. BANKOVICH CHECKED BY: J.A. BATTS









DESIGN ENGINEER OF RECORD: J.A. BATTS







NOTES:

ALL PRESTRESSING STRANDS SHALL BE 7-WIRE LOW-RELAXATION GRADE 270 STRANDS AND SHALL CONFORM TO AASHTO M203 EXCEPT FOR SAMPLING REQUIREMENTS WHICH SHALL BE IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS.

ALL REINFORCING STEEL SHALL BE GRADE 60.

EMBEDDED PLATE "B-1" SHALL BE GALVANIZED IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS.

ANCHOR STUDS SHALL CONFORM TO AASHTO M169 GRADES 1010 THROUGH 1020 OR APPROVED EQUAL, AND SHALL MEET THE TYPE "B" REQUIREMENTS OF SUBSECTION 7.3 OF THE ANSI/AASHTO/AWS D1.5 BRIDGE WELDING CODE.

AT ENDS OF GIRDERS TO BE EMBEDDED IN CONCRETE DIAPHRAGMS OR END WALLS, PRESTRESSING STRANDS MAY EXTEND A MAXIMUM OF 2"BEYOND THE GIRDER ENDS. OTHERWISE, PRESTRESSING STRANDS SHALL BE CUT FLUSH WITH THE GIRDER ENDS.

THE TRANSFER OF LOAD FROM THE ANCHORAGES TO THE GIRDER SHALL BE DONE WHEN CONCRETE HAS REACHED A COMPRESSIVE STRENGTH OF NOT LESS THAN 6000 PSI.

DEPENDING ON THE TYPE OF SYSTEM USED TO SUPPORT THE DECK SLAB FORMS, PRESET ANCHORS MAY BE NECESSARY IN THE PRESTRESSED CONCRETE GIRDER.

THE TOP SURFACE OF THE GIRDER, EXCLUDING THE OUTSIDE 4", SHALL BE RAKED TO A DEPTH OF 1/4".

THE CONTRACTOR HAS THE OPTION TO PROVIDE, AT NO ADDITIONAL COST TO THE DEPARTMENT, 2 ADDITIONAL STRANDS AT THE TOP OF THE GIRDER TO FACILITATE TYING OF THE REINFORCING STEEL. THESE STRANDS SHALL BE PULLED TO A LOAD OF 4500 lbs.

PRESTRESSED CONCRETE GIRDERS SHALL CONTAIN CALCIUM NITRITE CORROSION INHIBITOR.

—— DEAD LOAD DEFLECTION TABLE FOR GIRDERS ——																						
0.6"Ø LOW RELAXATION		GIRDERS AG1 & AG5																				
TWENTIETH POINTS		0	.05	.10	. 15	. 20	. 25	.30	. 35	.40	.45	. 50	. 55	. 60	. 65	.70	.75	.80	. 85	.90	. 95	1.0
CAMBER (GIRDER ALONE IN PLACE)	1	0	0.030	0.059	0.087	0.112	0.135	0.154	0.169	0.180	0.187	0.189	0.187	0.180	0.169	0.154	0.135	0.112	0.087	0.059	0.030	0
* DEFLECTION DUE TO SUPERIMPOSED D.L.	 	0	0.018	0.038	0.057	0.075	0.090	0.104	0.114	0.122	0.127	0.128	0.127	0.122	0.114	0.104	0.090	0.075	0.057	0.038	0.018	0
FINAL CAMBER	1	0	¹ /8″	1/4"	3/8"	7∕ ₁₆ ″	9/16"	5/8"	11/16"	11/16"	3/4"	3/4"	3/4"	11/16"	11/16"	5/8"	9/16"	7∕ ₁₆ ″	3/8"	1/4"	1/8"	0
0.6"Ø LOW RELAXATION									C	SIRDE	ERS A	4G2, A	4G3 8	k AG	4							
TWENTIETH POINTS		0	.05	.10	. 15	.20	.25	.30	. 35	.40	.45	. 50	. 55	.60	. 65	.70	.75	.80	.85	.90	. 95	1.0
CAMBER (GIRDER ALONE IN PLACE)	1	0	0.030	0.059	0.087	0.112	0.135	0.154	0.169	0.180	0.187	0.189	0.187	0.180	0.169	0.154	0.135	0.112	0.087	0.059	0.030	0
* DEFLECTION DUE TO SUPERIMPOSED D.L.	 	0	0.020	0.042	0.063	0.083	0.100	0.115	0.127	0.135	0.141	0.142	0.141	0.135	0.127	0.115	0.100	0.083	0.063	0.042	0.020	0
FINAL CAMBER	1	0	¹ /8″	³ /16″	5/16"	3/8"	7∕ ₁₆ ″	7∕ ₁₆ ″	1/2"	9/16"	%16″	9/16"	9/16"	9/16"	1/2"	7∕16″	7∕ ₁₆ ″	3/8"	⁵ /16"	³ / ₁₆ "	1/8"	0

* INCLUDES FUTURE WEARING SURFACE ALL VALUES ARE SHOWN IN FEET (DECIMAL FORM), EXCEPT "FINAL CAMBER", WHICH IS GIVEN IN INCHES (FRACTION FORM).

PROJECT NO. B-5652 ONSLOW _ COUNTY STATION: 20+64.00 -L_RT-

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION SUPERSTRUCTURE

PRESTRESSED CONCRETE

5640 Dillard Drive, Suite 200 Cary, NC 27518

GIRDER DETAILS

SHEET NO. S-10

DATE:


REVISIONS

LICENSURE NO. C-4434


NO.	BY:	DATE:	NO.	
1			8	
2			4	

DOCUMENT NOT CONSIDERED FINAL **UNLESS ALL SIGNATURES COMPLETED**

T. BANKOVICH CHECKED BY: J.A. BATTS DESIGN ENGINEER OF RECORD: J.A. BATTS



CONNECTOR PLATE DETAILS








PLATE DETAILS

CHANNEL END



CONNECTION DETAILS





12/19/2022

18056

DEPARTMENT OF TRANSPORTATION SUPERSTRUCTURE INTERMEDIATE STEEL DIAPHRAGMS FOR TYPE IV PREST. CONCRETE GIRDERS

STATE OF NORTH CAROLINA

SHEET NO. **REVISIONS** S-11 NO. BY: BY: DATE: DATE: TOTAL SHEETS

LICENSURE NO. C-4434

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

STRUCTURAL STEEL NOTES:

ALL INTERMEDIATE DIAPHRAGM STEEL AND CONNECTOR PLATES SHALL BE AASHTO M270 GRADE 50 OR APPROVED EQUAL.

TENSION ON THE ASTM A325 BOLTS THROUGH THE CHANNEL MEMBER SHALL BE CALIBRATED USING DIRECT TENSION INDICATOR WASHERS IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS.

TENSION ON THE ASTM A449 BOLTS THROUGH THE GIRDER WEB SHALL BE SNUG TIGHTENED FOLLOWED BY AN ADDITIONAL $\frac{1}{4}$ TURN.

THE PLATES, BENT PLATES, CHANNELS, AND ANGLES SHALL BE METALLIZED IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS. FOR THERMAL SPRAYED COATINGS (METALLIZATION), SEE SPECIAL PROVISIONS.

FOR METALLIZATION, APPLY A THERMAL SPRAYED COATING WITH A SEAL COAT TO ALL STEEL DIAPHRAGM SURFACES IN ACCORDANCE WITH THE DEPARTMENTS THERMAL SPRAYED COATINGS (METALLIZATION) PROGRAM, THERMAL SPRAYED COATINGS SPECIAL PROVISION AND SECTION 442 OF THE STANDARD SPECIFICATIONS.

METALLIZE THE HIGH STRENGTH BOLTS, NUTS, WASHERS AND DIRECT TENSION INDICATORS IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS.

USE AN ASTM F436 HARDENED WASHER WITH STANDARD AND SLOTTED HOLES UNDER EACH BOLT HEAD AND NUT.

FOR BOLTS THROUGH THE GIRDER WEB, PROVIDE SUFFICIENT LENGTH OF THREADS ON ALL BOLTS TO ACCOMMODATE WASHERS AND THE THICKNESS OF CONNECTING MEMBER PLUS AT LEAST $\frac{1}{4}$ "PROJECTION BEYOND THE NUT.

INTERMEDIATE DIAPHRAGM ASSEMBLY SHALL COMPLY WITH SECTION 1072 OF THE STANDARD SPECIFICATIONS.

SUBMIT TWO SETS OF WORKING DRAWINGS FOR THE INTERMEDIATE DIAPHRAGM ASSEMBLY FOR REVIEW, COMMENTS AND ACCEPTANCE. AFTER REVIEW, COMMENTS, AND ACCEPTANCE, SUBMIT SEVEN SETS FOR DISTRIBUTION.

IN THE EXTERIOR BAYS, PLACE TEMPORARY STRUTS BETWEEN PRESTRESSED GIRDERS ADJACENT TO THE STEEL DIAPHRAGMS. STRUTS SHALL REMAIN IN PLACE 3 DAYS AFTER CONCRETE IS PLACED.


THE COST OF THE STEEL DIAPHRAGMS AND ASSEMBLIES SHALL BE INCLUDED IN THE UNIT PRICE BID FOR PRESTRESSED CONCRETE GIRDERS.

TABLE


GIRDER TYPE	CHANNEL SIZE	DIM "A"	DIM "B"	DIM "L"
IV	MC 18 × 42.7	1'-91/2"	1'-2"	1'-6"

B-5652 PROJECT NO. ___ ONSLOW COUNTY STATION: 20+64.00 -L_RT-

DATE: 5-22
DATE: 5-22
DATE: 5-22 T. BANKOVICH DRAWN BY: J.A. BATTS CHECKED BY: _ DESIGN ENGINEER OF RECORD: J.A. BATTS




TYPICAL SECTION OF ELASTOMERIC BEARINGS



E4 (10 REQ'D) PLAN VIEW OF ELASTORMERIC BEARING

TYPE V



TYPICAL PLAN (SHOWING INTEGRAL END BENT)

NOTES:

THE ELASTOMER IN THE STEEL REINFORCED BEARINGS SHALL HAVE A SHEAR MODULUS OF 0.160 KSI, IN ACCORDANCE WITH AASHTO M251.

FOR STEEL REINFORCED ELASTOMERIC BEARINGS, SEE SPECIAL PROVISIONS.

ELASTOMER IN ALL BEARINGS SHALL BE 60 DUROMETER HARDNESS.

MAXIMUM ALLOWABLE SERVICE LOADS

D.L.+L.L. (NO IMPACT) TYPE V 365 k

PROJECT NO. B-5652 ONSLOW _ COUNTY STATION: 20+64.00 -L_RT-

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

RALEIGH

SUPERSTRUCTURE

5640 Dillard Drive, Suite 200 Cary, NC 27518


ELASTOMERIC BEARING DETAILS

9/14/2022 | 5:22 AM PE DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

PD			REV:	ISION	S		SHEET N
יט	NO.	BY:	DATE:	NO.	BY:	DATE:	S-12
	1			3			TOTAL SHEETS
	2			<u>a</u> ,			26

__ DATE: 5-22 _ DATE: 5-22 _ DATE: 5-22 T. BANKOVICH CHECKED BY: J.A. BATTS DESIGN ENGINEER OF RECORD: J.A. BATTS

LICENSURE NO. C-4434



PLAN OF BARRIER RAIL

ONSLOW _ COUNTY STATION:20+64.00 -L_RT-SHEET 1 OF 2 STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

5640 Dillard Drive, Suite 200 Cary, NC 27518

CONCRETE BARRIER RAIL

SUPERSTRUCTURE


PROJECT NO. B-5652

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

REVISIONS SHEET NO. LICENSURE NO. C-4434 S-13 DATE: NO. BY: NO. BY: DATE: TOTAL SHEETS

__ DATE: 5-22 __ DATE: 5-22 __ DATE: 5-22 T. BANKOVICH CHECKED BY: J.A. BATTS DESIGN ENGINEER OF RECORD: J.A. BATTS

BARRIER RAIL DETAILS



ALL BAR DIMENSIONS ARE OUT TO OUT

BILL OF MATERIAL CONCRETE BARRIER RAIL BAR NO. SIZE TYPE LENGTH WEIGHT *B11 88 #5 STR 24'-2" 2218 ***** S11 | 200 | 956 #5 4'-7" * S12 5′-6″ #5 8 * S13 | 192 | 1402 #5 7′-0″ 2 EPOXY COATED

REINFORCING STEEL 4622 LE

CLASS AA CONCRETE 26.7 CY

CONCRETE BARRIER RAIL 196.67

** INDICATES EPOXY COATED
REINFORCING STEEL

NOTES:

THE BARRIER RAIL IN THE SPAN SHALL NOT BE CAST UNTIL ALL SLAB CONCRETE IN THAT SPAN HAS BEEN CAST AND HAS REACHED A MINIMUM COMPRESSIVE STRENGTH OF 3,000 PSI.

ALL REINFORCING STEEL IN BARRIER RAILS SHALL BE EPOXY COATED.

GROOVED CONTRACTION JOINTS, ½"IN DEPTH, SHALL BE TOOLED IN ALL EXPOSED FACES OF THE BARRIER RAIL AND IN ACCORDANCE WITH ARTICLE 825-10(B) OF THE STANDARD SPECIFICATIONS. THE CONTRACTION JOINT SHALL BE LOCATED AT EACH THIRD POINT BETWEEN BARRIER RAIL EXPANSION JOINTS. ONLY ONE CONTRACTION JOINT IS REQUIRED AT MIDPOINT OF BARRIER RAIL SEGMENTS LESS THAN 20 FEET IN LENGTH AND NO CONTRACTION JOINTS ARE REQUIRED FOR THOSE SEGMENTS LESS THAN 10 FEET IN LENGTH.

#5 S11 AND #5 S13 BARS MAY BE SHIFTED AS NECESSARY TO MAINTAIN 2"MINIMUM CLEARANCE TO THE 1/2" EXPANSION JOINT MATERIAL.

PROJECT NO. B-5652

ONSLOW COUNTY

STATION: 20+64.00 -L_RT-

SHEET 2 OF 2

STATE OF NORTH CAROLINA

DEPARTMENT OF TRANSPORTATION
RALEIGH
SUPERSTRUCTURE

CONCRETE BARRIER RAIL

TOTAL SHEETS

9/14/2022 | 5:22 AM PC NO. BY: DATE: NO. BY: DATE: S-14

5640 Dillard Drive, Suite 200 Cary, NC 27518

LICENSURE NO. C-4434

DOCUMENT NOT CONSIDERED FINAL
UNLESS ALL SIGNATURES COMPLETED


DATE: <u>5-22</u>
DATE: <u>5-22</u>
DATE: <u>5-22</u>

T. BANKOVICH

CHECKED BY: J.A. BATTS

47/8" 1'-6"
47/8" 33/8"
23/4"CL.

END OF RAIL DETAILS



NOTES:

THE GUARDRAIL ANCHOR ASSEMBLY SHALL CONSIST OF A $\frac{1}{4}$ " HOLD-DOWN PLATE AND 4 - $\frac{7}{8}$ " Ø BOLTS WITH NUTS AND WASHERS, RUBRAIL, AND ADHESIVELY ANCHORED BOLTS.

THE HOLD-DOWN PLATE SHALL CONFORM TO AASHTO M270 GRADE 36. AFTER FABRICATION, THE HOLD-DOWN PLATE SHALL BE HOT-DIP GALVANIZED IN ACCORDANCE WITH AASHTO M111.

BOLTS SHALL CONFORM TO THE REQUIREMENTS OF ASTM A307 AND NUTS SHALL CONFORM TO THE REQUIREMENTS OF AASHTO M291. BOLTS, NUTS AND WASHERS SHALL BE GALVANIZED. (AT THE CONTRACTOR'S OPTION, STAINLESS STEEL BOLTS, NUTS AND WASHERS MAY BE USED AS AN ALTERNATE FOR THE 1/8" Ø GALVANIZED BOLTS, NUTS AND WASHERS. THEY SHALL CONFORM TO OR EXCEED THE MECHANICAL REQUIREMENTS OF ASTM A307. THE USE OF THIS ALTERNATE SHALL BE APPROVED BY THE ENGINEER.)


THE GUARDRAIL ANCHOR ASSEMBLY IS REQUIRED AT ALL POINTS WHERE APPROACH GUARDRAIL IS TO BE ATTACHED TO THE END OF BARRIER RAIL. FOR POINTS OF ATTACHMENT, SEE SKETCH.

AFTER INSTALLATION, THE EXPOSED THREAD OF THE BOLT SHALL BE BURRED WITH A SHARP POINTED TOOL.

THE COST OF THE GUARDRAIL ANCHOR ASSEMBLY SHALL BE INCLUDED IN THE UNIT CONTRACT PRICE BID FOR CONCRETE BARRIER RAIL.

THE 1 $\frac{1}{4}$ " Ø HOLES SHALL BE FORMED OR DRILLED WITH A CORE BIT. IMPACT TOOLS WILL NOT BE PERMITTED. ANY CONCRETE DAMAGED BY THIS WORK SHALL BE REPAIRED TO THE SATISFACTION OF THE ENGINEER.

THE C6 X 8.2 RUBRAIL IS TO BE ADHESIVELY ANCHORED TO THE RAIL USING THREE 3/4" Ø X 6"BOLTS WITH WASHERS. LEVEL ONE FIELD TESTING IS REQUIRED, AND THE YIELD LOAD OF THE $\frac{3}{4}$ " Ø BOLT IS 12 KIPS. FOR ADHESIVELY ANCHORED ANCHOR BOLTS OR DOWELS, SEE STANDARD SPECIFICATIONS. SEE ROADWAY STANDARD 862.03 FOR DETAILS AND LOCATION OF THE RUBRAIL.



SKETCH SHOWING POINTS OF ATTACHMENTS * DENOTES GUARDRAIL ANCHOR ASSEMBLY

> PROJECT NO. B-5652ONSLOW COUNTY STATION:20+64.00 -L_RT-

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION SUPERSTRUCTURE

5640 Dillard Drive, Suite 200 Cary, NC 27518


GUARDRAIL ANCHORAGE FOR BARRIER RAIL

9/14/2022 | 5:22 AM

PI	т	_ REVISIONS											
- 1	NO.	BY:	DATE:	NO.	BY:	DATE:	S-15						
	1			3			TOTAL SHEETS						
	2			A			26						

LICENSURE NO. C-4434 **DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED**

T. BANKOVICH DATE: 5-22
DATE: 5-22
DATE: 5-22 CHECKED BY: J.A. BATTS



GROOVING BRIDGE FLOORS


CITE CITE CITE C	
APPROACH SLABS	1,642 SF
BRIDGE DECK	3,331 SF
TOTAL	<u>4,973</u> SF

——BAR TYPES——	
$\frac{1'-7^{13}/_{16}"}{3'-67/_{16}"}$ $\frac{8'-0"}{4'-0"}$ $\frac{51}{52}$ $\frac{3'-2"}{2'-4"}$ $\frac{11}{2'-4"}$	
1,-e" 1,-7 3/e" 3/-6/he" 3/-11" 2/-11" 2/-11" 2/-11"	
ALL BAR DIMENSIONS ARE OUT TO OUT	


ALL	BAR	DIMENSIONS	ARE	OUT	ΤO	00.

	SUPERSTRUCTURE BILL OF MATERIAL					
	CLASS AA CONCRETE	REINFORCING STEEL	EPOXY COATED REINFORCING STEEL			
	CY	LB	LB			
POUR 1	107.3					
POUR 2	57 . 6					
TOTALS**	164.9	13 , 525	14,510			

** QUANTITIES FOR CONCRETE BARRIER RAILS ARE NOT INCLUDED



LAYOUT FOR COMPUTING AREA OF REINFORCED CONCRETE DECK SLAB & POUR SEQUENCE



TRANSVERSE CONSTRUCTION JOINT DETAIL

NOTE: REINFORCING STEEL IN SLAB NOT SHOWN. LONGITUDINAL REINFORCING STEEL SHALL BE CONTINUOUS THRU JOINT.

PROJECT NO. B-5652 ONSLOW COUNTY

BILL OF MATERIAL

SPAN A

BAR | NO. | SIZE | TYPE | LENGTH | WEIGHT

#5 | STR | 50'-1"

#4 | STR | 39'-11"

6'-0"

6′-10″

7′-6″

6′-6″

1′-8″

2'-1"

2'-5"

1'-11"

11'-10"

10'-6"

11'-0"

10'-2"

7536

5015

4866

1272

267

35

443

393

441

13525 LB

14510 LE

* A1 | 181 | #5 | STR | 39'-11"

A2 181 #5 STR 39'-11"

*B2 | 162 | #6 | STR | 20'-0"

*B3 58 #4 STR 32'-10"

#4 STR

#4

#4

#4

#4 | 1

96

10

8

4

60

8 |

* EPOXY COATED

REINFORCING STEEL

REINFORCING STEEL

* S1 | 56 |

* S2 | 56 |

К3

Κ7

STATION: 20+64.00 -L_RT-

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION SUPERSTRUCTURE

BILL OF MATERIAL

5640 Dillard Drive, Suite 200 Cary, NC 27518 LICENSURE NO. C-4434


MOINEL CONTRACTOR		
9/14/2022 5:22 AM PD	_	REVISIONS
3/ 17/ 2022 3.22 AN FD		


SHEET NO. S-16 NO. BY: DATE: TOTAL SHEETS **DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED**

DATE: 5-22
DATE: 5-22
DATE: 5-22 T. BANKOVICH CHECKED BY: J.A. BATTS DESIGN ENGINEER OF RECORD: J.A. BATTS

SPAN A

SQ. FT. = 3,958





TOTAL SHEETS 26


BAGGED STONE AND PIPE SHALL BE PLACED IMMEDIATELY AFTER COMPLETION OF END BENT EXCAVATION. PIPE MAY BE EITHER CONCRETE, CORRUGATED STEEL, CORRUGATED ALUMINUM ALLOY, OR CORRUGATED PLASTIC. PERFORATED PIPE WILL NOT BE ALLOWED.

BAGGED STONE SHALL REMAIN IN PLACE UNTIL THE ENGINEER DIRECTS THAT IT BE REMOVED. THE CONTRACTOR SHALL REMOVE AND DISPOSE OF SILT ACCUMULATIONS AT BAGGED STONE WHEN SO DIRECTED BY THE ENGINEER. BAGS SHALL BE REMOVED AND REPLACED WHENEVER THE ENGINEER DETER-MINES THAT THEY HAVE DETERIORATED AND LOST THEIR EFFECTIVENESS.

NO SEPARATE PAYMENT WILL BE MADE FOR THIS WORK AND THE ENTIRE COST OF THIS WORK SHALL BE INCLUDED IN THE UNIT CONTRACT PRICE BID FOR THE SEVERAL PAY ITEMS.

TEMPORARY DRAINAGE AT END BENT

1'-0" . 9" . 9" . 1'-0" #4 V1 (TYP.) *-*−#5 S2 5-#9 B1----2"CL. (TYP.) - 4-#4 B3 @ 4″CTS. #4 B2 (EA.FACE)— #5 S1-#4 B2 (EA.FACE)— FILL FACE — #4 B2 (EA.FACE)— 4-#10 B5-#4 S3-3″HIGH B.B.─ 2'-4"Ø CONCRETE → COLLAR © PP 16 X .50— STEEL PIPE PILE 1'-9" 3′-6″ SECTION A-A S.D. COOPER



PROJECT NO. B-5652ONSLOW COUNTY

STATION:20+64.00 -L_RT-

SHEET 3 OF 3


STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION SUBSTRUCTURE

END BENT 1

5640 Dillard Drive, Suite 200 Cary, NC 27518 9/14/2022 | 5:22 AM

SHEET NO. REVISIONS S-19 NO. BY: NO. BY: LICENSURE NO. C-4434 DATE: DATE: TOTAL SHEETS **DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED**

DATE: 5-22
DATE: 5-22
DATE: 5-22 CHECKED BY: J.A. BATTS DESIGN ENGINEER OF RECORD: J.A. BATTS




#4 V1 BARS MAY BE SHIFTED SLIGHTLY TO AVOID STIRRUPS

FOR SECTION A-A, SEE SHEET 3 OF 3.

THE TOP SURFACE OF THE END BENT CAP AND WINGS (POUR 1), EXCLUDING THE BEARING AREA, SHALL BE RAKED TO A DEPTH

FOR PIPE PILE DETAILS, SEE "16" STEEL PIPE PILE" SHEET.



(TYP.EA.GIRDER)


PROJECT NO. B-5652 ONSLOW COUNTY STATION: 20+64.00 -L_RT-

SHEET 1 OF 3

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION SUBSTRUCTURE

END BENT 2

17,100							
5:22 AM PI	REVISIONS						SHEET
) J.ZZ AN FI	NO.	BY:	DATE:	NO.	BY:	DATE:	S-2
	1			3			TOT/ SHEE




BAGGED STONE AND PIPE SHALL BE PLACED IMMEDIATELY AFTER COMPLETION OF END BENT EXCAVATION. PIPE MAY BE EITHER CONCRETE, CORRUGATED STEEL, CORRUGATED ALUMINUM ALLOY, OR CORRUGATED PLASTIC. PERFORATED PIPE WILL NOT BE ALLOWED.

BAGGED STONE SHALL REMAIN IN PLACE UNTIL THE ENGINEER DIRECTS THAT IT BE REMOVED. THE CONTRACTOR SHALL REMOVE AND DISPOSE OF SILT ACCUMULATIONS AT BAGGED STONE WHEN SO DIRECTED BY THE ENGINEER. BAGS SHALL BE REMOVED AND REPLACED WHENEVER THE ENGINEER DETER-MINES THAT THEY HAVE DETERIORATED AND LOST THEIR EFFECTIVENESS.

NO SEPARATE PAYMENT WILL BE MADE FOR THIS WORK AND THE ENTIRE COST OF THIS WORK SHALL BE INCLUDED IN THE UNIT CONTRACT PRICE BID FOR THE SEVERAL PAY ITEMS.

TEMPORARY DRAINAGE AT END BENT



45'-10" 1′-5″ 45'-10" 3'-2"

-BAR TYPES-BILL OF MATERIAL END BENT 2 BAR | NO. | SIZE | TYPE | LENGTH | WEIGHT #9 | 1 48′-4″ 822 5 #4 | STR | 24'-4" B2 195 12 1'-3" B1 11'-10" #4 STR 130 24'-4" В4 1'-5" B5 #4 STR 25 3′-2″ B5 48'-8" 838 #10 4 1057 80 #5 12'-8" #4 | STR | 3′-8″ 48 118 60 #5 11'-4" 709 S2 256 60 #5 4'-1" S3 32 173 #4 5 8'-1" #4 | STR | 5′-9″ 68 261 465 72 #4 | STR | 9′-8″ TOTAL REINFORCING STEEL 5049 LB CLASS AA CONCRETE POUR 1 ——1'-3"LAP (CAP, COLLARS, & LOWER WINGS) 30.2 CY POUR 2 (UPPER WINGS) 6.5 CY TOTAL CLASS AA CONCRETE 36.7 CY PILE DRIVING EQUIPMENT SETUP FOR PP 16 X 0.50 GALVANIZED STEEL PILES 8 EA 2'-2" PP 16 X 0.50 GALVANIZED STEEL PILES 440 LF NO.8 PIPE PILE PLATES 8 EA ALL BAR DIMENSIONS ARE OUT TO OUT PILE REDRIVES 4 EA

> PROJECT NO. B-5652ONSLOW COUNTY

STATION:20+64.00 -L_RT-

STATE OF NORTH CAROLINA

SHEET 3 OF 3

DEPARTMENT OF TRANSPORTATION SUBSTRUCTURE END BENT 2

LICENSURE NO. C-4434


5640 Dillard Drive, Suite 200 Cary, NC 27518

9/14/2022 | 5:22 AM **DOCUMENT NOT CONSIDERED FINAL**

UNLESS ALL SIGNATURES COMPLETED

SHEET NO. REVISIONS S-22 NO. BY: NO. BY: DATE: DATE: TOTAL SHEETS

DATE: 5-22
DATE: 5-22
DATE: 5-22 S.D. COOPER CHECKED BY: J.A. BATTS




PP 16 X 0.50 GALVANIZED STEEL PILE

SEE PIPE PILE PLATE DETAIL

ELEVATION

PP 16 X 0.50 GALVANIZED STEEL PILE

(CLOSED END)



PIPE PILE SPLICE DETAIL

NOTES:

PIPE PILES SHALL BE IN ACCORDANCE WITH SECTION 1084 OF THE STANDARD SPECIFICATIONS.

GALVANIZE THE FULL LENGTH OF EACH END BENT PILE IN ACCORDANCE WITH SECTION 1076 OF THE STANDARD SPECIFICATIONS.

GALVANIZE STEEL PIPE PILES IN ACCORDANCE WITH SECTION 1076 OF THE STANDARD SPECIFICATIONS UNLESS METALLIZING IS REQUIRED. GALVANIZING OR METALLIZING PIPE PILE PLATES IS NOT REQUIRED.

PIPE PILE PLATES SHALL BE IN ACCORDANCE WITH SECTION 450 OF THE STANDARD SPECIFICATIONS.

REMOVE AND REPLACE OR REPAIR TO THE SATISFACTION OF THE ENGINEER PILES THAT ARE DAMAGED, DEFORMED OR COLLAPSED DURING INSTALLATION OR DRIVING.

PILE SPLICES SHALL BE IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS AND AWS D1.1.

THE GALVANIZING IS CONSIDERED INCIDENTAL TO THE CONTRACT UNIT PRICE BID PER LINEAR FOOT FOR PP 16 X 0.50 GALVANIZED STEEL PILES.

THE CONTRACTOR MAY PROPOSE AN ALTERNATE METHOD FOR PLUGGING THE STEEL PIPE PILE, SUBJECT TO APPROVAL BY THE ENGINEER.

> PROJECT NO. <u>B-5652</u> ONSLOW COUNTY STATION: 20+64.00 -L_RT-

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

RALEIGH

SUBSTRUCTURE

5640 Dillard Drive, Suite 200 Cary, NC 27518

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED


9/14/2022 | 5:22 AM


16"STEEL PIPE PILE

LICENSURE NO. C-4434

REVISIONS SHEET NO. S-23 NO. BY: NO. BY: DATE: DATE: TOTAL SHEETS

DRAWN BY: S.D. COOPER CHECKED BY: J.A. BATTS __ DATE: 5-22 _ DATE: 5-22 _ DATE: 5-22 DESIGN ENGINEER OF RECORD: J.A. BATTS





NOTES:

APPROACH SLAB SHALL NOT BE CONSTRUCTED PRIOR TO COMPLETION OF THE BRIDGE DECK.

FOR BRIDGE APPROACH FILL INCLUDING GEOTEXTILE, 6" Ø DRAINAGE PIPE, AND SELECT MATERIAL, SEE ROADWAY PLANS.

GEOTEXTILE SHALL BE TYPE 1 IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS SECTION 1056.

SELECT MATERIAL BACKFILL (CLASS V OR CLASS VI) SHALL BE IN ACCORDANCE WITH STANDARD SPECIFICATIONS SECTION 1016.

SELECT MATERIAL BACKFILL IS TO BE CONTINUOUS ALONG FILL FACE OF BACKWALL FROM OUTSIDE EDGE TO OUTSIDE EDGE OF APPROACH SLAB.

FOR THE 6" Ø DRAINAGE PIPE OUTLET(S), SEE ROADWAY STANDARD DRAWINGS.

AREA BETWEEN THE WINGWALL AND APPROACH SLAB SHALL BE GRADED TO DRAIN THE WATER AWAY FROM THE FILL FACE OF THE BRIDGE AND SHALL BE PAVED. SEE ROADWAY PLANS.

THE JOINT OPENING AT THE APPROACH SLAB/DECK INTERFACE SHALL BE SAWED NO MORE THAN 12 HOURS AFTER THE APPROACH SLAB IS CAST. THE JOINT SHALL BE CLEANED OF ALL DEBRIS BEFORE THE SEALANT IS APPLIED. THE JOINT SEALER MATERIAL SHALL CONFORM TO THE REQUIREMENTS OF SECTION 1028-3 OF THE STANDARD SPECIFICATIONS.

AT THE CONTRACTORS OPTION, "TYPE A - ALTERNATE APPROACH FILL" IN LIEU OF "TYPE I - STANDARD APPROACH FILL" MAY BE CONSTRUCTED AT NO ADDITIONAL COST TO THE DEPARTMENT. SEE SHEET 2 OF 2 FOR DETAILS AND NOTES.


BILL OF MATERIAL							
FOR ONE APPROACH SLAB (2 REQUIRED)							
BAR	NO.	SIZE	TYPE	LENGTH	WEIGHT		
* A1	26	#4	STR	38'-0"	660		
A2	26	#4	STR	38'-0"	660		
∗ B1	77	#5	STR	24'-4"	1954		
B2	77	#6	STR	24'-8"	2853		
REINFORCING STEEL 3513 LB							
* EPOXY COATED							

2614 LB


41.5 CY

REINFORCING STEEL

CLASS AA CONCRETE



CURB DETAILS



PROJECT NO. B-5652ONSLOW COUNTY

STATION:20+64.00 -L_RT-

SHEET 1 OF 2

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION


BRIDGE APPROACH SLAB FOR INTEGRAL



ston	I OIN INTEGNAL
AL 056 INEER	ABUTMENT WITH FLEXIBLE PAVEMENT

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

	SHEET NO.				
BY:	BY: DATE: NO. BY:				S-25
		®			TOTAL SHEETS
		4			26



STANDARD NOTES

DESIGN DATA:

SPECIFICATIONS	A.A.S.H.T.O. (CURRENT)
LIVE LOAD	SEE PLANS
IMPACT ALLOWANCE	SEE A.A.S.H.T.O.
STRESS IN EXTREME FIBER OF	
STRUCTURAL STEEL - AASHTO M270 GRADE 36 -	20,000 LBS. PER SQ. IN.
- AASHTO M270 GRADE 50W -	27,000 LBS. PER SQ. IN.
- AASHTO M270 GRADE 50 -	27,000 LBS. PER SQ. IN.
REINFORCING STEEL IN TENSION	
GRADE 60	24,000 LBS. PER SQ. IN.
CONCRETE IN COMPRESSION	1,200 LBS. PER SQ. IN.
CONCRETE IN SHEAR	SEE A.A.S.H.T.O.
STRUCTURAL TIMBER - TREATED OR	
UNTREATED - EXTREME FIBER STRESS	1,800 LBS. PER SQ. IN.
COMPRESSION PERPENDICULAR TO GRAIN OF TIMBER	375 LBS. PER SQ. IN.
EQUIVALENT FLUID PRESSURE OF EARTH	30 LBS. PER CU. FT.

MATERIAL AND WORKMANSHIP:

EXCEPT AS MAY OTHERWISE BE SPECIFIED ON PLANS OR IN THE SPECIAL PROVISIONS, ALL MATERIAL AND WORKMANSHIP SHALL BE IN ACCORDANCE WITH THE 2018 "STANDARD SPECIFICATIONS FOR ROADS AND STRUCTURES" OF THE N. C. DEPARTMENT OF TRANSPORTATION.

(MINIMUM)

STEEL SHEET PILING FOR PERMANENT OR TEMPORARY APPLICATIONS SHALL BE HOT ROLLED.

CONCRETE:

UNLESS OTHERWISE REQUIRED ON PLANS, CLASS A CONCRETE SHALL BE USED FOR ALL PORTIONS OF ALL STRUCTURES WITH THE EXCEPTION THAT: CLASS AA CONCRETE SHALL BE USED IN BRIDGE SUPERSTRUCTURES, ABUTMENT BACKWALLS, AND APPROACH SLABS; AND CLASS B CONCRETE SHALL BE USED FOR SLOPE PROTECTION AND RIP RAP.

CONCRETE CHAMFERS:

UNLESS OTHERWISE NOTED ON THE PLANS, ALL EXPOSED CORNERS ON STRUCTURES SHALL BE CHAMFERED 3/4"WITH THE FOLLOWING EXCEPTIONS: TOP CORNERS OF CURBS MAY BE ROUNDED TO 1-1/2"RADIUS WHICH IS BUILT INTO CURB FORMS; CORNERS OF TRANSVERSE FLOOR EXPANSION JOINTS SHALL BE ROUNDED WITH A 1/4"FINISHING TOOL UNLESS OTHERWISE REQUIRED ON PLANS; AND CORNERS OF EXPANSION JOINTS IN THE ROADWAY FACES AND TOPS OF CURBS AND SIDEWALKS SHALL BE ROUNDED TO A 1/4"RADIUS WITH A FINISHING STONE OR TOOL UNLESS OTHERWISE REQUIRED ON PLANS.

DOWELS:

DOWELS WHEN INDICATED ON PLANS AS FOR CULVERT EXTENSIONS, SHALL BE EMBEDDED AT LEAST 12" INTO THE OLD CONCRETE AND GROUTED INTO PLACE WITH 1:2 CEMENT MORTAR.

ALLOWANCE FOR DEAD LOAD DEFLECTION, SETTLEMENT:

ETC. IN CASTING SUPERSTRUCTURES:

BRIDGES SHALL BE BUILT ON THE GRADE OR VERTICAL CURVE SHOWN ON PLANS.
SLABS, CURBS AND PARAPETS SHALL CONFORM TO THE GRADE OR CURVE.
ALL DIMENSIONS WHICH ARE GIVEN IN SECTION AND ARE AFFECTED BY DEAD LOAD DEFLECTIONS ARE DIMENSIONS AT CENTER LINE OF BEARING UNLESS OTHERWISE NOTED ON PLANS. IN SETTING FORMS FOR STEEL BEAM BRIDGES AND PRESTRESSED CONCRETE GIRDER BRIDGES, ADJUSTMENTS SHALL BE MADE DUE TO THE DEAD LOAD DEFLECTIONS FOR THE ELEVATIONS SHOWN. WHERE BLOCKS ARE SHOWN OVER BEAMS FOR BUILDING UP TO THE SLAB, THE VERTICAL DIMENSIONS OF THE BLOCKS SHALL BE ADJUSTED BETWEEN BEARINGS TO COMPENSATE FOR DEAD LOAD DEFLECTIONS, VERTICAL CURVE ORDINATE, AND ACTUAL BEAM CAMBER. WHERE BOTTOM OF SLAB IS IN LINE WITH BOTTOM OF TOP FLANGES, DEPTH OF SLAB BETWEEN BEARINGS SHALL BE ADJUSTED TO COMPENSATE FOR DEAD LOAD DEFLECTION, VERTICAL CURVE ORDINATE, AND ACTUAL BEAM CAMBER.

IN SETTING FALSEWORK AND FORMS FOR REINFORCED CONCRETE SPANS, AN ALLOWANCE SHALL BE MADE FOR DEAD LOAD DEFLECTIONS, SETTLEMENT OF FALSEWORK, AND PERMANENT CAMBER WHICH SHALL BE PROVIDED FOR IN ADDITION TO THE ELEVATIONS SHOWN. AFTER REMOVAL OF THE FALSEWORK, THE FINISHED STRUCTURES SHALL CONFORM TO THE PROFILE AND ELEVATIONS SHOWN ON THE PLANS AND

CONSTRUCTION ELEVATIONS FURNISHED BY THE ENGINEER.

DETAILED DRAWINGS FOR FALSEWORK OR FORMS FOR BRIDGE SUPERSTRUCTURE
AND ANY STRUCTURE OR PARTS OF A STRUCTURE AS NOTED ON THE PLANS SHALL
BE SUBMITTED TO THE ENGINEER FOR APPROVAL BEFORE CONSTRUCTION OF THE
FALSEWORK OR FORMS IS STARTED.

REINFORCING STEEL:

ALL REINFORCING STEEL SHALL BE DEFORMED. DIMENSIONS RELATIVE TO PLACEMENT OF REINFORCING ARE TO CENTERS OF BARS UNLESS OTHERWISE INDICATED IN THE PLANS. DIMENSIONS ON BAR DETAILS ARE TO CENTERS OF BARS OR ARE OUT TO OUT AS INDICATED ON PLANS.

WIRE BAR SUPPORTS SHALL BE PROVIDED FOR REINFORCING STEEL WHERE INDICATED ON THE PLANS. WHEN BAR SUPPORT PIECES ARE PLACED IN CONTINUOUS LINES, THEY SHALL BE SO PLACED THAT THE ENDS OF THE SUPPORTING WIRES SHALL BE LAPPED TO LOCK LEGS ON ADJOINING PIECES.

STRUCTURAL STEEL:

AT THE CONTRACTOR'S OPTION, HE MAY SUBSTITUTE 7/8"Ø SHEAR STUDS FOR THE 3/4"Ø STUDS SPECIFIED ON THE PLANS. THIS SUBSTITUTION SHALL BE MADE AT THE RATE OF 3 - 7/8"Ø STUDS FOR 4 - 3/4"Ø STUDS, AND STUD SPACING CHANGES SHALL BE MADE AS NECESSARY TO PROVIDE THE SAME EQUIVALENT NUMBER OF 7/8"Ø STUDS ALONG THE BEAM AS SHOWN FOR 3/4"Ø STUDS BASED ON THE RATIO OF 3 - 7/8"Ø STUDS FOR 4 - 3/4"Ø STUDS. STUDS OF THE LENGTH SPECIFIED ON THE PLANS MUST BE PROVIDED. THE MAXIMUM SPACING SHALL BE 2'-0".

EXCEPT AT THE INTERIOR SUPPORTS OF CONTINUOUS BEAMS WHERE THE COVER PLATE IS IN CONTACT WITH BEARING PLATE, THE CONTRACTOR MAY, AT HIS OPTION, SUBSTITUTE FOR THE COVER PLATES DESIGNATED ON THE PLANS COVER PLATES OF THE EQUIVALENT AREA PROVIDED THESE PLATES ARE AT LEAST 5/16"IN THICKNESS AND DO NOT EXCEED A WIDTH EQUAL TO THE FLANGE WIDTH LESS 2"OR A THICKNESS EQUAL TO 2 TIMES THE FLANGE THICKNESS. THE SIZE OF FILLET WELDS SHALL CONFORM TO THE REQUIREMENTS OF THE CURRENT ANSI/AASHTO/AWS "BRIDGE WELDING CODE".

ELECTROSLAG WELDING WILL NOT BE PERMITTED.

WITH THE SOLE EXCEPTION OF EDGES AT SURFACES WHICH BEAR ON OTHER SURFACES, ALL SHARP EDGES AND ENDS OF SHAPES AND PLATES SHALL BE SLIGHTLY ROUNDED BY SUITABLE MEANS TO A RADIUS OF APPROXIMATELY 1/16 INCH OR EQUIVALENT FLAT SURFACE AT A SUITABLE ANGLE PRIOR TO PAINTING, GALVANIZING, OR METALLIZING.

HANDRAILS AND POSTS:

METAL STANDARDS AND FACES OF THE CONCRETE END POSTS FOR THE METAL RAIL SHALL BE SET NORMAL TO THE GRADE OF THE CURB, UNLESS OTHERWISE SHOWN ON PLANS. THE METAL RAIL AND TOPS OF CONCRETE POSTS USED WITH THE ALUMINUM RAIL SHALL BE BUILT PARALLEL TO THE GRADE OF THE CURB.

METAL HANDRAILS SHALL BE IN ACCORDANCE WITH THE PLANS. RAILS SHALL BE AS MANUFACTURED FOR BRIDGE RAILING. CASTINGS SHALL BE OF A UNIFORM APPEARANCE. FINS AND OTHER DEFORMATIONS RESULTING FROM CASTING OR OTHERWISE SHALL BE REMOVED IN A MANNER SO THAT A UNIFORM COLORING OF THE COMPLETED CASTING SHALL BE OBTAINED. CASTINGS WITH DISCOLORATIONS OR OF NON-UNIFORM COLORING WILL NOT BE ACCEPTED. CERTIFIED MILL REPORTS ARE REQUIRED FOR METAL RAILS AND POSTS.

SPECIAL NOTES:

GENERALLY, IN CASE OF DISCREPANCY, THIS STANDARD SHEET OF NOTES SHALL GOVERN OVER THE SPECIFICATIONS, BUT THE REMAINDER OF THE PLANS SHALL GOVERN OVER NOTES HEREON, AND SPECIAL PROVISIONS SHALL GOVERN OVER ALL. SEE SPECIFICATIONS ARTICLE 105-4.