






6/12/99


PROJECT REFERENCE NO. <i>BR-0100</i>	SHEET NO. <i>2A-2</i>
ROADWAY DESIGN ENGINEER 12/18/2024 	PAVEMENT DESIGN ENGINEER 12/17/2024 
<b>DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED</b>	
 WSP USA 434 FAYETTEVILLE STREET SUITE 1500 RALEIGH, NC 27601 TEL: 1.919.836.4040 FAX: 1.919.836.4099 LICENSE NO. F-0165	




**TYPICAL SECTION NO. 4**  
 -DET- STA. 12+56.65 TO STA. 17+14.44 (BEGIN BRIDGE)  
 -DET- STA. 18+57.01 (END BRIDGE) TO STA. 24+32.01




**BRIDGE TYPICAL SECTION NO. 5**  
 -L- STA. 17+47.83 TO STA. 19+08.17



**BRIDGE TYPICAL SECTION NO. 6**  
 -DET- STA. 17+14.44 TO STA. 18+57.01



**TYPICAL SECTION NO. 7**  
 -DRI- STA. 10+11.00 TO STA. 10+61.00



**TYPICAL SECTION NO. 8**  
 -DRI- STA. 10+61.00 TO STA. 11+69.87

**FINAL PAVEMENT SCHEDULE**

C1	PROP. APPROX. 2.5" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 137.5 LBS. PER SQ. YD. IN EACH OF TWO LAYERS.
C4	PROP. APPROX. 2.0" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 110 LBS. PER SQ. YD. IN EACH OF TWO LAYERS.
J1	PROP. 6" AGGREGATE BASE COURSE.
J2	PROP. 8" AGGREGATE BASE COURSE.
P	PRIME COAT AT THE RATE OF .35 GAL. PER SQ. YD.
T	EARTH MATERIAL.

NOTES:  
 1. ALL PAVEMENT EDGE SLOPES ARE 1:1 UNLESS OTHERWISE NOTED.

20-NOV-2024 14:12  
 N:\Roadway\Proj\BR-0100\_rdy\_2A-1.dgn  
 WSP