

REFERENCE: R-5930

PROJECT: 48548

SEE SHEET 3 FOR PLAN SHEET LAYOUT AT TIME OF INVESTIGATION

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS GEOTECHNICAL ENGINEERING UNIT

Table with 4 columns: STATE, STATE PROJECT REFERENCE NO., SHEET NO., TOTAL SHEETS. Values: N.C., R-5930, 1, 1

CONTENTS

Table with 5 columns: LINE, STATION, PLAN, PROFILE, CROSS SECTIONS. Lists various line items and their corresponding stationing and plan/profile numbers.

APPENDICES

Table with 3 columns: APPENDIX, TITLE, SHEETS. Lists Appendix A: LABORATORY TEST RESULTS, 79-81.

ROADWAY SUBSURFACE INVESTIGATION

COUNTY CHATHAM PROJECT DESCRIPTION CHATHAM PARK WAY - NEW LOCATION ROADWAY FROM NORTH OF SUTTLES ROAD TO US 15/501

INVENTORY

CAUTION NOTICE

THE SUBSURFACE INFORMATION AND THE SUBSURFACE INVESTIGATION ON WHICH IT IS BASED WERE MADE FOR THE PURPOSE OF STUDY, PLANNING AND DESIGN, AND NOT FOR CONSTRUCTION OR PAY PURPOSES.

GENERAL SOIL AND ROCK STRATA DESCRIPTIONS AND INDICATED BOUNDARIES ARE BASED ON A GEOTECHNICAL INTERPRETATION OF ALL AVAILABLE SUBSURFACE DATA AND MAY NOT NECESSARILY REFLECT THE ACTUAL SUBSURFACE CONDITIONS BETWEEN BORINGS OR BETWEEN SAMPLED STRATA WITHIN THE BOREHOLE.

THE BIDDER OR CONTRACTOR IS CAUTIONED THAT DETAILS SHOWN ON THE SUBSURFACE PLANS ARE PRELIMINARY ONLY AND IN MANY CASES THE FINAL DESIGN DETAILS ARE DIFFERENT. FOR BIDDING AND CONSTRUCTION PURPOSES, REFER TO THE CONSTRUCTION PLANS AND DOCUMENTS FOR FINAL DESIGN INFORMATION ON THIS PROJECT.

- NOTES: 1. THE INFORMATION CONTAINED HEREIN IS NOT IMPLIED OR GUARANTEED BY THE N. C. DEPARTMENT OF TRANSPORTATION AS ACCURATE NOR IS IT CONSIDERED PART OF THE PLANS, SPECIFICATIONS OR CONTRACT FOR THE PROJECT. 2. BY HAVING REQUESTED THIS INFORMATION, THE CONTRACTOR SPECIFICALLY WAIVES ANY CLAIMS FOR INCREASED COMPENSATION OR EXTENSION OF TIME BASED ON DIFFERENCES BETWEEN THE CONDITIONS INDICATED HEREIN AND THE ACTUAL CONDITIONS AT THE PROJECT SITE.

PERSONNEL

M. STANBURY, PG

M. AKLAND

SUBTERRA EXP.

INVESTIGATED BY N. MOHS, LG

DRAWN BY C. STEPHENS

CHECKED BY S. JOHNSON, PE, PG

SUBMITTED BY N. MOHS, LG

DATE MARCH 2023



DocuSigned by:

Nathan Mohs, LG 03/20/2023

631A2760587444C3 SIGNATURE

DATE

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
GEOTECHNICAL ENGINEERING UNIT
SUBSURFACE INVESTIGATION
SOIL AND ROCK LEGEND, TERMS, SYMBOLS, AND ABBREVIATIONS

SOIL DESCRIPTION										GRADATION										ROCK DESCRIPTION										TERMS AND DEFINITIONS																																																																																																																																																							
SOIL IS CONSIDERED UNCONSOLIDATED, SEMI-CONSOLIDATED, OR WEATHERED EARTH MATERIALS THAT CAN BE PENETRATED WITH A CONTINUOUS FLIGHT POWER AUGER AND YIELD LESS THAN 100 BLOWS PER FOOT ACCORDING TO THE STANDARD PENETRATION TEST (AASHTO T 208, ASTM D1586). SOIL CLASSIFICATION IS BASED ON THE AASHTO SYSTEM. BASIC DESCRIPTIONS GENERALLY INCLUDE THE FOLLOWING: CONSISTENCY, COLOR, TEXTURE, MOISTURE, AASHTO CLASSIFICATION, AND OTHER PERTINENT FACTORS SUCH AS MINERALOGICAL COMPOSITION, ANGULARITY, STRUCTURE, PLASTICITY, ETC. FOR EXAMPLE, <i>VERY STIFF, GRAY, SILTY CLAY, MOIST WITH INTERBEDDED FINE SAND LAYERS, HIGHLY PLASTIC, A-7-6</i>										WELL GRADED - INDICATES A GOOD REPRESENTATION OF PARTICLE SIZES FROM FINE TO COARSE. UNIFORMLY GRADED - INDICATES THAT SOIL PARTICLES ARE ALL APPROXIMATELY THE SAME SIZE. GAP-GRADED - INDICATES A MIXTURE OF UNIFORM PARTICLE SIZES OF TWO OR MORE SIZES.										HARD ROCK IS NON-COASTAL PLAIN MATERIAL THAT WOULD YIELD SPT REFUSAL IF TESTED, AN INFERRED ROCK LINE INDICATES THE LEVEL AT WHICH NON-COASTAL PLAIN MATERIAL WOULD YIELD SPT REFUSAL. SPT REFUSAL IS PENETRATION BY A SPLIT SPOON SAMPLER EQUAL TO OR LESS THAN 0.1 FOOT PER 60 BLOWS IN NON-COASTAL PLAIN MATERIAL. THE TRANSITION BETWEEN SOIL AND ROCK IS OFTEN REPRESENTED BY A ZONE OF WEATHERED ROCK. ROCK MATERIALS ARE TYPICALLY DIVIDED AS FOLLOWS:										ALLUVIUM (ALLUV.) - SOILS THAT HAVE BEEN TRANSPORTED BY WATER. AQUIFER - A WATER BEARING FORMATION OR STRATA. ARENACEOUS - APPLIED TO ROCKS THAT HAVE BEEN DERIVED FROM SAND OR THAT CONTAIN SAND. ARGILLACEOUS - APPLIED TO ALL ROCKS OR SUBSTANCES COMPOSED OF CLAY MINERALS, OR HAVING A NOTABLE PROPORTION OF CLAY IN THEIR COMPOSITION, SUCH AS SHALE, SLATE, ETC. ARTESIAN - GROUND WATER THAT IS UNDER SUFFICIENT PRESSURE TO RISE ABOVE THE LEVEL AT WHICH IT IS ENCOUNTERED, BUT WHICH DOES NOT NECESSARILY RISE TO OR ABOVE THE GROUND SURFACE. CALCAREOUS (CALC.) - SOILS THAT CONTAIN APPRECIABLE AMOUNTS OF CALCIUM CARBONATE. COLLUVIUM - ROCK FRAGMENTS MIXED WITH SOIL DEPOSITED BY GRAVITY ON SLOPE OR AT BOTTOM OF SLOPE. CORE RECOVERY (REC.) - TOTAL LENGTH OF ALL MATERIAL RECOVERED IN THE CORE BARREL DIVIDED BY TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE. DIKE - A TABULAR BODY OF IGNEOUS ROCK THAT CUTS ACROSS THE STRUCTURE OF ADJACENT ROCKS OR CUTS MASSIVE ROCK. DIP - THE ANGLE AT WHICH A STRATUM OR ANY PLANAR FEATURE IS INCLINED FROM THE HORIZONTAL. DIP DIRECTION (DIP AZIMUTH) - THE DIRECTION OR BEARING OF THE HORIZONTAL TRACE OF THE LINE OF DIP, MEASURED CLOCKWISE FROM NORTH. FAULT - A FRACTURE OR FRACTURE ZONE ALONG WHICH THERE HAS BEEN DISPLACEMENT OF THE SIDES RELATIVE TO ONE ANOTHER PARALLEL TO THE FRACTURE. FISSILE - A PROPERTY OF SPLITTING ALONG CLOSELY SPACED PARALLEL PLANES. FLOAT - ROCK FRAGMENTS ON SURFACE NEAR THEIR ORIGINAL POSITION AND DISLODGED FROM PARENT MATERIAL. FLOOD PLAIN (FP) - LAND BORDERING A STREAM, BUILT OF SEDIMENTS DEPOSITED BY THE STREAM. FORMATION (FM) - A MAPPABLE GEOLOGIC UNIT THAT CAN BE RECOGNIZED AND TRACED IN THE FIELD. JOINT - FRACTURE IN ROCK ALONG WHICH NO APPRECIABLE MOVEMENT HAS OCCURRED. LEDGE - A SHELF-LIKE RIDGE OR PROJECTION OF ROCK WHOSE THICKNESS IS SMALL COMPARED TO ITS LATERAL EXTENT. LENS - A BODY OF SOIL OR ROCK THAT THINS OUT IN ONE OR MORE DIRECTIONS. MOTTLED (MOT.) - IRREGULARLY MARKED WITH SPOTS OF DIFFERENT COLORS, MOTTLING IN SOILS USUALLY INDICATES POOR AERATION AND LACK OF GOOD DRAINAGE. PERCHED WATER - WATER MAINTAINED ABOVE THE NORMAL GROUND WATER LEVEL BY THE PRESENCE OF AN INTERVENING IMPERVIOUS STRATUM. RESIDUAL (RES.) SOIL - SOIL FORMED IN PLACE BY THE WEATHERING OF ROCK. ROCK QUALITY DESIGNATION (RQD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE. SAPROLITE (SAP.) - RESIDUAL SOIL THAT RETAINS THE RELIC STRUCTURE OR FABRIC OF THE PARENT ROCK. SILL - AN INTRUSIVE BODY OF IGNEOUS ROCK OF APPROXIMATELY UNIFORM THICKNESS AND RELATIVELY THIN COMPARED WITH ITS LATERAL EXTENT, THAT HAS BEEN EMPLACED PARALLEL TO THE BEDDING OR SCHISTOSITY OF THE INTRUDED ROCKS. SLICKENSIDE - POLISHED AND STRIATED SURFACE THAT RESULTS FROM FRICTION ALONG A FAULT OR SLIP PLANE. STANDARD PENETRATION TEST (PENETRATION RESISTANCE) (SPT) - NUMBER OF BLOWS (N OR BPF) OF A 140 LB. HAMMER FALLING 30 INCHES REQUIRED TO PRODUCE A PENETRATION OF 1 FOOT INTO SOIL WITH A 2 INCH OUTSIDE DIAMETER SPLIT SPOON SAMPLER. SPT REFUSAL IS PENETRATION EQUAL TO OR LESS THAN 0.1 FOOT PER 60 BLOWS. STRATA CORE RECOVERY (SREC.) - TOTAL LENGTH OF STRATA MATERIAL RECOVERED DIVIDED BY TOTAL LENGTH OF STRATUM AND EXPRESSED AS A PERCENTAGE. STRATA ROCK QUALITY DESIGNATION (SRQD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS WITHIN A STRATUM EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF STRATA AND EXPRESSED AS A PERCENTAGE. TOPSOIL (TS.) - SURFACE SOILS USUALLY CONTAINING ORGANIC MATTER.																																																																																																																																																							
SOIL LEGEND AND AASHTO CLASSIFICATION										ANGULARITY OF GRAINS										WEATHERED ROCK (WR)										NON-COASTAL PLAIN MATERIAL THAT WOULD YIELD SPT N VALUES > 100 BLOWS PER FOOT IF TESTED.																																																																																																																																																							
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>GENERAL CLASS.</th> <th colspan="5">GRANULAR MATERIALS (<= 35% PASSING #200)</th> <th colspan="5">SILT-CLAY MATERIALS (> 35% PASSING #200)</th> <th colspan="5">ORGANIC MATERIALS</th> </tr> <tr> <th>GROUP CLASS.</th> <th>A-1</th> <th>A-3</th> <th>A-2</th> <th>A-4</th> <th>A-5</th> <th>A-6</th> <th>A-7</th> <th>A-1, A-2</th> <th>A-3</th> <th>A-4, A-5</th> <th>A-6, A-7</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>SYMBOL</th> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <th>% PASSING</th> <td>50 MX 30 MX 15 MX</td> <td>50 MX 25 MX</td> <td>51 MN 10 MX</td> <td>35 MX 35 MX</td> <td>35 MX 35 MX</td> <td>35 MX 35 MX</td> <td>36 MN 36 MN</td> <td>36 MN 36 MN</td> <td>36 MN 36 MN</td> <td>36 MN 36 MN</td> <td>36 MN 36 MN</td> <td>GRANULAR SOILS</td> <td>SILT-CLAY SOILS</td> <td>MUCK, PEAT</td> <td></td> </tr> <tr> <th>MATERIAL PASSING #40</th> <td></td> <td></td> <td>40 MX 10 MX</td> <td>41 MN 10 MX</td> <td>40 MX 11 MN</td> <td>41 MN 11 MN</td> <td>40 MX 11 MN</td> <td>41 MN 11 MN</td> <td>40 MX 11 MN</td> <td>41 MN 11 MN</td> <td>41 MN 11 MN</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <th>GROUP INDEX</th> <td>0</td> <td>0</td> <td>0</td> <td>4 MX</td> <td>8 MX</td> <td>12 MX</td> <td>16 MX</td> <td>NO MX</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <th>USUAL TYPES OF MAJOR MATERIALS</th> <td colspan="2">STONE FRAGS. GRAVEL, AND SAND</td> <td>FINE SAND</td> <td colspan="2">SILTY OR CLAYEY GRAVEL AND SAND</td> <td>SILTY SOILS</td> <td>CLAYEY SOILS</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <th>GEN. RATING AS SUBGRADE</th> <td colspan="5">EXCELLENT TO GOOD</td> <td colspan="5">FAIR TO POOR</td> <td>FAIR TO POOR</td> <td>POOR</td> <td>UNSATURABLE</td> <td></td> </tr> <tr> <td colspan="15"> PI OF A-7-5 SUBGROUP IS ≤ LL - 30 ; PI OF A-7-6 SUBGROUP IS > LL - 30 </td> </tr> </table>										GENERAL CLASS.	GRANULAR MATERIALS (<= 35% PASSING #200)					SILT-CLAY MATERIALS (> 35% PASSING #200)					ORGANIC MATERIALS					GROUP CLASS.	A-1	A-3	A-2	A-4	A-5	A-6	A-7	A-1, A-2	A-3	A-4, A-5	A-6, A-7					SYMBOL																% PASSING	50 MX 30 MX 15 MX	50 MX 25 MX	51 MN 10 MX	35 MX 35 MX	35 MX 35 MX	35 MX 35 MX	36 MN 36 MN	36 MN 36 MN	36 MN 36 MN	36 MN 36 MN	36 MN 36 MN	GRANULAR SOILS	SILT-CLAY SOILS	MUCK, PEAT		MATERIAL PASSING #40			40 MX 10 MX	41 MN 10 MX	40 MX 11 MN	41 MN 11 MN	40 MX 11 MN	41 MN 11 MN	40 MX 11 MN	41 MN 11 MN	41 MN 11 MN					GROUP INDEX	0	0	0	4 MX	8 MX	12 MX	16 MX	NO MX								USUAL TYPES OF MAJOR MATERIALS	STONE FRAGS. GRAVEL, AND SAND		FINE SAND	SILTY OR CLAYEY GRAVEL AND SAND		SILTY SOILS	CLAYEY SOILS									GEN. RATING AS SUBGRADE	EXCELLENT TO GOOD					FAIR TO POOR					FAIR TO POOR	POOR	UNSATURABLE		PI OF A-7-5 SUBGROUP IS ≤ LL - 30 ; PI OF A-7-6 SUBGROUP IS > LL - 30															MINERALOGICAL COMPOSITION MINERAL NAMES SUCH AS QUARTZ, FELDSPAR, MICA, TALC, KAOLIN, ETC. ARE USED IN DESCRIPTIONS WHEN THEY ARE CONSIDERED OF SIGNIFICANCE.										CRYSTALLINE ROCK (CR) FINE TO COARSE GRAIN IGNEOUS AND METAMORPHIC ROCK THAT WOULD YIELD SPT REFUSAL IF TESTED. ROCK TYPE INCLUDES GRANITE, GNEISS, GABBRO, SCHIST, ETC.										NON-CRYSTALLINE ROCK (NCR) FINE TO COARSE GRAIN METAMORPHIC AND NON-COASTAL PLAIN SEDIMENTARY ROCK THAT WOULD YIELD SPT REFUSAL IF TESTED. ROCK TYPE INCLUDES PHYLLITE, SLATE, SANDSTONE, ETC.									
GENERAL CLASS.	GRANULAR MATERIALS (<= 35% PASSING #200)					SILT-CLAY MATERIALS (> 35% PASSING #200)					ORGANIC MATERIALS																																																																																																																																																																										
GROUP CLASS.	A-1	A-3	A-2	A-4	A-5	A-6	A-7	A-1, A-2	A-3	A-4, A-5	A-6, A-7																																																																																																																																																																										
SYMBOL																																																																																																																																																																																					
% PASSING	50 MX 30 MX 15 MX	50 MX 25 MX	51 MN 10 MX	35 MX 35 MX	35 MX 35 MX	35 MX 35 MX	36 MN 36 MN	36 MN 36 MN	36 MN 36 MN	36 MN 36 MN	36 MN 36 MN	GRANULAR SOILS	SILT-CLAY SOILS	MUCK, PEAT																																																																																																																																																																							
MATERIAL PASSING #40			40 MX 10 MX	41 MN 10 MX	40 MX 11 MN	41 MN 11 MN	40 MX 11 MN	41 MN 11 MN	40 MX 11 MN	41 MN 11 MN	41 MN 11 MN																																																																																																																																																																										
GROUP INDEX	0	0	0	4 MX	8 MX	12 MX	16 MX	NO MX																																																																																																																																																																													
USUAL TYPES OF MAJOR MATERIALS	STONE FRAGS. GRAVEL, AND SAND		FINE SAND	SILTY OR CLAYEY GRAVEL AND SAND		SILTY SOILS	CLAYEY SOILS																																																																																																																																																																														
GEN. RATING AS SUBGRADE	EXCELLENT TO GOOD					FAIR TO POOR					FAIR TO POOR	POOR	UNSATURABLE																																																																																																																																																																								
PI OF A-7-5 SUBGROUP IS ≤ LL - 30 ; PI OF A-7-6 SUBGROUP IS > LL - 30																																																																																																																																																																																					
COMPRESSIBILITY SLIGHTLY COMPRESSIBLE LL < 31 MODERATELY COMPRESSIBLE LL = 31 - 50 HIGHLY COMPRESSIBLE LL > 50										PERCENTAGE OF MATERIAL <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>ORGANIC MATERIAL</th> <th>GRANULAR SOILS</th> <th>SILT - CLAY SOILS</th> <th>OTHER MATERIAL</th> </tr> <tr> <td>TRACE OF ORGANIC MATTER</td> <td>2 - 3%</td> <td>3 - 5%</td> <td>TRACE</td> </tr> <tr> <td>LITTLE ORGANIC MATTER</td> <td>3 - 5%</td> <td>5 - 12%</td> <td>LITTLE</td> </tr> <tr> <td>MODERATELY ORGANIC</td> <td>5 - 10%</td> <td>12 - 20%</td> <td>SOME</td> </tr> <tr> <td>HIGHLY ORGANIC</td> <td>> 10%</td> <td>> 20%</td> <td>HIGHLY</td> </tr> </table>										ORGANIC MATERIAL	GRANULAR SOILS	SILT - CLAY SOILS	OTHER MATERIAL	TRACE OF ORGANIC MATTER	2 - 3%	3 - 5%	TRACE	LITTLE ORGANIC MATTER	3 - 5%	5 - 12%	LITTLE	MODERATELY ORGANIC	5 - 10%	12 - 20%	SOME	HIGHLY ORGANIC	> 10%	> 20%	HIGHLY	WEATHERING FRESH ROCK FRESH, CRYSTALS BRIGHT, FEW JOINTS MAY SHOW SLIGHT STAINING. ROCK RINGS UNDER HAMMER IF CRYSTALLINE. VERY SLIGHT (V SLI) ROCK GENERALLY FRESH, JOINTS STAINED, SOME JOINTS MAY SHOW THIN CLAY COATINGS IF OPEN, CRYSTALS ON A BROKEN SPECIMEN FACE SHINE BRIGHTLY. ROCK RINGS UNDER HAMMER BLOWS IF OF A CRYSTALLINE NATURE. SLIGHT (SLI) ROCK GENERALLY FRESH, JOINTS STAINED AND DISCOLORATION EXTENDS INTO ROCK UP TO 1 INCH. OPEN JOINTS MAY CONTAIN CLAY. IN GRANITOID ROCKS SOME OCCASIONAL FELDSPAR CRYSTALS ARE DULL AND DISCOLORED. CRYSTALLINE ROCKS RING UNDER HAMMER BLOWS. MODERATE (MOD.) SIGNIFICANT PORTIONS OF ROCK SHOW DISCOLORATION AND WEATHERING EFFECTS. IN GRANITOID ROCKS, MOST FELDSPARS ARE DULL AND DISCOLORED, SOME SHOW CLAY. ROCK HAS DULL SOUND UNDER HAMMER BLOWS AND SHOWS SIGNIFICANT LOSS OF STRENGTH AS COMPARED WITH FRESH ROCK. MODERATELY SEVERE (MOD. SEV.) ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. IN GRANITOID ROCKS, ALL FELDSPARS DULL AND DISCOLORED AND A MAJORITY SHOW KAOLINIZATION. ROCK SHOWS SEVERE LOSS OF STRENGTH AND CAN BE EXCAVATED WITH A GEOLOGIST'S PICK. ROCK GIVES "CLUNK" SOUND WHEN STRUCK. <i>IF TESTED, WOULD YIELD SPT REFUSAL</i> SEVERE (SEV.) ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC CLEAR AND EVIDENT BUT REDUCED IN STRENGTH TO STRONG SOIL. IN GRANITOID ROCKS ALL FELDSPARS ARE KAOLINIZED TO SOME EXTENT. SOME FRAGMENTS OF STRONG ROCK USUALLY REMAIN. <i>IF TESTED, WOULD YIELD SPT N VALUES > 100 BPF</i> VERY SEVERE (V SEV.) ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC ELEMENTS ARE DISCERNIBLE BUT MASS IS EFFECTIVELY REDUCED TO SOIL STATUS, WITH ONLY FRAGMENTS OF STRONG ROCK REMAINING. SAPROLITE IS AN EXAMPLE OF ROCK WEATHERED TO A DEGREE THAT ONLY MINOR VESTIGES OF ORIGINAL ROCK FABRIC REMAIN. <i>IF TESTED, WOULD YIELD SPT N VALUES < 100 BPF</i> COMPLETE ROCK REDUCED TO SOIL. ROCK FABRIC NOT DISCERNIBLE, OR DISCERNIBLE ONLY IN SMALL AND SCATTERED CONCENTRATIONS. QUARTZ MAY BE PRESENT AS DIKES OR STRINGERS. SAPROLITE IS ALSO AN EXAMPLE.																																																																																																																																													
ORGANIC MATERIAL	GRANULAR SOILS	SILT - CLAY SOILS	OTHER MATERIAL																																																																																																																																																																																		
TRACE OF ORGANIC MATTER	2 - 3%	3 - 5%	TRACE																																																																																																																																																																																		
LITTLE ORGANIC MATTER	3 - 5%	5 - 12%	LITTLE																																																																																																																																																																																		
MODERATELY ORGANIC	5 - 10%	12 - 20%	SOME																																																																																																																																																																																		
HIGHLY ORGANIC	> 10%	> 20%	HIGHLY																																																																																																																																																																																		
GROUND WATER WATER LEVEL IN BORE HOLE IMMEDIATELY AFTER DRILLING STATIC WATER LEVEL AFTER 24 HOURS PERCHED WATER, SATURATED ZONE, OR WATER BEARING STRATA SPRING OR SEEP										MISCELLANEOUS SYMBOLS ROADWAY EMBANKMENT (RE) WITH SOIL DESCRIPTION SOIL SYMBOL ARTIFICIAL FILL (AF) OTHER THAN ROADWAY EMBANKMENT INFERRED SOIL BOUNDARY INFERRED ROCK LINE ALLUVIAL SOIL BOUNDARY DIP & DIP DIRECTION OF ROCK STRUCTURES SPT DMT TEST BORING AUGER BORING CORE BORING MONITORING WELL PIEZOMETER INSTALLATION SLOPE INDICATOR INSTALLATION CONE PENETROMETER TEST SOUNDING ROD TEST BORING WITH CORE SPT N-VALUE																																																																																																																																																																											
TEXTURE OR GRAIN SIZE										RECOMMENDATION SYMBOLS										ROCK HARDNESS										SOIL MOISTURE - CORRELATION OF TERMS																																																																																																																																																							
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>U.S. STD. SIEVE SIZE OPENING (MM)</th> <th>4</th> <th>10</th> <th>40</th> <th>60</th> <th>200</th> <th>270</th> </tr> <tr> <td></td> <td>4.75</td> <td>2.00</td> <td>0.42</td> <td>0.25</td> <td>0.075</td> <td>0.053</td> </tr> <tr> <th>BOULDER (BLDR.)</th> <th>COBBLE (COB.)</th> <th>GRAVEL (GR.)</th> <th>COARSE SAND (CSE. SD.)</th> <th>FINE SAND (F SD.)</th> <th>SILT (SL.)</th> <th>CLAY (CL.)</th> </tr> </table>										U.S. STD. SIEVE SIZE OPENING (MM)	4	10	40	60	200	270		4.75	2.00	0.42	0.25	0.075	0.053	BOULDER (BLDR.)	COBBLE (COB.)	GRAVEL (GR.)	COARSE SAND (CSE. SD.)	FINE SAND (F SD.)	SILT (SL.)	CLAY (CL.)	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </table>																<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>GRAIN SIZE</th> <th>MM</th> <th>305</th> <th>75</th> <th>2.0</th> <th>0.25</th> <th>0.05</th> <th>0.005</th> </tr> <tr> <td></td> <td>IN.</td> <td>12</td> <td>3</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>										GRAIN SIZE	MM	305	75	2.0	0.25	0.05	0.005		IN.	12	3					<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>SOIL MOISTURE SCALE (ATTERBERG LIMITS)</th> <th>FIELD MOISTURE DESCRIPTION</th> <th>GUIDE FOR FIELD MOISTURE DESCRIPTION</th> </tr> <tr> <td>LL - LIQUID LIMIT</td> <td>- SATURATED - (SAT.)</td> <td>USUALLY LIQUID; VERY WET, USUALLY FROM BELOW THE GROUND WATER TABLE</td> </tr> <tr> <td>PL - PLASTIC LIMIT</td> <td>- WET - (W)</td> <td>SEMISOLID; REQUIRES DRYING TO ATTAIN OPTIMUM MOISTURE</td> </tr> <tr> <td>OM - OPTIMUM MOISTURE</td> <td>- MOIST - (M)</td> <td>SOLID; AT OR NEAR OPTIMUM MOISTURE</td> </tr> <tr> <td>SL - SHRINKAGE LIMIT</td> <td>- DRY - (D)</td> <td>REQUIRES ADDITIONAL WATER TO ATTAIN OPTIMUM MOISTURE</td> </tr> </table>										SOIL MOISTURE SCALE (ATTERBERG LIMITS)	FIELD MOISTURE DESCRIPTION	GUIDE FOR FIELD MOISTURE DESCRIPTION	LL - LIQUID LIMIT	- SATURATED - (SAT.)	USUALLY LIQUID; VERY WET, USUALLY FROM BELOW THE GROUND WATER TABLE	PL - PLASTIC LIMIT	- WET - (W)	SEMISOLID; REQUIRES DRYING TO ATTAIN OPTIMUM MOISTURE	OM - OPTIMUM MOISTURE	- MOIST - (M)	SOLID; AT OR NEAR OPTIMUM MOISTURE	SL - SHRINKAGE LIMIT	- DRY - (D)	REQUIRES ADDITIONAL WATER TO ATTAIN OPTIMUM MOISTURE																																																																																				
U.S. STD. SIEVE SIZE OPENING (MM)	4	10	40	60	200	270																																																																																																																																																																															
	4.75	2.00	0.42	0.25	0.075	0.053																																																																																																																																																																															
BOULDER (BLDR.)	COBBLE (COB.)	GRAVEL (GR.)	COARSE SAND (CSE. SD.)	FINE SAND (F SD.)	SILT (SL.)	CLAY (CL.)																																																																																																																																																																															
GRAIN SIZE	MM	305	75	2.0	0.25	0.05	0.005																																																																																																																																																																														
	IN.	12	3																																																																																																																																																																																		
SOIL MOISTURE SCALE (ATTERBERG LIMITS)	FIELD MOISTURE DESCRIPTION	GUIDE FOR FIELD MOISTURE DESCRIPTION																																																																																																																																																																																			
LL - LIQUID LIMIT	- SATURATED - (SAT.)	USUALLY LIQUID; VERY WET, USUALLY FROM BELOW THE GROUND WATER TABLE																																																																																																																																																																																			
PL - PLASTIC LIMIT	- WET - (W)	SEMISOLID; REQUIRES DRYING TO ATTAIN OPTIMUM MOISTURE																																																																																																																																																																																			
OM - OPTIMUM MOISTURE	- MOIST - (M)	SOLID; AT OR NEAR OPTIMUM MOISTURE																																																																																																																																																																																			
SL - SHRINKAGE LIMIT	- DRY - (D)	REQUIRES ADDITIONAL WATER TO ATTAIN OPTIMUM MOISTURE																																																																																																																																																																																			
PLASTICITY										EQUIPMENT USED ON SUBJECT PROJECT										FRACTURE SPACING										BEDDING																																																																																																																																																							
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>NON PLASTIC</th> <th colspan="2">PLASTICITY INDEX (PI)</th> <th>DRY STRENGTH</th> </tr> <tr> <td>SLIGHTLY PLASTIC</td> <td>0-5</td> <td></td> <td>VERY LOW</td> </tr> <tr> <td>MODERATELY PLASTIC</td> <td>6-15</td> <td></td> <td>SLIGHT</td> </tr> <tr> <td>HIGHLY PLASTIC</td> <td>16-25</td> <td></td> <td>MEDIUM</td> </tr> <tr> <td></td> <td>26 OR MORE</td> <td></td> <td>HIGH</td> </tr> </table>										NON PLASTIC	PLASTICITY INDEX (PI)		DRY STRENGTH	SLIGHTLY PLASTIC	0-5		VERY LOW	MODERATELY PLASTIC	6-15		SLIGHT	HIGHLY PLASTIC	16-25		MEDIUM		26 OR MORE		HIGH	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>DRILL UNITS:</th> <th>ADVANCING TOOLS:</th> <th>HAMMER TYPE:</th> </tr> <tr> <td><input type="checkbox"/> CME-45C</td> <td><input type="checkbox"/> CLAY BITS</td> <td><input checked="" type="checkbox"/> AUTOMATIC <input type="checkbox"/> MANUAL</td> </tr> <tr> <td><input type="checkbox"/> CME-55</td> <td><input type="checkbox"/> 6" CONTINUOUS FLIGHT AUGER</td> <td></td> </tr> <tr> <td><input type="checkbox"/> CME-55B</td> <td><input checked="" type="checkbox"/> 8" HOLLOW AUGERS</td> <td></td> </tr> <tr> <td><input type="checkbox"/> VANE SHEAR TEST</td> <td><input type="checkbox"/> HARD FACED FINGER BITS</td> <td></td> </tr> <tr> <td><input type="checkbox"/> PORTABLE HOIST</td> <td><input type="checkbox"/> TUNG-CARBIDE INSERTS</td> <td></td> </tr> <tr> <td><input checked="" type="checkbox"/> D-50</td> <td><input type="checkbox"/> CASING <input type="checkbox"/> W/ ADVANCER</td> <td></td> </tr> <tr> <td></td> <td><input type="checkbox"/> TRICONE _____ * STEEL TEETH</td> <td></td> </tr> <tr> <td></td> <td><input type="checkbox"/> TRICONE _____ * TUNG-CARB.</td> <td></td> </tr> <tr> <td></td> <td><input type="checkbox"/> CORE BIT</td> <td></td> </tr> <tr> <td></td> <td><input type="checkbox"/></td> <td></td> </tr> </table>										DRILL UNITS:	ADVANCING TOOLS:	HAMMER TYPE:	<input type="checkbox"/> CME-45C	<input type="checkbox"/> CLAY BITS	<input checked="" type="checkbox"/> AUTOMATIC <input type="checkbox"/> MANUAL	<input type="checkbox"/> CME-55	<input type="checkbox"/> 6" CONTINUOUS FLIGHT AUGER		<input type="checkbox"/> CME-55B	<input checked="" type="checkbox"/> 8" HOLLOW AUGERS		<input type="checkbox"/> VANE SHEAR TEST	<input type="checkbox"/> HARD FACED FINGER BITS		<input type="checkbox"/> PORTABLE HOIST	<input type="checkbox"/> TUNG-CARBIDE INSERTS		<input checked="" type="checkbox"/> D-50	<input type="checkbox"/> CASING <input type="checkbox"/> W/ ADVANCER			<input type="checkbox"/> TRICONE _____ * STEEL TEETH			<input type="checkbox"/> TRICONE _____ * TUNG-CARB.			<input type="checkbox"/> CORE BIT			<input type="checkbox"/>		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>TERM</th> <th>SPACING</th> <th>TERM</th> <th>THICKNESS</th> </tr> <tr> <td>VERY WIDE</td> <td>MORE THAN 10 FEET</td> <td>VERY THICKLY BEDDED</td> <td>4 FEET</td> </tr> <tr> <td>WIDE</td> <td>3 TO 10 FEET</td> <td>THICKLY BEDDED</td> <td>1.5 - 4 FEET</td> </tr> <tr> <td>MODERATELY CLOSE</td> <td>1 TO 3 FEET</td> <td>THINLY BEDDED</td> <td>0.16 - 1.5 FEET</td> </tr> <tr> <td>CLOSE</td> <td>0.16 TO 1 FOOT</td> <td>VERY THINLY BEDDED</td> <td>0.03 - 0.16 FEET</td> </tr> <tr> <td>VERY CLOSE</td> <td>LESS THAN 0.16 FEET</td> <td>THICKLY LAMINATED</td> <td>0.008 - 0.03 FEET</td> </tr> <tr> <td></td> <td></td> <td>THINLY LAMINATED</td> <td>< 0.008 FEET</td> </tr> </table>										TERM	SPACING	TERM	THICKNESS	VERY WIDE	MORE THAN 10 FEET	VERY THICKLY BEDDED	4 FEET	WIDE	3 TO 10 FEET	THICKLY BEDDED	1.5 - 4 FEET	MODERATELY CLOSE	1 TO 3 FEET	THINLY BEDDED	0.16 - 1.5 FEET	CLOSE	0.16 TO 1 FOOT	VERY THINLY BEDDED	0.03 - 0.16 FEET	VERY CLOSE	LESS THAN 0.16 FEET	THICKLY LAMINATED	0.008 - 0.03 FEET			THINLY LAMINATED	< 0.008 FEET	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2">INDURATION</th> </tr> <tr> <td>FRIABLE</td> <td>RUBBING WITH FINGER FREES NUMEROUS GRAINS; GENTLE BLOW BY HAMMER DISINTEGRATES SAMPLE.</td> </tr> <tr> <td>MODERATELY INDURATED</td> <td>GRAINS CAN BE SEPARATED FROM SAMPLE WITH STEEL PROBE; BREAKS EASILY WHEN HIT WITH HAMMER.</td> </tr> <tr> <td>INDURATED</td> <td>GRAINS ARE DIFFICULT TO SEPARATE WITH STEEL PROBE; DIFFICULT TO BREAK WITH HAMMER.</td> </tr> <tr> <td>EXTREMELY INDURATED</td> <td>SHARP HAMMER BLOWS REQUIRED TO BREAK SAMPLE; SAMPLE BREAKS ACROSS GRAINS.</td> </tr> </table>										INDURATION		FRIABLE	RUBBING WITH FINGER FREES NUMEROUS GRAINS; GENTLE BLOW BY HAMMER DISINTEGRATES SAMPLE.	MODERATELY INDURATED	GRAINS CAN BE SEPARATED FROM SAMPLE WITH STEEL PROBE; BREAKS EASILY WHEN HIT WITH HAMMER.	INDURATED	GRAINS ARE DIFFICULT TO SEPARATE WITH STEEL PROBE; DIFFICULT TO BREAK WITH HAMMER.	EXTREMELY INDURATED	SHARP HAMMER BLOWS REQUIRED TO BREAK SAMPLE; SAMPLE BREAKS ACROSS GRAINS.																																																			
NON PLASTIC	PLASTICITY INDEX (PI)		DRY STRENGTH																																																																																																																																																																																		
SLIGHTLY PLASTIC	0-5		VERY LOW																																																																																																																																																																																		
MODERATELY PLASTIC	6-15		SLIGHT																																																																																																																																																																																		
HIGHLY PLASTIC	16-25		MEDIUM																																																																																																																																																																																		
	26 OR MORE		HIGH																																																																																																																																																																																		
DRILL UNITS:	ADVANCING TOOLS:	HAMMER TYPE:																																																																																																																																																																																			
<input type="checkbox"/> CME-45C	<input type="checkbox"/> CLAY BITS	<input checked="" type="checkbox"/> AUTOMATIC <input type="checkbox"/> MANUAL																																																																																																																																																																																			
<input type="checkbox"/> CME-55	<input type="checkbox"/> 6" CONTINUOUS FLIGHT AUGER																																																																																																																																																																																				
<input type="checkbox"/> CME-55B	<input checked="" type="checkbox"/> 8" HOLLOW AUGERS																																																																																																																																																																																				
<input type="checkbox"/> VANE SHEAR TEST	<input type="checkbox"/> HARD FACED FINGER BITS																																																																																																																																																																																				
<input type="checkbox"/> PORTABLE HOIST	<input type="checkbox"/> TUNG-CARBIDE INSERTS																																																																																																																																																																																				
<input checked="" type="checkbox"/> D-50	<input type="checkbox"/> CASING <input type="checkbox"/> W/ ADVANCER																																																																																																																																																																																				
	<input type="checkbox"/> TRICONE _____ * STEEL TEETH																																																																																																																																																																																				
	<input type="checkbox"/> TRICONE _____ * TUNG-CARB.																																																																																																																																																																																				
	<input type="checkbox"/> CORE BIT																																																																																																																																																																																				
	<input type="checkbox"/>																																																																																																																																																																																				
TERM	SPACING	TERM	THICKNESS																																																																																																																																																																																		
VERY WIDE	MORE THAN 10 FEET	VERY THICKLY BEDDED	4 FEET																																																																																																																																																																																		
WIDE	3 TO 10 FEET	THICKLY BEDDED	1.5 - 4 FEET																																																																																																																																																																																		
MODERATELY CLOSE	1 TO 3 FEET	THINLY BEDDED	0.16 - 1.5 FEET																																																																																																																																																																																		
CLOSE	0.16 TO 1 FOOT	VERY THINLY BEDDED	0.03 - 0.16 FEET																																																																																																																																																																																		
VERY CLOSE	LESS THAN 0.16 FEET	THICKLY LAMINATED	0.008 - 0.03 FEET																																																																																																																																																																																		
		THINLY LAMINATED	< 0.008 FEET																																																																																																																																																																																		
INDURATION																																																																																																																																																																																					
FRIABLE	RUBBING WITH FINGER FREES NUMEROUS GRAINS; GENTLE BLOW BY HAMMER DISINTEGRATES SAMPLE.																																																																																																																																																																																				
MODERATELY INDURATED	GRAINS CAN BE SEPARATED FROM SAMPLE WITH STEEL PROBE; BREAKS EASILY WHEN HIT WITH HAMMER.																																																																																																																																																																																				
INDURATED	GRAINS ARE DIFFICULT TO SEPARATE WITH STEEL PROBE; DIFFICULT TO BREAK WITH HAMMER.																																																																																																																																																																																				
EXTREMELY INDURATED	SHARP HAMMER BLOWS REQUIRED TO BREAK SAMPLE; SAMPLE BREAKS ACROSS GRAINS.																																																																																																																																																																																				
COLOR										FRACTURE SPACING										BEDDING										NOTES:																																																																																																																																																							
DESCRIPTIONS MAY INCLUDE COLOR OR COLOR COMBINATIONS (TAN, RED, YELLOW-BROWN, BLUE-BROWN). MODIFIERS SUCH AS LIGHT, DARK, STREAKED, ETC. ARE USED TO DESCRIBE APPEARANCE.										<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>TERM</th> <th>SPACING</th> <th>TERM</th> <th>THICKNESS</th> </tr> <tr> <td>VERY WIDE</td> <td>MORE THAN 10 FEET</td> <td>VERY THICKLY BEDDED</td> <td>4 FEET</td> </tr> <tr> <td>WIDE</td> <td>3 TO 10 FEET</td> <td>THICKLY BEDDED</td> <td>1.5 - 4 FEET</td> </tr> <tr> <td>MODERATELY CLOSE</td> <td>1 TO 3 FEET</td> <td>THINLY BEDDED</td> <td>0.16 - 1.5 FEET</td> </tr> <tr> <td>CLOSE</td> <td>0.16 TO 1 FOOT</td> <td>VERY THINLY BEDDED</td> <td>0.03 - 0.16 FEET</td> </tr> <tr> <td>VERY CLOSE</td> <td>LESS THAN 0.16 FEET</td> <td>THICKLY LAMINATED</td> <td>0.008 - 0.03 FEET</td> </tr> <tr> <td></td> <td></td> <td>THINLY LAMINATED</td> <td>< 0.008 FEET</td> </tr> </table>										TERM	SPACING	TERM	THICKNESS	VERY WIDE	MORE THAN 10 FEET	VERY THICKLY BEDDED	4 FEET	WIDE	3 TO 10 FEET	THICKLY BEDDED	1.5 - 4 FEET	MODERATELY CLOSE	1 TO 3 FEET	THINLY BEDDED	0.16 - 1.5 FEET	CLOSE	0.16 TO 1 FOOT	VERY THINLY BEDDED	0.03 - 0.16 FEET	VERY CLOSE	LESS THAN 0.16 FEET	THICKLY LAMINATED	0.008 - 0.03 FEET			THINLY LAMINATED	< 0.008 FEET	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2">INDURATION</th> </tr> <tr> <td>FRIABLE</td> <td>RUBBING WITH FINGER FREES NUMEROUS GRAINS; GENTLE BLOW BY HAMMER DISINTEGRATES SAMPLE.</td> </tr> <tr> <td>MODERATELY INDURATED</td> <td>GRAINS CAN BE SEPARATED FROM SAMPLE WITH STEEL PROBE; BREAKS EASILY WHEN HIT WITH HAMMER.</td> </tr> <tr> <td>INDURATED</td> <td>GRAINS ARE DIFFICULT TO SEPARATE WITH STEEL PROBE; DIFFICULT TO BREAK WITH HAMMER.</td> </tr> <tr> <td>EXTREMELY INDURATED</td> <td>SHARP HAMMER BLOWS REQUIRED TO BREAK SAMPLE; SAMPLE BREAKS ACROSS GRAINS.</td> </tr> </table>										INDURATION		FRIABLE	RUBBING WITH FINGER FREES NUMEROUS GRAINS; GENTLE BLOW BY HAMMER DISINTEGRATES SAMPLE.	MODERATELY INDURATED	GRAINS CAN BE SEPARATED FROM SAMPLE WITH STEEL PROBE; BREAKS EASILY WHEN HIT WITH HAMMER.	INDURATED	GRAINS ARE DIFFICULT TO SEPARATE WITH STEEL PROBE; DIFFICULT TO BREAK WITH HAMMER.	EXTREMELY INDURATED	SHARP HAMMER BLOWS REQUIRED TO BREAK SAMPLE; SAMPLE BREAKS ACROSS GRAINS.	BENCH MARK: ELEVATIONS DETERMINED FROM FILE R5930_LS_TIN.TIN DATED 4/20/2020 ELEVATION: _____ FEET NOTES: FIAD - FILLED IMMEDIATELY AFTER DRILLING																																																																																																																	
TERM	SPACING	TERM	THICKNESS																																																																																																																																																																																		
VERY WIDE	MORE THAN 10 FEET	VERY THICKLY BEDDED	4 FEET																																																																																																																																																																																		
WIDE	3 TO 10 FEET	THICKLY BEDDED	1.5 - 4 FEET																																																																																																																																																																																		
MODERATELY CLOSE	1 TO 3 FEET	THINLY BEDDED	0.16 - 1.5 FEET																																																																																																																																																																																		
CLOSE	0.16 TO 1 FOOT	VERY THINLY BEDDED	0.03 - 0.16 FEET																																																																																																																																																																																		
VERY CLOSE	LESS THAN 0.16 FEET	THICKLY LAMINATED	0.008 - 0.03 FEET																																																																																																																																																																																		
		THINLY LAMINATED	< 0.008 FEET																																																																																																																																																																																		
INDURATION																																																																																																																																																																																					
FRIABLE	RUBBING WITH FINGER FREES NUMEROUS GRAINS; GENTLE BLOW BY HAMMER DISINTEGRATES SAMPLE.																																																																																																																																																																																				
MODERATELY INDURATED	GRAINS CAN BE SEPARATED FROM SAMPLE WITH STEEL PROBE; BREAKS EASILY WHEN HIT WITH HAMMER.																																																																																																																																																																																				
INDURATED	GRAINS ARE DIFFICULT TO SEPARATE WITH STEEL PROBE; DIFFICULT TO BREAK WITH HAMMER.																																																																																																																																																																																				
EXTREMELY INDURATED	SHARP HAMMER BLOWS REQUIRED TO BREAK SAMPLE; SAMPLE BREAKS ACROSS GRAINS.																																																																																																																																																																																				


SEE SHEET 1A FOR INDEX OF SHEETS
SEE SHEET 1B FOR CONVENTIONAL PLAN SHEET SYMBOLS

STATE OF NORTH CAROLINA
DIVISION OF HIGHWAYS

CHATHAM COUNTY

STATE	STATE PROJECT REFERENCE NO.	SHEET NO.	TOTAL SHEETS
N.C.	R-5930	3	
STATE PROJ. NO.	P.A. PROJ. NO.	DESCRIPTION	
48548.1.1		PE	
48548.2.1		RW & UTIL	
48548.3.1		CONST.	


TIP PROJECT: R-5930



VICINITY MAP
----- PITTSBORO CITY LIMITS

LOCATION: CHATHAM PARK WAY FROM US 64 TO US 15-501

TYPE OF WORK: GRADING, DRAINAGE, CULVERTS, PAVING, SIGNALS, AND RETAINING WALLS




★ TRAFFIC SIGNAL

CLEARING ON THIS PROJECT SHALL BE PERFORMED TO THE LIMITS ESTABLISHED BY METHOD III
THIS PROJECT IS NOT WITHIN ANY MUNICIPAL BOUNDARIES

DOCUMENT NOT CONSIDERED FINAL
UNLESS ALL SIGNATURES COMPLETED

CONTRACT:



R-5930 DESIGN DATA

ADT 2024 =	0
ADT 2045 =	30000
K =	8%
D =	65
T =	5%*
V =	50 MPH

* (TTST 2% + DUAL 3%)
FUNCTIONAL CLASSIFICATION:
URBAN ARTERIAL
SUB-REGIONAL TIER

PROJECT LENGTH

LENGTH ROADWAY TIP PROJECT R-5930	=	2.326 MILES
LENGTH STRUCTURE TIP PROJECT R-5930	=	0.010 MILES
TOTAL LENGTH TIP PROJECT R-5930	=	2.336 MILES

PLANS PREPARED FOR THE NCDOT BY:

Kimley Horn

2018 STANDARD SPECIFICATIONS

RIGHT OF WAY DATE:
NOVEMBER 18, 2022

LETTING DATE:
JUNE 18, 2024


VANCE W. BLANTON, P.E. PROJECT ENGINEER
TYLER G. SPRING, P.E. PROJECT DESIGN ENGINEER
JEFFREY L. TEAGUE, P.E. PROJECT MANAGER NCDOT HIGHWAY DIVISION 8

HYDRAULICS ENGINEER

SIGNATURE: _____ P.E.

ROADWAY DESIGN ENGINEER

SIGNATURE: _____ P.E.



March 15, 2023

STATE PROJECT: 48548.1.1 (R-5930)
 PROJECT ID: 39995
 COUNTY: Chatham
 DESCRIPTION: Chatham Park Way - New Location Roadway from North of Suttles Rd. U.S 15/501
 SUBJECT: Geotechnical Report – Inventory

Project Description

This project consists of extending Chatham Park Way (-L-) north from US 64 Bypass to US 15/501 (-Y11-). The project crosses Country Rountt Brown Road (-Y9-). US 15/501 (-Y11-) will be widened to accommodate the new intersection with -L-.

The geotechnical field investigation was conducted from September to October 2022. Standard Penetration Tests were performed with a track mounted D-50 with an automatic hammer along the project alignments. Borings performed in the existing roadway were filled and patched immediately after drilling (FIAD). Several hand augers were also performed along -L-, -Y9-, and -Y1LPA-- in areas of shallow cut/fill. A pavement design investigation was also conducted along US 15/501 (-Y11-). Representative soil samples were collected for visual classification in the field and submitted for laboratory analysis by Terracon, Inc. in Raleigh, NC and ICE, PLLC in Columbia, SC.

The following alignments, totaling 1.8 miles, were investigated. Subsurface cross-sections of these alignments are included in this report:

<u>Line</u>	<u>Stations</u>	
-L-	42+00	to 165+33
-Y9-	10+00	to 15+00
-Y11-	10+68	to 40+80
-Y1LPA-	10+00	to 11+40

Physiography and Geology

The project is in the rolling terrain of Chatham County, North Carolina. The alignment runs through woods, farmland, and few homes.

Geologically, the project lies within the Carolina Slate Belt. The rocks of the Carolina Slate Belt are classified generally as Meta-Volcanic and are believed to have been formed as lava and pyroclastic flows associated with an arc of volcanic islands formed during the collision of ancient North America and Africa during the formation of Pangea.

The geology of the project area consists of residual soils and partially weathered rock which are the weathered remains of parent material, and crystalline meta-volcanic rock.

Soil Properties

Soils encountered at the project site include roadway embankment and residual soils.

Roadway embankment underlies portions of the existing lanes of US 15/501 and the surrounding surface roads. Due to the area topography portions of the roadway were graded and paved. Where encountered roadway embankment soils range from 1.5 to 3.5 feet thick. These soils mainly consist of dry to moist, sandy clay and clayey sand (AASHTO classifications of A-2-6 and A-6).

Residual soils are found at the ground surface and immediately below the embankment soils. These soils mainly consist of dry to moist, soft to very stiff, sandy silt, sandy clay, silty clay (AASHTO classifications of A-4, A-6, and A-7-5/A-7-6), and loose to dense, silty sand (A-2-4). Some of the A-7 soils exhibit a PI of 26 or more and are classified as highly plastic.

Groundwater

Groundwater was only encountered at -L- Station 124+38, in a dry creek bed, at a depth of 3.7 Feet. The investigation was conducted during a period of relatively low rainfall. Numerous ephemeral stream beds cross the project alignment, and all were dry during the time of investigation. Seasonal fluctuations in groundwater elevations can be expected.

Areas of Special Geotechnical Interest

1. Highly Plastic Clays: Highly plastic clay (PI>25) was encountered on the project at the following locations:

<u>Line</u>	<u>Stations</u>	<u>Offset</u>
-L-	45+75 to 48+25	RT
-L-	57+75 to 64+25	LT & RT
-L-	67+00	LT
-L-	71+00	LT & RT
-L-	78+25 to 79+75	LT
-L-	85+75 to 88+75	LT & RT
-L-	89+06	LT & RT
-L-	92+25 to 102+25	LT & RT
-L-	115+75 to 120+25	LT & RT
-L-	145+75 to 147+25	LT & RT
-L-	154+93	LT & RT
-L-	156+25 to 158+25	LT & RT
-L-	161+75 to 163+75	LT & RT
-Y11-	12+30 to 13+75	RT
-Y11-	18+75 to 22+25	RT
-Y11-	23+07	RT
-Y11-	33+03	RT

2. Crystalline Rock: The following areas exhibit crystalline rock within 6.0 feet of proposed grade:

<u>Line</u>	<u>Station</u>	<u>Offset</u>
-L-	47+00	RT

3. Weathered Rock: The following areas exhibit weathered rock within 6.0 feet of proposed grade:

<u>Line</u>	<u>Station</u>	<u>Offset</u>
-L-	73+00	LT & RT
-L-	75+00	LT
-L-	78+50 to 80+00	LT & RT

4. Wells: Wells are present on the project at the following locations:

<u>Line</u>	<u>Stations</u>	<u>Offset</u>
-L-	15+78	120' RT
-L-	101+73	450' RT
-L-	108+65	156' LT
-L-	135+80	364' RT
-L-	144+91	204' RT
-L-	149+04	503' RT
-L-	158+39	189' RT
-Y11-	26+99	336' LT
-Y11-	35+84	230' RT
-Y11-	44+34	213' RT

5. Septic Fields: Approximate locations of septic fields were noted by property owners at the following locations:

<u>Line</u>	<u>Station</u>	<u>Offset</u>
-L-	110+30	LT
-L-	145+00	RT

6. Retention Basins: Retention basins are present on the project at the following locations:

<u>Line</u>	<u>Station</u>	<u>Offset</u>
-L-	29+25	112' RT
-L-	30+00	134' LT

Prepared by,

Nathan Mohs

Nathan Mohs, LG
Engineering Geologist Manager

5/14/99

3/13/2023

REVISIONS



MATCHLINE -L- STA 23+00 (SEE SHEET 4)

MATCHLINE -L- STA 37+00 (SEE SHEET 5)

Kimley»Horn
 421 FAYETTEVILLE STREET, SUITE 600
 RALEIGH, NC 27601

RIGHT-OF-WAY REV.
 CONST. REV.

PROJECT REFERENCE NO. R-5930	SHEET NO. 5
RW SHEET NO.	HYDRAULICS ENGINEER
ROADWAY DESIGN ENGINEER	ENGINEER
INCOMPLETE PLANS DO NOT USE FOR R/W ACQUISITION PRELIMINARY PLANS DO NOT USE FOR CONSTRUCTION	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	



-YI- PC Sta. 10+00.00

-YIRPA- PC Sta. 10+00.00

-L- POT Sta. 30+51.27 =
 -YILPA- POT Sta. 10+00.00
 $\Delta = 101'43'27"$

-YIRPA- PT Sta. 12+76.07

-L- POT Sta. 24+21.11 =
 -YI- POC Sta. 14+11.53
 $\Delta = 106'44'32"$

END CONSTRUCTION
 -YILPA- POT Sta. 11+44.10

-YILPA- PC Sta. 12+21.72

-YIRPA- PT Sta. 18+00.00

-YILPA- PT Sta. 15+00.00

-YIRPA- PC Sta. 16+13.61

-L- PC Sta. 30+96.25

-L- POT Sta. 30+79.61 =
 -YIRPA- POT Sta. 13+75.48
 $\Delta = 101'43'27"$

BM*3 ELEVATION - 540.21'
 N 722.729 E 1,956.641
 BL STATION 27+08.5, 73.5' RIGHT
 RAILROAD SPIKE IN 20' OAK

- ★ TRAFFIC SIGNAL
- ▭ PROP. PAVED SHOULDER
- ▨ PROP. 5' MONO. CONC. ISLAND

5/14/99


REVISIONS

3/13/2023


Kimley»Horn

421 FAYETTEVILLE STREET, SUITE 600
RALEIGH, NC 27601

RIGHT-OF-WAY REV.
CONST. REV.



PROJECT REFERENCE NO. R-5930	SHEET NO. 6
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER
INCOMPLETE PLANS DO NOT USE FOR R/W ACQUISITION PRELIMINARY PLANS DO NOT USE FOR CONSTRUCTION	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	



	TRAFFIC SIGNAL
	PROP. PAVED SHOULDER
	PROP. 5' MONO. CONC. ISLAND

5/14/99

1005

Kimley»Horn

421 FAYETTEVILLE STREET, SUITE 600
RALEIGH, NC 27601

RIGHT-OF-WAY REV.
CONST. REV.

PROJECT REFERENCE NO. SHEET NO.

R-5930 7

RW SHEET NO.


ROADWAY DESIGN
ENGINEER

HYDRAULICS
ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

**DOCUMENT NOT CONSIDERED FINAL
UNLESS ALL SIGNATURES COMPLETED**




CHATHAM PARK INVESTORS LLC
DB 1384 PG 133

REVISIONS

MATCHLINE -L- STA 50+50 (SEE SHEET 6)

MATCHLINE -L- STA 64+00 (SEE SHEET 8)



RIDDLE CEMETERY CEMETERY
DB KG PG 53
PB 4 PG 663

CHATHAM PARK INVESTORS LLC
DB 1382 PG 374
PB 93 PG 279




END CONSTRUCTION
-L- POC Sta. 53+66.87 =
-Y4- POT Sta. 14+71.35
 $\Delta = 87^{\circ}09'38''$
-Y4- POC Sta. 15+62.00

-Y4- PC Sta. 17+67.12
-Y4- PT Sta. 18+39.32
-L- PT Sta. 53+99.25

-Y4- PC Sta. 13+60.47
BEGIN CONSTRUCTION
-Y4- PC Sta. 13+73.00
-Y4- PT Sta. 14+34.40

-Y4- POT Sta. 19+00.00

CHATHAM PARK INVESTORS LLC
DB 1384 PG 133

-  TRAFFIC SIGNAL
-  PROP. PAVED SHOULDER
-  PROP. 5' MONO. CONC. ISLAND

3/13/2023

5/14/99

BM#5 ELEVATION = 480.21'
N 725.736 E 1,955.112
BL STATION 60+02.8, 601.0' LEFT
RAILROAD SPIKE IN 12" PINE

GRANTHAM VIRGINIA MERRITT TRUSTEE
DB 138 PG 453
PB 2001PG 491

CHATHAM PARK INVESTORS LLC
DB 1567 PG 800
PB 2001PG 223

Kimley»Horn

421 FAYETTEVILLE STREET, SUITE 600
RALEIGH, NC 27601

RIGHT-OF-WAY REV.

CONST. REV.

PROJECT REFERENCE NO. SHEET NO.

R-5930 B


RW SHEET NO.

ROADWAY DESIGN
ENGINEER

HYDRAULICS
ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

**DOCUMENT NOT CONSIDERED FINAL
UNLESS ALL SIGNATURES COMPLETED**

-Y6- POT Sta. 10+00.00  NAD 83 / NA 2011

15-501 EAST LLC
DB 1963 PG 998

CHATHAM PARK INVESTORS LLC
DB 1384 PG 133

-Y5- POT Sta. 10+00.00

65+00

BEGIN CONSTRUCTION
-Y5- POT Sta. 12+05.00

-L- POC Sta. 65+35.80 =
-Y5- POT Sta. 13+00.00
 $\Delta = 96^{\circ}45'00''$

70+00

BEGIN CONSTRUCTION
-Y6- POT Sta. 13+21.00

75+00

REVISIONS

MATCHLINE -L- STA 64+00 (SEE SHEET 7)

BL-108

L 6500

L 6705

L 6816

L 6788

L 6816B

L 6861 RT

L 6855 LT

L 6888

L 6892

L 6950

L 7113

L 7300

L 7500 RT

L 7700

RESIDUAL

RESIDUAL

-L- POC Sta. 72+34.69 =
-Y6- POT Sta. 14+27.28
 $\Delta = 90^{\circ}00'00''$




END CONSTRUCTION
-Y6- POT Sta. 15+39.00

CHATHAM PARK INVESTORS LLC
DB 1384 PG 133

CHATHAM PARK INVESTORS LLC
DB 1567 PG 800
PB 2001PG 223

15-501 EAST LLC
DB 1963 PG 998

-Y6- POT Sta. 19+00.00

-  TRAFFIC SIGNAL
-  PROP. PAVED SHOULDER
-  PROP. 5' MONO. CONC. ISLAND

3/13/2023

5/14/99

REVISIONS


3/13/2023

 BM*6 ELEVATION = 445.84'
 N 728.259 E 1,955.699
 BL STATION 84+67.9, 331.0' LEFT
 RAILROAD SPIKE IN 13' OAK

Kimley»Horn
 421 FAYETTEVILLE STREET, SUITE 600
 RALEIGH, NC 27601

RIGHT-OF-WAY REV.
 CONST. REV.

PROJECT REFERENCE NO. R-5930	SHEET NO. 9
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER
INCOMPLETE PLANS DO NOT USE FOR R/W ACQUISITION PRELIMINARY PLANS DO NOT USE FOR CONSTRUCTION	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	



☆ TRAFFIC SIGNAL

▭ PROP. PAVED SHOULDER


▨ PROP. 5' MONO. CONC. ISLAND

5/14/99

3/13/2023

Kimley»Horn
 421 FAYETTEVILLE STREET, SUITE 600
 RALEIGH, NC 27601

PROJECT REFERENCE NO. R-5930	SHEET NO. 10
RW SHEET NO.	HYDRAULICS ENGINEER
ROADWAY DESIGN ENGINEER	ROADWAY DESIGN ENGINEER
INCOMPLETE PLANS DO NOT USE FOR R/W ACQUISITION PRELIMINARY PLANS DO NOT USE FOR CONSTRUCTION	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	



REVISIONS

☆	TRAFFIC SIGNAL
□	PROP. PAVED SHOULDER
▨	PROP. 5' MONO. CONC. ISLAND

5/14/99


NAD 83 NA 2011

Kimley»Horn
 421 FAYETTEVILLE STREET, SUITE 600
 RALEIGH, NC 27601

RIGHT-OF-WAY REV.
 CONST. REV.

PROJECT REFERENCE NO. R-5930	SHEET NO. 11
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER
INCOMPLETE PLANS DO NOT USE FOR R/W ACQUISITION PRELIMINARY PLANS DO NOT USE FOR CONSTRUCTION	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	

REVISIONS



☆ TRAFFIC SIGNAL

▭ PROP. PAVED SHOULDER

▨ PROP. 5' MONO. CONC. ISLAND

3/13/2023


5/14/99

3/13/2023

Kimley»Horn
 421 FAYETTEVILLE STREET, SUITE 600
 RALEIGH, NC 27601

PROJECT REFERENCE NO. R-5930	SHEET NO. 12
RW SHEET NO.	HYDRAULICS ENGINEER
ROADWAY DESIGN ENGINEER	ENGINEER
INCOMPLETE PLANS DO NOT USE FOR R/W ACQUISITION	
PRELIMINARY PLANS DO NOT USE FOR CONSTRUCTION	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	

REVISIONS



MARK H. PAVAO &
 WIFE, JENNIFER H. PAVAO
 WB 19E PG 332
 PB 2021 PG 375

MARK H. PAVAO &
 WIFE, JENNIFER H. PAVAO
 WB 19E PG 332
 PB 2021 PG 375

MARK H. PAVAO &
 WIFE, JENNIFER H. PAVAO
 WB 19E PG 332
 PB 2021 PG 375

MARK H. PAVAO &
 WIFE, JENNIFER H. PAVAO
 WB 19E PG 332
 PB 2021 PG 375

MARK H. PAVAO &
 WIFE, JENNIFER H. PAVAO
 WB 19E PG 332
 PB 2021 PG 375

CHATHAM PARK INVESTORS LLC
 DB 1816 PG 37
 PB 94 PG 230

RODNEY MORRIS, TRUSTEE
 DB 644 PG 605
 PB 94 PG 230

 BM*7 ELEVATION = 367.10'
 N 730.600 E 1,955.611
 BL STATION 116+68.9, 492.0' LEFT
 RAILROAD SPIKE IN 18" OAK


	TRAFFIC SIGNAL
	PROP. PAVED SHOULDER
	PROP. 5' MONO. CONC. ISLAND

5/14/99


LEE M. PAVAO &
MARK H. PAVAO & WIFE,
JENNIFER H. PAVAO
DB 723 PG 944
PB 97 PG 241
PB 30 PG 8

Kimley»Horn
 421 FAYETTEVILLE STREET, SUITE 600
 RALEIGH, NC 27601
 RIGHT-OF-WAY REV.
 CONST. REV.

PROJECT REFERENCE NO. R-5930	SHEET NO. 13
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER
INCOMPLETE PLANS DO NOT USE FOR R/W ACQUISITION PRELIMINARY PLANS DO NOT USE FOR CONSTRUCTION	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	



REVISIONS



MATCHLINE -L- STA 133+00 (SEE SHEET 12)

MATCHLINE -L- STA 146+50 (SEE SHEET 14)

-L- PC Sta. 134+32.29

-L- PT Sta. 144+21.54

 BM*8 ELEVATION = 423.40'
 N 732.383 E 1,954.368
 BL STATION 137+94.0, 408.5' RIGHT
 RAILROAD SPIKE IN 15" PINE

☆	TRAFFIC SIGNAL
▭	PROP. PAVED SHOULDER
▨	PROP. 5' MONO. CONC. ISLAND

3/13/2023

5/14/99

REVISIONS

3/13/2023

Kimley»Horn

421 FAYETTEVILLE STREET, SUITE 600
RALEIGH, NC 27601

RIGHT-OF-WAY REV.
CONST. REV.

PROJECT REFERENCE NO. SHEET NO.




R-5930 14

RW SHEET NO. HYDRAULICS ENGINEER

ROADWAY DESIGN ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

DOCUMENT NOT CONSIDERED FINAL
UNLESS ALL SIGNATURES COMPLETED




5/14/99

Kimley»Horn
 421 FAYETTEVILLE STREET, SUITE 600
 RALEIGH, NC 27601

PROJECT REFERENCE NO. R-5930	SHEET NO. 15
RW SHEET NO.	HYDRAULICS ENGINEER
ROADWAY DESIGN ENGINEER	
INCOMPLETE PLANS DO NOT USE FOR R/W ACQUISITION PRELIMINARY PLANS DO NOT USE FOR CONSTRUCTION	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	


REVISIONS



- ★ TRAFFIC SIGNAL
- PROP. PAVED SHOULDER
- ▨ PROP. 5" MONO. CONC. ISLAND

SEE SHEET 22 FOR -L- PROFILE
 SEE SHEET 24 FOR -YII- PROFILE
 SEE SHEETS 2D-1 TO 2D-3 FOR DRAINAGE DETAILS

2025 AVERAGE DAILY TRAFFIC	-YII- (15-501)	
DHV = 8%	14800	20100
DIR = 55%		
TTST = 1%		
DUAL = 3%		
	4600 300	900 2100
	10000 2700	1500 2800
-L (CPW)		-L (CPW)
DHV = 8%	4100	1000
DIR = 55%	6800	800
TTST = 1%		
DUAL = 2%		
	18700	23500
DHV = 8%		
DIR = 55%		
TTST = 1%		
DUAL = 3%		
	-YII- (15-501)	



3/14/2023


5/14/99

Kimley Horn
 421 FAYETTEVILLE STREET, SUITE 600
 RALEIGH, NC 27601

RIGHT-OF-WAY REV.
 CONST. REV.

PROJECT REFERENCE NO. R-5930	SHEET NO. 16
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER
INCOMPLETE PLANS DO NOT USE FOR R/W ACQUISITION PRELIMINARY PLANS DO NOT USE FOR CONSTRUCTION	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	

REVISIONS




 BM#11 ELEVATION = 445.25'
 N 732.105 E 1.951.754
 BY5 STATION 5+09.5, 119.7' RIGHT
 RAILROAD SPIKE IN 10\"/>

☆	TRAFFIC SIGNAL
▭	PROP. PAVED SHOULDER
▨	PROP. 5' MONO. CONC. ISLAND


3/13/2023

5/14/99

PROJECT REFERENCE NO. R-5930	SHEET NO. 17
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER
INCOMPLETE PLANS DO NOT USE FOR R/W ACQUISITION PRELIMINARY PLANS DO NOT USE FOR CONSTRUCTION	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	





3/14/2023



5/14/99

PROJECT REFERENCE NO. R-5930	SHEET NO. 18
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER
INCOMPLETE PLANS DO NOT USE FOR R/W ACQUISITION PRELIMINARY PLANS DO NOT USE FOR CONSTRUCTION	

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED





3/16/2023

5/14/99



PROJECT REFERENCE NO. R-5930	SHEET NO. 19
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER
INCOMPLETE PLANS DO NOT USE FOR R/W ACQUISITION PRELIMINARY PLANS DO NOT USE FOR CONSTRUCTION	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	





3/14/2023

5/14/99

 BM*7 ELEVATION = 367.10'
 N 730.600 E 1,955.611
 BL STATION 116+68.9, 492.0' LEFT
 L STATION 123+89.50, 513.62' LEFT
 RAILROAD SPIKE IN 18' OAK



PROJECT REFERENCE NO. R-5930	SHEET NO. 20
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER
INCOMPLETE PLANS DO NOT USE FOR R/W ACQUISITION PRELIMINARY PLANS DO NOT USE FOR CONSTRUCTION	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	



3/15/2023



5/14/99

Kimley»Horn
 421 FAYETTEVILLE STREET, SUITE 600
 RALEIGH, NC 27601

RIGHT-OF-WAY REV.
 CONST. REV.

PROJECT REFERENCE NO. R-5930	SHEET NO. 21
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED




3/14/2023


5/14/99




PROJECT REFERENCE NO. R-5930	SHEET NO. 22
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER
INCOMPLETE PLANS DO NOT USE FOR R/W ACQUISITION PRELIMINARY PLANS DO NOT USE FOR CONSTRUCTION	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	




3/14/2023




10:23:19 AM
 R:\Projects\20-7011 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSL.dgn
 connor.stephens






10:23:22 AM
 R:\Projects\20-7011 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L\dgn
 connor.stephens





10:23:24 AM
 R:\Projects\20-7011 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L\dgn
 connor.stephens

6/23/16




10:23:26 AM R:\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L.dgn connor.stephens






10:23:29 AM R:\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L\dgn connor.stephens







I:\0231\AM
 R:\Projects\20-7011 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L\dgn
 connor.stephens





I:\093133 AM
R:\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L\dgn
connor.stephens






10:23:35 AM R:\Projects\20-7011 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L\dgn connor.stephens







10:23:38 AM
 R:\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L\dgn
 connor.stephens




10:23:40 AM
 R:\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSL.dgn
 connor.stephens




I:\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L.dgn
 10:23:42 AM
 R:\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L.dgn
 connor.stephens





I:\023443 AM
 R:\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L.dgn
 connor.stephens






I:\03\45 AM
 R:\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L\dgn
 connor.stephens







10:23:49 AM
 R:\Projects\20-7011 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L\dgn
 connor.stephens




10:23:51 AM R:\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L\dgn connor.stephens







I:\4357 AM
 R:\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L.dgn
 connor.stephens





10:23:54 AM R:\Projects\20-7011 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L.dgn connor.stephens







10:23:58 AM R:\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L\dgn connor.stephens






I02400 AM
 R:\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L.dgn
 connor.stephens







I:\2401\AM
 R:\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L\dgn
 connor.stephens




I02403 AM
 R:\Projects\20-7011 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L.dgn
 connor.stephens




10:24:05 AM R:\Projects\20-7011 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L\dgn connor.stephens




I:\2407 AM
R:\Projects\20-7011 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L\dgn
connor.stephens







10:24:08 AM R:\Projects\20-7011 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L.dgn connor.stephens




10:24:00 AM
 R:\Projects\20-7011 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L.dgn
 connor.stephens





10:24:12 AM
 R:\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L.dgn
 connor.stephens




I024146 AM
 R:\Projects\20-7011 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L\dgn
 connor.stephens


HA-319
L_11500
115+00

HA-363
HA-365
L_11300
113+00


BT
DRY
(10/22)


BT
DRY
(11/22)






I02416 AM
 R:\Projects\20-7011 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L\dgn
 connor.stephens







10:24:19 AM
 R:\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.Lldgn
 connor.stephens





I:\2421\AM R\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L.dgn connor.stephens







I:\4358 AM
R:\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L\dgn
connor.stephens






I02427 AM
 R:\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L\dgn
 connor.stephens







10:24:29 AM
 R:\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L\dgn
 connor.stephens




10:24:31 AM
 R:\Projects\20-7011 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L.dgn
 connor.stephens




I:\24\33 AM
 R:\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L.dgn
 connor.stephens




I:\2435 AM
 R:\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L\dgn
 connor.stephens





I:\2437 AM
 R:\Projects\20-7011 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L\dgn
 connor.stephens




I:\2439 AM
 R:\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L.dgn
 connor.stephens












I:\2443 AM
 R:\Projects\20-7011 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.Lldgn
 connor.stephens

-Y//-





10:24:45 AM
 R:\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSI.L\dgn
 connor.stephens






I:\2449 AM
 R:\Projects\20-70\11 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSL.dgn
 connor.stephens







8/6/51/AM
R:\Projects\20-7011 R5930 Chatham Park Way\CADD\GEO\TECH\sec\R5930_GEO_RDWY_XSL.dgn
mather,mols

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
GEOTECHNICAL ENGINEERING UNIT
SUBSURFACE INVESTIGATION
APPENDIX A
LABORATORY TESTING SUMMARY

REFERENCE: R-5930

PROJECT: 48548

Laboratory Testing Summary

Project Number: 48548.1.1

TIP Number: R-5930

City/County/State: Pittsboro, Chatham County, North Carolina

Description: Chatham Park Way New Location Roadway from North of Suttles Road to US 15/501

Boring No.	Sample No.	Station	Offset (feet)	Depth Interval (feet)	AASHTO Class.	L.L.	P.I.	% by Weight				% Retained #4 Sieve	% Passing (sieves)			% Moisture	% Organic
								Coarse Sand	Fine Sand	Silt	Clay		#10	#40	#200		
L_4504	SS-2	45+04	50 LT	3.4-4.9	A-7-5(14)	64	17	12.1	22	22	53.9	0.6	85.1	78.5	66.9	31.0%	-
L_4700 RT	SS-9	47+00	43 RT	8.6-10.1	A-7-5(17)	50	17	3.6	9	36.1	51.3	0.6	92.8	90.9	83.8	28.4%	-
L_4705 LT	SS-11	47+05	39 LT	0.0-1.5	A-7-5(29)	63	30	4	4.5	32	59.5	0.8	90.4	88	83.9	26.6%	-
L_4900	SS-19	49+00	71 LT	0.0-1.5	A-7-6(14)	43	17	5.5	5.6	43.6	45.3	4	87.6	84.2	79.4	22.2%	-
L_4900	SS-24	49+00	71 LT	24.0-25.5	A-7-5(16)	55	10	1.8	5	41.7	51.5	0	99	98.2	94	37.5%	-
L_5100 LT	SS-33	51+00	60 LT	0.0-1.5	A-7-6(19)	49	20	4.2	5.2	41.6	49	5.3	91.2	89.2	84	20.7%	-
L_5100	SS-43	51+00	10 RT	13.9-15.4	A-5(12)	52	7	2.9	11.5	51.5	34.1	0	99.4	97.9	90	29.3%	-
L_5300	SS-46	53+00	25 LT	0.0-1.5	A-7-6(20)	51	23	4.3	4.6	28.6	62.5	3.7	86.7	84.1	80.1	20.8%	-
L_5500	SS-51	55+00	35 LT	0.0-1.5	A-7-6(11)	45	16	6.6	7.2	36.5	49.7	2.2	79.5	76	70	21.4%	-
L_5703	SS-54	57+03	39 RT	0.0-1.5	A-6(10)	40	16	8.7	5	38	48.3	11.4	79.5	73.6	69.9	16.3%	-
L_5903	SS-58	59+03	12 LT	0.0-1.5	A-7-5(43)	75	38	3.3	4.1	11	81.6	0.4	98.8	96.6	92.6	33.7%	-
L_6100	SS-62	61+00	15 RT	0.0-1.5	A-7-5(47)	75	40	1.8	2.5	23.6	72.1	0.4	98.7	97.5	95.2	27.3%	-
L_6300 LT	SS-66	63+00	44 LT	0.0-1.5	A-7-5(34)	68	33	6.9	6	19	68.1	0.2	97.8	92.6	86.8	29.4%	-
L_6300 RT	SS-74	63+00	62 RT	8.4-9.4	A-7-5(35)	72	26	1.3	4	16.9	77.8	0	99.9	99.1	96	30.4%	-
L_6500	SS-78	65+00	15 LT	3.7-5.2	A-7-5(18)	50	15	1.1	11.3	35.5	52.1	0	100	99.4	91.7	21.0%	-
L_6705	SS-82	67+05	15 LT	0.0-1.5	A-7-5(31)	60	28	3.9	5.2	24.8	66.1	0.2	98.6	95.9	91.2	24.5%	-
L_6816	SS-92	68+16	25 RT	0.0-1.5	A-4(5)	34	8	19.5	10.6	30.2	39.7	3.1	96.5	81.1	70.1	17.0%	-
L_6855 LT	SS-89	68+55	98 LT	0.0-1.5	A-6(7)	34	11	9.2	8.9	34.2	47.7	13.7	85.1	79.3	71.9	18.0%	-
L_6950	SS-101	69+50	9 LT	0.0-1.5	not enough material			20.4	10.5	39.5	29.6	14.4	67.9	55.8	48.9	16.8%	-
L_7113	SS-104	71+13	15 LT	0.0-1.5	A-7-5(35)	62	30	2.4	3.9	25.5	68.2	0	100	98.3	94.9	24.8%	-
L_7300	SS-108	73+00	12 RT	0.0-1.5	not enough material										23.2%	-	
L_7500 RT	SS-118	75+00	38 RT	18.7-20.2	A-4(3)	32	7	15.8	29.7	37.2	17.3	0	99.8	90.5	62.2	19.3%	-
L_7505 LT	SS-122	75+05	38 LT	0.0-1.5	A-5(11)	47	7	4.7	3.9	14.6	76.8	0.9	98.3	94.4	91.1	25.8%	-
L_7700	SS-129	77+00	12 LT	3.5-5.0	A-7-5(9)	50	18	12.5	10.1	36.9	40.5	20.8	72	65.8	57.5	14.9%	-
L_7900 RT	SS-138	79+00	43 RT	3.7-5.2	A-7-5(8)	49	19	18.5	15	33.6	32.9	2.6	78.7	68.9	54.9	16.1%	-
L_7903 LT	SS-133	79+03	35 LT	0.0-1.5	A-7-5(18)	67	30	9.9	16.5	14.7	58.9	7	77.9	72.5	61.3	31.7%	-
L_8303	SS-147	83+03	39 LT	0.0-1.5	A-4(0)	29	7	20.2	15.7	34.5	29.6	13.3	63.2	52.7	43.7	16.4%	-
L_8504	SS-150	85+04	28 RT	3.7-5.2	A-4(1)	30	4	25.7	12.4	34.5	27.4	2.5	86.1	66.9	56.1	13.7%	-
L_8697 RT	SS-157	86+97	25 RT	17.6-19.1	A-7-5(59)	93	56	1.3	3.4	4.7	90.6	0	91.8	91.4	88.3	46.5%	-
L_8700 LT	SS-158	87+00	48 LT	0.0-1.5	A-7-5(27)	66	32	5.3	8.8	13.4	72.5	1.6	85.5	82.1	75.9	27.5%	-
L_8906	SS-164	89+06	17 RT	3.5-5.0	A-7-5 (32)	73	26	2.3	8.9	7.1	81.7	0	100	99.1	90.8	33.9%	-
L_9100	SS-169	91+00	34 LT	3.2-4.7	A-7-5 (26)	61	24	4.4	9.1	17.3	69.2	0.3	99.6	97.1	88.4	28.0%	-
L_9304	SS-174	93+04	25 RT	0.0-1.5	A-7-5 (27)	57	26	3.3	5.1	20.1	71.5	4.7	95.2	92.8	88.8	24.7%	-
L_9490 LT	SS-185	94+90	20 LT	3.3-4.8	A-7-5 (34)	73	28	1.3	6.5	17.1	75.1	0	96.7	96	91.5	28.4%	-
L_9496 RT	SS-178	94+96	22 RT	0.0-1.5	A-7-5 (45)	80	40	1.5	3	11.7	83.8	0.2	94.1	93.3	90.7	33.0%	-
L_10100	HA-345	101+00	20 RT	0.0-2.2	A-7-5(26)	70	30	4.9	6.9	34	54.2	3.4	84.6	81.8	76.1	32.0%	-

Laboratory Testing Summary

Project Number: 48548.1.1

TIP Number: R-5930

City/County/State: Pittsboro, Chatham County, North Carolina

Description: Chatham Park Way New Location Roadway from North of Suttles Road to US 15/501

Boring No.	Sample No.	Station	Offset (feet)	Depth Interval (feet)	AASHTO Class.	L.L.	P.I.	% by Weight				% Retained #4 Sieve	% Passing (sieves)			% Moisture	% Organic
								Coarse Sand	Fine Sand	Silt	Clay		#10	#40	#200		
L_10300	HA-347	103+00	39 RT	0.0-0.8	A-7-5(17)	49	19	9	8.6	36.8	45.6	4.5	93.3	87.4	79	24.9%	-
L_10700	HA-353	107+00	14 RT	0.0-0.8	A-7-6(11)	42	13	10.8	9.8	40	39.4	0.9	98.4	90.4	80.6	30.9%	-
L_10829	HA-355	108+29	62 LT	0.0-0.6	A-7-5(10)	44	14	12.2	15.5	39.4	33.4	5	93.6	86.3	71.4	25.8%	-
L_10897	HA-357	108+97	16 RT	0.0-0.7	A-7-6(10)	41	12	8	13.3	41.7	37	4.6	92.2	87	76.1	23.1%	-
L_11000	HA-360	110+00	21 RT	0.0-0.5	A-7-5(11)	49	15	18.5	10.8	37.7	33	0	95.8	81.9	69.9	29.7%	-
L_11300	HA-363	113+00	0	0.0-0.8	A-7-6(12)	41	13	9.2	9.1	43.3	38.4	0.5	98.3	92.3	82.5	28.4%	-
L_11300	HA-365	113+00	0	4.9-5.5	A-7-5(2)	47	6	33.2	17.6	18.8	30.4	0.9	94.9	71.3	49.7	21.9%	-
L_11500	HA-319	115+00	14 LT	0.6-0.9	A-7-6(20)	50	21	4.5	5.4	40.6	49.5	2.6	90.8	87.9	83.3	20.2%	-
L_11700 LT	HA-329	117+00	30 LT	4.2-4.6	A-7-5(18)	51	15	2.8	8	41.5	47.7	0	99.4	98.2	90.5	22.0%	-
L_11700 RT	HA-323	117+00	30 RT	1.0-1.6	A-7-5(34)	68	33	2.9	6.8	30	60.3	0.2	94	92.2	86.9	27.2%	-
L_11900	HA-332	119+00	13 LT	0.9-1.3	A-7-5(40)	78	33	3.5	4.1	23.6	68.8	0.1	97.7	95.4	91.4	35.2%	-
L_12100	HA-310	121+00	10 LT	2.8-3.3	A-7-5 (29)	68	23	3.9	6.1	15.2	74.8	0	99.9	97.6	91.5	33.5%	-
L_12438	HA-307	124+38	67 RT	3.3-3.6	A-7-6 (14)	42	17	3.4	15.8	34.7	46.1	1.8	94.9	93.7	80.5	32.1%	-
L_12713	SS-260	127+13	67 RT	0.0-1.5	A-7-6(23)	51	22	4.4	6.5	29.7	59.4	0.7	98.8	96.1	89.7	-	-
L_12912	SS-257	129+12	25 LT	0.0-1.5	A-7-6(19)	49	21	5.3	7.7	31.7	55.3	1.6	93	89.7	82.9	-	-
L_13100	SS-254	131+00	30 LT	0.0-1.5	A-7-5(27)	56	24	1.6	3.7	29.3	65.4	0	96.7	95.8	92.9	-	-
L_13306	SS-251	133+06	32 LT	0.0-1.5	A-7-6(16)	46	18	5.9	7.7	27.3	59.1	3.4	90.2	86.6	79.7	-	-
L_13500	SS-243	135+00	14 RT	4.3-5.8	A-4(1)	33	1	13.1	18.2	43.9	242.8	0.2	97.3	89.1	71.3	-	-
L_13700	SS-246	137+00	14 RT	4.1-5.6	A-5(5)	46	7	22.7	19	30.9	27.4	0	98.9	84.3	61.6	35.9%	-
L_13900	SS-245B	139+00	28 RT	0.0-1.5	A-7-6(18)	47	20	5.5	7.1	28.3	59.1	0.9	92.8	89.6	82.9	-	-
L_14100	SS-248	141+00	19 RT	0.0-1.5	A-7-6(13)	42	17	9.2	8.7	34.9	47.2	1.3	91.8	85.9	77.2	-	-
L_14352	SS-265	143+52	14 RT	0.0-1.5	A-7-5(22)	60	22	5.1	8.1	26.6	60.2	3.1	90.5	87.4	80.5	-	-
L_14500	SS-270	145+00	37 RT	8.7-10.3	A-4(7)	39	10	27.7	25.3	33.5	13.5	0.2	92.4	76.5	74.4	-	-
L_14700	SS-273	147+00	21 RT	3.7-5.3	A-7-5(19)	60	28	5.4	11.6	38.8	44.2	2.4	77.7	75.2	67.5	-	-
L_14894	SS-234	148+94	30 LT	0.0-1.5	A-4 (1)	27	4	20.4	13.6	43.3	22.7	3.4	90	74	63.5	14.3%	-
L_15100	SS-231	151+00	3 LT	0.0-1.5	A-6 (9)	35	13	10.8	10.5	35.5	43.2	2	92.3	83.8	75.9	19.0%	-
L_15300	SS-227	153+00	25 RT	0.0-1.5	A-4 (5)	39	7	18.4	13.9	32.4	35.3	0	96.8	83.7	69.2	14.1%	-
L_15493	SS-225	154+93	15 LT	3.7-5.2	A-7-5 (32)	67	29	5.1	7.4	31.4	56.1	0.7	98.5	95.2	88.2	33.4%	-
L_15696	SS-220	156+96	34 RT	0.0-1.5	A-7-6 (36)	74	47	6.5	5.3	19.1	69.1	0.9	81.9	77.7	73.5	21.7%	-
L_15897 LT	SS-215	158+97	27 LT	0.0-1.5	A-7-5 (22)	56	25	8.4	7.7	22.6	61.3	4.8	92.8	86.7	79.9	26.3%	-
L_16100 LT	SS-204	161+00	55 LT	8.5-10.0	A-6 (10)	40	11	5.2	14.8	52.2	27.8	0.2	5	92.3	81.9	8.8%	-
L_16100 RT	SS-201	161+00	54 RT	18.8-20.3	A-4 (1)	40	8	35.6	21.2	24.9	18.3	0	92.7	68	44.2	16.6%	-
L_16300 RT	SS-191	163+00	24 RT	3.9-5.4	A-7-5 (37)	78	27	1.1	3.3	15.3	80.3	0	97.3	96.8	94	29.9%	-
Y11_1250	HA-350	12+50	80 RT	0.0-0.7	A-7-5(16)	48	17	8.5	8.7	39.1	43.7	0	96.6	90.5	82.4	18.4%	-
Y9_1385	HA-367	13+85	4 LT	0.0-0.5	A-7-5(24)	53	23	5.3	6.3	29.6	58.8	0.2	97.1	93.5	87.6	31.6%	-
Y11_2408	SS-238	24+08	95 RT	0.0-1.5	A-7-6 (12)	44	19	17.9	9.3	5.8	67	1	92.3	77.7	70	17.8%	-

Laboratory Testing Summary

Project Number: 48548.1.1
 TIP Number: R-5930
 City/County/State: Pittsboro, Chatham County, North Carolina
 Description: Chatham Park Way New Location Roadway from North of Suttles Road to US 15/501

Boring No.	Sample No.	Station	Offset (feet)	Depth Interval (feet)	AASHTO Class.	L.L.	P.I.	% by Weight				% Retained #4 Sieve	% Passing (sieves)			% Moisture	% Organic
								Coarse Sand	Fine Sand	Silt	Clay		#10	#40	#200		
-Y11- 15+84 EB ISS	S-13	15+84	12 RT	1.4-3.0	A-4 (1)	28	8	23.1	26.7	29.7	20.5	5.0	82	71	46	12.8%	-
-Y11- 15+84 EB ISS	S-14	15+84	12 RT	3.0-4.3	A-7-6 (15)	45	21	11.2	15.7	27.7	45.4	2.0	95	87	74	23.7%	-
-Y11- 23+07 EB LTL	S-15	23+07	6 RT	1.3-3.3	A-7-6 (26)	57	32	10.9	9.8	25.5	53.8	1.0	95	87	78	27.1%	-
-Y11- 23+07 EB LTL	S-16	23+07	6 RT	3.3-4.3	A-6 (6)	37	16	23.2	17.3	25.1	34.4	8.0	85	71	54	38.6%	-
-Y11- 23+07 EB OSL	S-1	23+07	36 RT	1.2-2.5	A-7-6 (25)	56	27	5.4	11.7	31.0	51.9	2.0	96	92	84	28.1%	-
-Y11- 23+07 EB OSL	S-2	23+07	36 RT	2.5-4.3	A-7-5 (24)	57	27	4.5	12.8	28.5	54.2	2.0	93	90	82	30.1%	-
-Y11- 30+03 EB ISL	S-17	30+03	17 RT	1.5-2.5	A-6 (1)	32	12	20.2	17.1	34.7	28.0	7.0	59	51	40	19.6	-
-Y11- 30+03 EB ISL	S-18	30+03	17 RT	2.5-4.3	A-7-6 (30)	63	34	10.0	7.2	26.1	56.7	2.0	95	87	81	25.8%	-
-Y11- 16+52 WB OSS	S-12	16+52	42 LT	1.4-4.3	A-1-b (0)	25	6	45.2	21.8	20.7	12.3	21.0	65	43	24	7.3%	-
-Y11- 16+52 WB ISS	S-9	16+52	14 LT	1.3-4.3	A-2-4 (0)	25	6	45.6	20.6	18.2	15.6	16.0	70	46	26	9.3%	-
-Y11- 26+17 WB LTL	S-7	26+17	13 LT	1.4-4.0	A-6 (2)	37	17	32.8	16.4	22.8	28.0	28.0	68	51	37	12.2%	-
-Y11- 30+00 WB OSS	S-11	30+00	41 LT	0.7-4.3	A-6 (4)	36	14	21.0	14.0	32.4	32.6	11.0	70	59	49	18.0%	-
-Y11- 33+07 WB ISS	S-6	33+07	13 LT	0.8-3.3	A-2-4 (0)	30	9	32.3	16.3	29.8	21.6	24.0	64	47	35	7.2%	-
Y11_12+50	Bulk 1	12+50	98 RT	0.0-3.0	A-7-5 (22)	66	29	4.0	6.5	15.6	73.9	3	78	76	71	33.7%	-
Y11_21+00	Bulk 2	21+00	94 RT	0.0-3.0	A-7-5 (45)	79	40	2.6	4.5	15.0	77.9	0	95	94	90	39.1%	-
L_45+00	Bulk 3	45+00	50 LT	0.0-3.0	A-4 (5)	38	8	15.1	14.6	46.8	23.5	0	89	79	66	13.3%	-
L_75+00	Bulk 4	75+00	38 LT	0.0-3.0	A-7-6 (11)	44	20	15.2	18	27.4	39.4	1	90	80	65	20.5%	-