




PAVEMENT SCHEDULE (FINAL PAVEMENT DESIGN)	
C1	PROP. APPROX. 3" ASPHALT CONCRETE SURFACE COURSE, TYPE S9-5C, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD. IN EACH OF THE TWO LAYERS.
D1	PROP. APPROX. 4" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE I19.0C, AT AN AVERAGE RATE OF 456 LBS. PER SQ. YD.
J	PROP. 10" AGGREGATE BASE COURSE.
T	EARTH MATERIAL.

NOTE: ALL PAVEMENT EDGE SLOPES ARE 1:1 UNLESS SHOWN OTHERWISE.

PROPOSED CONSTRUCTION

FUTURE CONSTRUCTION

** ADD 3' W/ GUARDRAIL



HE-0002

4RD12A-1

NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
WAKE COUNTY

DIVISION 5

ROADWAY DESIGN
ENGINEER

PROFESSIONAL
ENGINEER
5/5/2025
033400
David R. Keller
SFF00B2D25FB4D4

PAVEMENT DESIGN
ENGINEER

PROFESSIONAL
ENGINEER
5/5/2025
038176
Sharon Huang
248D67F41811435

PREPARED BY

CDM Smith
CDM Smith Inc.
5600 Glenwood Avenue
Suite 400
Raleigh, NC 27612-5028
NC CDR No. F-1265

DOCUMENT NOT CONSIDERED FINAL
UNLESS ALL SIGNATURES COMPLETED