


BM #J9 - RR SPIKE IN 18" BLACK CHERRY  
 -B.- 70+65, 353.7 m LT.  
 EL. = 250.595

-LTLN2-




SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	LL	PL I.	% BY WEIGHT				% PASSING SIEVES			MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
SS-104	41M LT	76+50 RTLN	0.00-0.45	A-4(0)	20	2	19.1	31.8	26.9	22.2	98	86	56	-	-
SS-105	41M LT	76+50 RTLN	1.19-1.64	A-6(6)	35	19	23.6	29.4	16.8	30.2	98	86	51	-	-
SS-106	41M LT	76+50 RTLN	2.71-3.16	A-4(0)	24	NP	14.1	54.0	23.9	8.1	85	78	40	-	-
SS-99	15M RT	77+20 RTLN	0.98-1.23	A-1-b(0)	23	NP	47.9	34.2	11.8	6.0	78	50	18	-	-
SS-102	25M LT	78+32 RTLN	0.00-0.45	A-2-4(0)	18	NP	38.1	34.4	15.4	12.1	88	63	31	-	-
SS-103	25M LT	78+32 RTLN	1.15-1.60	A-1-b(0)	31	NP	62.6	22.6	10.8	4.0	59	30	11	-	-
SS-100	15M RT	78+80 RTLN	5.50-5.75	A-4(0)	22	4	19.5	27.6	30.7	22.2	89	77	53	-	-
S-101	15M RT	79+00 RTLN	0.00-0.60	A-4(3)	29	9	15.3	29.4	27.1	28.2	97	87	60	-	-

BM #J9 - RR SPIKE IN 18" BLACK CHERRY  
 -B.- 70+65, 353.7 m LT.  
 EL. = 250.595

-RTLN2-



PI = 78+70.000  
 EL = 233.790 m  
 VC = 140 m  
 K = 39  
 V = 90 kph

\$\$\$\$\$SYTIME\$\$\$\$\$  
 \$\$\$DGN\$\$\$\$\$  
 \$\$\$USERNM\$\$\$\$\$

FOR -RTLN2- PLAN VIEW  
 SEE SHEET 20