



SOIL TEST RESULTS



SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	LL	PL I.	% BY WEIGHT				% PASSING SIEVES			% MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
MS-74	20M LT	65+80	0.00-0.75	A-6(10)	35	15	0.0	0.0	0.0	0.0	0	0	24.8	-	
S-74	20M LT	65+80	0.00-0.75	A-6(10)	35	15	9.5	22.4	33.8	34.3	100	94	75	-	
SS-75	20M LT	65+80	0.95-1.40	A-4(0)	30	4	30.5	32.3	25.1	12.1	100	79	44	-	
SS-76	20M LT	65+80	2.60-2.90	A-4(0)	27	3	25.8	31.3	30.8	12.1	100	83	51	-	
SS-77	37M RT	66+55	0.00-0.45	A-4(0)	25	3	30.1	35.3	20.5	14.1	98	77	41	-	
SS-78	37M RT	66+55	2.65-3.18	A-4(0)	28	NP	32.5	34.1	23.3	10.1	95	72	39	-	
SS-79	10M RT	67+20	1.06-1.51	A-2-4(0)	23	NP	42.1	31.8	14.0	12.1	97	69	31	-	
SS-80	CL	68+00	0.87-1.32	A-6(3)	30	14	27.8	27.2	14.8	30.2	97	79	49	-	
SS-81	CL	68+00	2.39-2.84	A-4(0)	32	10	26.2	41.9	15.8	16.1	95	77	37	-	

BM #16 - RR SPIKE IN 24" RED CEDAR
 -BL- 61+58, 104.2 m LT.
 EL. = 228.588



BM #18 - RR SPIKE IN 18" DOUBLE WINGED ELM
 -BL- 69+82, 295.3 RT.
 EL. = 238.482

PI = 71+80.000
 EL = 249.180 m
 VC = 590 m
 K = 95
 V = 100 kph



SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	LL	PL I.	% BY WEIGHT				% PASSING SIEVES			% MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
SS-82	CL	69+60	1.15-1.45	A-4(1)	29	3	6.8	47.1	36.0	10.1	100	97	65	-	
SS-83	15M RT	70+40	1.20-1.58	A-2-4(0)	23	NP	53.0	25.2	13.8	8.1	85	53	26	-	
SS-84	20M LT	72+00	1.24-1.65	A-4(3)	30	10	13.5	39.1	27.3	20.1	95	87	64	-	

\$\$\$\$\$SYTIME\$\$\$\$\$
 \$\$\$\$\$\$DGN\$\$\$\$\$
 \$\$\$\$\$\$USERNAME\$\$\$\$\$

FOR -L- PLAN VIEW
 SEE SHEET 18