

UTILITIES BY OTHERS




NOTE:
ALL PROPOSED UTILITY WORK
SHOWN ON THIS SHEET WILL
BE DONE BY OTHERS

BASELINE DISTANCES		
BEARING	DISTANCE	
BL-1 TO	N 75°53'05.8" E	235.61'
BL-2 TO	S 64°19'22.9" E	217.73'
BL-3 TO	N 88°35'16.1" E	199.64'
BL-4 TO	N 71°50'23.4" E	220.56'
BL-5		

RONALD WIGGINS
WILLS & ESTATES
FILE #97E-16
DB 164 PG 197


-L-
PI Sta 14+09.78
Δ = 65° 21' 22.8" (LT)
D = 28° 38' 52.4"
L = 228.14'
T = 128.29'
R = 200.00'
e = .02
Ds = 25 MPH

-L-
PI Sta 17+32.08
Δ = 30° 12' 13.7" (RT)
D = 21° 36' 05.9"
L = 139.82'
T = 71.58'
R = 265.24'
e = exlst.





-L-
PI Sta 10+94.58
Δ = 42° 46' 07.7" (RT)
D = 23° 43' 17.3"
L = 180.30'
T = 94.58'
R = 241.54'
e = exlst.

BRIDGE SKETCH
REPLACEMENT BRIDGE NO. 47



BRIDGE SKETCH
REPLACEMENT BRIDGE NO. 48



8/17/99
28-JUL-2004 08:35
R:\UT\1115\1115.dwg
DS212258 Wednesday July 28 2004 b3667_ut_uo_01.dgn