


SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	LL	PL.I	% BY WEIGHT				% PASSING SIEVES			% MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
S-44	0.0	513+00.-L-	0.0-13.0	A-4(1)	35	6	29	26	26	19	100	88	58	25	
SS-43	0.0	515+00.-L-	13.5-15.0	A-5(1)	41	NP	21	31	32	16	100	86	55	22	
S-40	0.0	517+00.-L-	5.0-10.0	A-7-5(17)	68	44	37	15	6	42	91	72	50	20	
SS-33	0.0	519+00.-L-	8.5-10.0	A-7-5(13)	56	19	20	19	32	29	100	86	64	25	
SS-37	0.0	519+00.-L-	28.5-30.0	A-5(1)	47	NP	19	31	37	13	99	81	58	27	
S-51	0.0	521+00.-L-	0.0-13.0	A-7-5(7)	48	11	18	23	28	31	100	89	62	22	
SS-50	0.0	523+00.-L-	0.0-1.5	A-2-4(1)	33	NP	46	37	11	6	97	75	20	10	

PROJECT REFERENCE NO. R-247BB	SHEET NO. 12
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER
PRELIMINARY PLANS	
DO NOT USE FOR CONSTRUCTION	

PROFILE AT C - L -

BM #20
RR-SPIKE IN BASE OF 15" PINE TREE
EL. = 427.380
-Y1- STA. 14+20.60 OFF. 31.02 RT.



SEE SHEET 6 FOR PLAN VIEW