



NOTE:
TEMPORARY SILT FENCE SHALL BE INSTALLED A MINIMUM OF 1 METER FROM TOE OF FILL IN WETLAND AREAS

 5 0 10 CONST. REV. R/W REV.	PROJECT REFERENCE NO. R-2206B	SHEET NO. EC-34/CONST. 5
	ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER




Y12
 P.I. = 15+08.463
 $\Delta C = 4' 35" 42.4" (RT)$
 $R_c = 1,400.000$
 $L_c = 112.280$
 $T_c = 56.170$
 $E_c = 1126$
 $D.S. = 60 \text{ km/hr}$

-L-
 P.I. = 108+71.570
 $T_s = 235.839$
 $\Delta T = 12' 44" 13.8" (RT)$
 $\Delta C = 10' 05" 06.7" (RT)$
 $R_c = 1,750.000$
 $L_c = 308.035$
 $T_c = 154.416$
 $\Theta_s = 1' 19" 33.6"$
 $L_s = 81.000$
 $L.T. = 54.002$
 $S.T. = 27.001$
 $S.E. = 0.03$
 $D.S. = 100 \text{ km/hr}$

Y12
 P.I. = 18+48.370
 $\Delta C = 8' 01" 02.9" (RT)$
 $R_c = 1,809.000$
 $L_c = 253.136$
 $T_c = 126.775$
 $E_c = 4.437$
 $D.S. = 60 \text{ km/hr}$

MATCH TO SHEET 4 -L- STA. 104 + 80.000

MATCH TO SHEET 6 -L- STA. 108 + 10.000



- NOTES
- FOR PROFILE OF: SEE SHEET NO:
 -L- 32, 33
 -Y12- 58, 59
 - FOR CROSS SECTIONS OF: SEE SHEET NO:
 -L- X-6 THRU X-12
 -Y12- X-174 THRU X-178