

SOIL TEST RESULTS															
SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	ASHTO CLASS.	L.L.	P.L.	% BY WEIGHT				% PASSING SIEVES			% MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
MS-22	20 LT	129+30	7.22-7.52										11.6		
SS-79	20 LT	129+30	1.14-1.44	A-7-5(11)	57	17	17.4	26.1	16.2	40.4	100	92	61		
SS-80	20 LT	129+30	4.18-4.48	A-7-5(0)	47	11	35.8	33.7	20.4	10.1	100	79	36		
SS-81	20 LT	129+30	11.78-12.08	A-2-4(0)	32	NP	35.6	40	18.4	6.1	100	79	33	15	
SS-96	30 RT	128+00	1.30-1.60	A-5(7)	49	10	10.1	32.1	25.5	32.3	100	97	63		
SS-97	30 RT	128+00	2.82-3.12	A-5(0)	43	NP	10.7	47.5	29.7	12.1	100	96	52		
MS-22A	30 RT	128+00	5.86-6.16										9.3		
SS-98	30 RT	128+00	10.42-10.72	A-4(0)	34	NP	1	54.5	38.4	6.1	100	99	66		

**METRIC**

PROJECT REFERENCE NO. R-22068  
R/W SHEET NO. 51


ROADWAY DESIGN ENGINEER  
HYDRAULICS ENGINEER

**INCOMPLETE PLANS**  
DO NOT USE FOR R/W ACQUISITION

CONST. REV.  
R/W REV.

WILBUR SMITH ASSOCIATES  
P.O. BOX 2479  
RALEIGH, N.C. 27602-2479

TRANSITE CONSULTING  
1900 PARKWAY DRIVE, SUITE 8-10  
RALEIGH, N.C. 27609



PROFILE FOR -L-  
STA. 127+20.00 THRU 130+80.00