



CURVE L-1
PI STA. 11+87.68
 $\Delta = 214.431^\circ$ LT
D = 100.00'
L = 224.53'
T = 112.28'
R = 5729.58'

CURVE L-2
PI STA. 20+07.52
 $\Delta = 145.30^\circ$ RT
D = 100.00'
L = 175.83'
T = 87.92'
R = 5729.58'

BRIDGE DESCRIPTION
WD. DECK WITH BST SURFACE
WD RAILS
WD END WALLS
WD WING WALLS
8 STEEL BEAMS
WHEEL CLEARANCE = 19.00'
HIGH WATER ELEV. = 2144.76'
2 COLUMNS WITH 4 ROUND WD POLES ON CONC. FOUNDATION


CHARLES SILER SLAGLE, ET. ALS.
DB 0-18 PG. 294
DB T-6 PG. 257
HISTORIC PROPERTY



BEGIN STATE PROJECT B-3485
-L- POT STA. 13+00.00

CHARLES SILER SLAGLE, ET. ALS.
DB 0-18 PG. 294
DB T-6 PG. 257
HISTORIC PROPERTY

CHARLES SILER SLAGLE, ET. ALS.
DB 0-18 PG. 294
DB T-6 PG. 257
HISTORIC PROPERTY
BOUNDARY INCLUDES
ENTIRE PARCEL (200 AC)



DATUM DESCRIPTION
THE LOCALIZED COORDINATE SYSTEM DEVELOPED FOR THIS PROJECT IS BASED ON THE STATE PLANE COORDINATES FOR NCGS MONUMENT "SLAGLE" WITH NAD 83 STATE PLANE GRID COORDINATES OF NORTHING: 537866.2898(ft) EASTING: 663338.8899(ft) THE AVERAGE COMBINED GRID FACTOR USED ON THIS PROJECT (GROUND TO GRID) IS: 0.9997710909. THE N.C. LAMBERT GRID BEARING AND LOCALIZED HORIZONTAL GROUND DISTANCE FROM "SLAGLE" TO -L- POT STATION 10+00.00 IS N 31° 01' 24.63" W 3363.1572 (ft) ALL LINEAR DIMENSIONS ARE LOCALIZED HORIZONTAL DISTANCES VERTICAL DATUM USED IS NGVD 29

SEE SHEET 5 FOR -L- PROFILE.
SEE SHEETS S-1 THRU S-32 FOR STRUCTURE PLANS.

- APPROACH SLAB
- FULL DEPTH PAVED SHOULDER (FDPS)