



SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	LL	PL. I.	% BY WEIGHT				% PASSING SIEVES			% MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
SS-6	15 RT	230+25	4.90-5.90	A-7-5(18)	54	23	3.9	30.0	27.3	38.8	100	99	73	-	-
SS-7	15 RT	230+25	9.90-10.90	A-2-4(0)	26	NP	17.3	58.0	16.5	8.2	100	95	33	-	-
SS-8	15 RT	230+25	24.90-25.90	A-2-4(0)	24	NP	15.1	64.7	16.1	4.1	81	77	26	-	-
SS-9	55 RT	233+50	4.90-5.90	A-6(6)	36	18	17.8	28.8	18.8	34.7	89	79	52	-	-
SS-10	55 RT	233+50	9.90-10.90	A-4(0)	28	5	24.7	46.9	16.1	12.2	100	84	39	-	-
SS-11	55 RT	236+50	9.90-10.90	A-4(0)	29	NP	14.9	45.5	29.4	10.2	100	93	50	-	-

5/28/99

DATE PLOTTED: 5/28/99
 TIME PLOTTED: 10:00 AM
 PLOTTER: J. B. WILSON
 CHECKED BY: J. B. WILSON
 DRAWN BY: J. B. WILSON